




SILTEC®

C A B L E H Y G I E N E
C A B L E R O U T I N G S Y S T E M S

WIRE CABLE TRAYS - *for CableSeparation*

US patented
11,817,683,B2



PRODUCT INFORMATION

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com




Table of Contents

Cable trays S810 - S832	Pgs	4 - 5
Product Overview	Pgs	6 - 7



SILTEC CABLE ROUTING SYSTEM

SILTEC cable routing system has been developed with optimal function in mind and with emphasis on simplicity and accessibility for the purposes of thorough cleaning and heat dissipation.

SILTEC cable routing system is made up of durable components of steel of highest quality, resistive to corrosion and with excellent chemical resistance.

SILTEC cable routing system is suitable for:

- The Food industry
- The Chemical industry
- Machine builders
- Office and computer environments
- Electrical installations in general

Cable trays are delivered in lengths of 3 meters. Width varies from 25 mm to 600 mm, and height from 25 mm to 125 mm.

Cable trays with custom measurements are made upon request.

All cable trays are made of round material which is gentle on cables, tubing, installers and maintenance personnel.

SILTEC cable trays are produced in

- Stainless steel (Aisi 316 and 304)
- Hot-dip galvanized material
- Electro-galvanized material

SILTEC cable routing system solves issues with the transport of energy in cables – simple, effective and environmentally correct.

SILTEC CABLE ROUTING SYSTEM

- Comes with the following wire cable tray types



Open standard cable trays



Locking cable trays



Open compact trays



Heavy duty cable trays



Cable tr. f. CableSeparation



Cable trays for one cable


In addition, we offer a large number of specialty trays and a comprehensive program of assembly parts, mounts and accessories.

Siltec Cable trays for CableSeparation

S810		0.98" x 3.0" x 83" - ø0.15" 316 St. Steel 570598 620800 0 304 St. Steel 570598 720800 9 <i>Patented US 11,817,683 B2</i>
S820		0.98" x 4.1" x 83" - ø0.15" 316 St. Steel 570598 620820 8 304 St. Steel 570598 720820 7 <i>Patented US 11,817,683 B2</i>
S822		0.98" x 5.2" x 83" - ø0.15" 316 St. Steel 570598 620822 2 304 St. Steel 570598 720822 1 <i>Patented US 11,817,683 B2</i>
S830		0.98" x 6.6" x 83" - ø0.15" 316 St. Steel 570598 620830 7 304 St. Steel 570598 720830 6 <i>Patented US 11,817,683 B2</i>
S832		0.98" x 8.9" x 83" - ø0.15" 316 St. Steel 570598 620832 1 304 St. Steel 570598 720832 0 <i>Patented US 11,817,683 B2</i>




Dimensions and assembly



Dimensions	S810	S820	S822	S830	S832
A:	1.3"	1.3"	1.3"	1.3"	1.3"
A-1:	0.98"	0.98"	0.98"	0.98"	0.98"
B:	3.0"	4.1"	5.2"	6.6"	8.9"
G-1:	1.2"	1.2"	2x1.2"	1.2"	1.2"
G-2:	-	-	-	1.2"	2.4"

All dimensions in inches!







Cable dimensions



Cable dimensions

Dimensions in inches	A	B	C	D	E	F	G	H	K	
S810	0.37"	0.41"			0.37"	0.41"			0.31"	
S820	0.37"	0.33"	0.41"		0.37"	0.41"	0.33"		0.37"	
S822	0.35"	0.37"	0.35"	0.39"	0.35"	0.41"	0.37"	0.37"	0.35"	
S830	0.63"	0.61"	0.63"		0.63"	0.65"	0.57"		0.59"	
S832	0.63"	0.57"	0.61"	0.65"	0.63"	0.65"	0.57"	0.61"	0.59"	

Suspensions and accessories

 S41B Splice Plate 316 St. Steel 570598 650513 0 304 St. Steel 570598 750513 7 Hot dip galv. 570598 550513 1 El. pl. Zinc 570598 350513 3	 S40B Splice Plate 316 St. Steel 570598 650512 3 Hot dip galv. 570598 550512 4 El. pl. Zinc 570598 350512 6	
 S145M Mounting Brackets X: 1.97" 304 St. Steel 570598 755531 8	 S45M Mounting Brackets X: 0.79" 316 St. Steel 570598 655531 9 Hot dip galv. 570598 555531 0 El. pl. Zinc 570598 355531 2	 S45 Mounting Brackets X: 0.79" 316 St. Steel 570598 655530 2 Hot dip galv. 570598 555530 3 El. pl. Zinc 570598 355530 5
 S141 Weld Bracket X = 0.79" 316 St. Steel 570598 650141 5	 S14 Mount Polypropylen Ø=0.16" 570598 199610 0	 S14BD Mount, detectable Polypropylen Ø=0.16" 570598 199630 8
 S990 Connecting sleeves, small 304 St. Steel 570598 755990 3		
 S19 Bolt Cutte 570598 210002 5	 S119 Bolt Cutte 570598 210003 2	

Disposition	S810	S820	S822	S830	S832		
S14 / S14BD	●	●	●	●	●		
S40B	●	●	●	-	-		
S41B	●	●	●	●	●		
S45	●	●	●	●	●		
S45M	●	●	●	●	●		
S141	●	●	●	●	●		
S145M	●	●	●	●	●		




S822

SILTEC has a Cable Tray for Every Need

Standard - open trays

S25		1.0" x 1.0" x 118" - ø0.15" 25 x 25 x 3000 mm - ø4 mm 316 St. Steel 570598 620105 6 304 St. Steel 570598 720105 5
S26		2.0" x 2.0" x 118" - ø0.15" 50 x 50 x 3000 mm - ø4 mm 316 St. Steel 570598 620106 3 304 St. Steel 570598 720106 2
S27		3.0" x 3.0" x 118" - ø0.15" 75 x 75 x 3000 mm - ø4 mm 316 St. Steel 570598 620107 0
S28		4.0" x 4.0" x 118" - ø0.24" 100 x 100 x 3000 mm - ø6 mm 316 St. Steel 570598 620108 7
S30M		1.4" x 1.6" x 118" - ø0.15" 35 x 40 x 3000 mm - ø4 mm 304 St. Steel 570598 720117 8
S30		1.8" x 2.4" x 118" - ø0.15" 45 x 60 x 3000 mm - ø4 mm 316 St. Steel 570598 620118 6 304 St. Steel 570598 720118 5
S30*		1.8" x 2.4" x 118" - *ø0.20" 45 x 60 x 3000 mm - *ø5 mm 316 St. Steel 570598 620119 3 304 St. Steel 570598 720119 2
S35		2.2" x 4.0" x 118" - ø0.15" 55 x 100 x 3000 mm - ø4 mm 304 St. Steel 570598 720120 8
S35*		2.2" x 4.0" x 118" - *ø0.20" 55 x 100 x 3000 mm - *ø5 mm 316 St. Steel 570598 640120 3 304 St. Steel 570598 740120 2
S35W		2.2" x 6.0" x 118" - ø0.20" 55 x 150 x 3000 mm - ø5 mm 316 St. Steel 570598 620120 9 304 St. Steel 570598 720121 5
S36		2.2" x 8.0" x 118" - ø0.20" 55 x 200 x 3000 mm - ø5 mm 316 St. Steel 570598 640121 0 304 St. Steel 570598 740121 9
S37		2.2" x 12.0" x 118" - ø0.20" 55 x 300 x 3000 mm - ø5 mm 316 St. Steel 570598 640122 7 304 St. Steel 570598 740122 6
S38		2.2" x 16.0" x 118" - ø0.20" 55 x 400 x 3000 mm - ø5 mm 316 St. Steel 570598 640122 7 304 St. Steel 570598 740122 6
S39		2.2" x 20.0" x 118" - ø0.20" 55 x 500 x 3000 mm - ø5 mm 304 St. Steel 570598 740124 0
S39W		2.2" x 24.0" x 118" - ø0.20" 55 x 600 x 3000 mm - ø5 mm 304 St. Steel 570598 740126 4

Standard - open trays

S30M-X		2.0" x 2.2" x 118" - ø0.15" 50 x 57 x 3000 mm - ø4 mm 304 St. Steel 570598 786175 4
S30-X		2.8" x 2.7" x 118" - ø0.15" 67 x 67 x 3000 mm - ø4 mm 304 St. Steel 570598 786180 8
S35-X		2.8" x 4.5" x 118" - ø0.15" 67 x 100 x 3000 mm - ø4 mm 304 St. Steel 570598 786181 5
S36-X		2.8" x 8.2" x 118" - ø0.20" 67 x 200 x 3000 mm - ø5 mm 304 St. Steel 570598 786185 3

COMPACT Trays

S115		0.4" x 0.9" x 118" - ø0.12" 9 x 23 x 3000 mm - ø3 mm 304 St. Steel 570598 720115 4
S116		0.5" x 1.2" x 118" - ø0.12" 13 x 30 x 3000 mm - ø3 mm 304 St. Steel 570598 720116 1
S125		0.3" x 0.9" x 110.25" - ø0.12" 8 x 24 x 2800 mm - ø3 mm 316 St. Steel 570598 610105 9
S126		1.2" x 2.0" x 118" - ø0.15" 30 x 50 x 3000 mm - ø4 mm 304 St. Steel 570598 790126 9
S127		1.2" x 3.0" x 118" - ø0.15" 30 x 75 x 2800 mm - ø4 mm 304 St. Steel 570598 790127 6
S128		1.2" x 4.0" x 118" - ø0.15" 30 x 100 x 3000 mm - ø4 mm 304 St. Steel 570598 790128 3
S129		1.2" x 5.0" x 118" - ø0.20" 30 x 125 x 3000 mm - ø5 mm 304 St. Steel 570598 790129 0
S130		1.2" x 6.0" x 118" - ø0.20" 30 x 150 x 3000 mm - ø5 mm 304 St. Steel 570598 790130 6
S131		1.2" x 10" x 118" - ø0.20" 30 x 250 x 3000 mm - ø5 mm 304 St. Steel 570598 790131 3
S132		1.2" x 14" x 118" - ø0.20" 30 x 350 x 3000 mm - ø5 mm 304 St. Steel 570598 790132 0
S133		1.2" x 18" x 118" - ø0.20" 30 x 450 x 3000 mm - ø5 mm 304 St. Steel 570598 790133 7

Tray with lock

S20		1.0" x 1.0" x 118" - ø0.15" 25 x 25 x 3000 mm - ø4 mm 316 St. Steel 570598 610100 4
S20N		1.0" x 1.0" x 118" - ø0.15" 25 x 25 x 3000 mm - ø4 mm 304 St. Steel 570598 710100 3
S21		2.0" x 2.0" x 118" - ø0.15" 50 x 50 x 3000 mm - ø4 mm 316 St. Steel 570598 610101 1
S21N		2.0" x 2.0" x 118" - ø0.15" 50 x 50 x 3000 mm - ø4 mm 304 St. Steel 570598 710101 0
S22		3.0" x 3.0" x 118" - ø0.15" 75 x 75 x 3000 mm - ø4 mm 316 St. Steel 570598 610102 8
S22N		3.0" x 3.0" x 118" - ø0.15" 75 x 75 x 3000 mm - ø4 mm 304 St. Steel 570598 710102 7
S121		1.0" x 2.0" x 118" - ø0.15" 25 x 50 x 3000 mm - ø4 mm 304 St. Steel 570598 710121 8
S123		1.0" x 4.0" x 118" - ø0.15" 25 x 100 x 3000 mm - ø4 mm 304 St. Steel 570598 710123 2
K25		1.0" x 1.0" x 118" - ø0.15" 25 x 25 x 3000 mm - ø4 mm 304 St. Steel 570598 789104 1
K40		1.6" x 1.6" x 118" - ø0.15" 40 x 40 x 3000 mm - ø4 mm 304 St. Steel 570598 789102 7
K90		1.6" x 3.5" x 118" - ø0.15" 40 x 90 x 3000 mm - ø4 mm 304 St. Steel 570598 789106 5
K26		1.0" x 1.0" x 118" - ø0.15" 25 x 25 x 3000 mm - ø4 mm 304 St. Steel 570598 789105 8 With Welded-On Cover
K41		1.6" x 1.6" x 118" - ø0.15" 40 x 40 x 3000 mm - ø4 mm 304 St. Steel 570598 789103 4 With Welded-On Cover
K91		1.6" x 3.5" x 118" - ø0.15" 40 x 90 x 3000 mm - ø4 mm 304 St. Steel 570598 789107 2 With Welded-On Cover



Heavy Duty Cable Trays

S235		4.0" x 4.0" x 118" - ø0.20" 100 x 100 x 3000 mm - ø5 mm 316 St. Steel 570598 688235 4
S236		4.0" x 8.0" x 118" - ø0.20" 100 x 200 x 3000 mm - ø5 mm 316 St. Steel 570598 688236 1
S237		4.0" x 12.0" x 118" - ø0.20" 100 x 300 x 3000 mm - ø5 mm 316 St. Steel 570598 688237 8
S238		4.0" x 16.0" x 118" - ø0.20" 100 x 400 x 3000 mm - ø5 mm 316 St. Steel 570598 688238 5
S239		4.0" x 20.0" x 118" - ø0.20" 100 x 500 x 3000 mm - ø5 mm 316 St. Steel 570598 688239 2
S240		4.0" x 24.0" x 118" - ø0.20" 100 x 600 x 3000 mm - ø5 mm 316 St. Steel 570598 688240 8
S428		4.0" x 4.0" x 118" - ø0.20" 100 x 100 x 3000 mm - ø5 mm 304 St. Steel 570598 799428 5
S436		4.0" x 8.0" x 118" - ø0.20" 100 x 200 x 3000 mm - ø5 mm 304 St. Steel 570598 799436 0
S437		4.0" x 12.0" x 118" - ø0.20" 100 x 300 x 3000 mm - ø5 mm 304 St. Steel 570598 799437 7
S438		4.0" x 16.0" x 118" - ø0.20" 100 x 400 x 3000 mm - ø5 mm 304 St. Steel 570598 799438 4



CABLE HYGIENE

Siltec USA, Inc.

6101 - 23rd Drive West, Suite B, Everett, WA 98203, USA
Phone (+1) 425.328.1006 . www.siltec.us / siltec@siltec.us



DEALER: