

Lights & Sirens

2026 Catalog



**Safety in
this moment.**
That's Federal Signal Strength.

RISK REDUCTION IN EMERGENCY RESPONSE

How Emergency Vehicle Warning Lights and Sirens Reduce the Risk of Accidents

When every second counts, first responders face significant risks—to their own safety and to the public's. Emergency vehicle warning lights and sirens deliver clear, visual, and audible warning signals that help drivers and pedestrians detect, recognize, and respond.

It is all about safety in the moment—reducing accidents and making emergency responses safer.



WHAT ARE THE RISKS?

Risks to first responders and the public during an emergency response include:



Physical Risks

Risks of injury or death due to vehicle accidents or delayed response



Financial Implications

Increased property damage when emergency vehicles are delayed, increased insurance premiums, and downtime for out-of-service emergency vehicles.



Legal Exposure

Potential for lawsuits and liability for municipalities and departments.

4 ELEMENTS OF RISK REDUCTION

An understanding of the factors associated with an effective vehicular emergency warning system can minimize risks.

Awareness of Human Factors

Humans process signals in three phases: detection, recognition, and response.

Proper Installation, Operation, and Maintenance

Ensuring the right system is installed, operated, and maintained for optimal safety.

Suitably Engineered Equipment



Choose and specify the products and technologies designed and best suited for your vehicle's specific vocation or application.



Knowledge of Industry Standards

Become familiar with the organizations that have established minimum performance standards for emergency warning devices.

HUMANS PROCESS SIGNALS IN THREE PHASES



- **Detection:**
The driver's initial awareness of a signal
- **Recognition:**
The driver determines what the signal is and what it means.
- **Response:**
The driver modifies behavior.

Safety in this moment.
That's Federal Signal Strength.

Contact your Federal Signal Sales Representative today to learn how our solutions help your fleet reduce risk and save lives.

pssinsidesales@fedsig.com
www.fedsig.com/police

Light Bars

Light Bar Feature Comparison Chart..... 2
 Vision® SLR..... 3
 Valor®..... 4
 Integrity®..... 6
 Allegiant® Max..... 8
 Reliant® S2..... 10
 Hook Mount Reference Guide..... 11
 SpectraLux ILS Low-Profile..... 12

Sirens / Speakers

Siren Feature Comparison Chart..... 14
 Pathfinder® PF400..... 15
 Pathfinder® PF200..... 17
 Pathfinder Accessories..... 18
 Pathfinder® OBD Cable Vehicle Reference Chart..... 19
 Pathway®..... 20
 PA300-100..... 21
 MS4000U..... 21
 Rumbler®..... 22
 DynaMax®/ES100C..... 24
 AS124..... 26

Perimeter Lights

MicroPulse® Ultra..... 27
 MicroPulse® Ultra D-Pillar..... 28
 MicroPulse® C Series..... 28
 MicroPulse® Wide Angle Pro..... 29
 MicroPulse® Wide Angle 9..... 30
 MicroPulse® Series Brackets and Kits..... 31
 DynaFlare™..... 35
 416900 Series..... 37
 416300 Series..... 38
 XStream®..... 39

SignalMaster™ Warning Lights

Latitude™..... 40
 CN SignalMaster™..... 41
 SignalMaster™ Brackets..... 42
 MB1 LED Message Board..... 42

Accessories

Opticom®..... 43
 Headlight/Taillight Flashers..... 43
 Littlite® LED..... 44
 Voice Gun..... 44

Push Bumper

DFC Series Push Bumper..... 45
 DFC Series Window Guard..... 46

Vehicle Reference Guides

Ford Police Interceptor Utility..... 47
 Ford F-150 Responder..... 49
 Ford Expedition..... 50
 Chevrolet Tahoe..... 51
 Chevrolet Silverado 1500..... 53
 Chevrolet Blazer EV..... 54
 Dodge Durango..... 55
 Dodge Charger..... 56

LIMITED WARRANTY TERMS AND CONDITIONS..... 59

General Notes

1. All voltage is 12 Vdc unless marked otherwise. Contact the factory for pricing and availability of 24 V models.
2. A copy of the Federal Signal warranty and Terms and Conditions that accompany these products can be found at www.fedsig.com.
3. Base models of light bars and other configured products are not available without installed options.
4. For detailed information on how to order, consult the product data sheets or contact the factory at 800-264-3578.
5. When installing equipment inside airbag-equipped vehicles, the installer must ensure that the equipment is installed only in areas recommended by the vehicle manufacturer.
6. Pricing subject to change without notice.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Effective January 19, 2026

Vision® SLR

- Unique non-linear, V-shape light bar
- Available in 46", 53", and 60" lengths
- Single-, dual-, tri-, and quad-color combinations available
- Left-flood, right-flood, full-flood, alley lights available
- (15) flash patterns
- 12 Vdc
- Aerial view allows emergency vehicle to be seen
- Jogging capability allows user to adjust rotator illuminating an area
- Individual pod replacement for easy service








LED COLOR OPTIONS












MODEL	LENGTH	WARNING LIGHT CAPABILITY	TAKEDOWN LIGHTS	ALLEY LIGHTS	FLOOD LIGHTS	SIGNALMASTER™	SERIAL INTERFACE MODULE	MOUNT
VSLR46-2664023	46-inch	Red/White/Blue	Pods 3/5	Pods 3/5		•	•	Hook
VSLR46-2664017	46-inch	Red/White/Blue	Pods 3/5	Pods 3/5		•		Hook
VSLR46S-2664014	46-inch	Red/Blue	Pods 3/5	Pods 3/5	•	•	•	Hook
VSLR46S-2664009	46-inch	Red/Blue	Pods 3/5	Pods 3/5	•	•		Hook



8-Head LED SignalMaster™

VSLR46-2664023 (with interface module, hook mount)
 VSLR46-2664017 (without interface module, hook mount)



8-Head LED SignalMaster™

VSLR46S-2664014 (with interface module, hook mount)
 VSLR46S-2664009 (without interface module, hook mount)

The Vision® SLR models shown do not have separate alley lights. White in pods 3 and 5 can be used as alley lights.




Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com




VALR44J-P1BH (hook mount)
VALR44J-P1BL (low hook mount)




VALR44J-P2BL (low hook mount)




VALR44J-PF3AL (low hook mount)



VALR51J-P1BH (hook mount)
VALR51J-P1BL (low hook mount)



VALR51J-P2BL (low hook mount)



VALR51J-PF3AL (low hook mount)

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com






INTG44J-P1BL (low hook mount)



INTG44J-P2BL (low hook mount)




INTG44J-PF3L (low hook mount)



INTG51J-P1BL (low hook mount)



INTG51J-P2BL (low hook mount)



INTG51J-PF3L (low hook mount)

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Allegiant® Max



- Low-profile, linear light bar
- Available in 45", 53", 61", 70", and 80" lengths
- Single-, dual-, and tri-color capability
- Built-in SignalMaster™ directional warning
- Integrated sync capability
- Left-flood, right-flood, full-flood, takedowns, alley lights, alley ground lights, and S/T/T available
- Low-power mode
- (30) flash patterns
- 12 Vdc
- Easy service while installed on the roof top







LED COLOR OPTIONS     








MODEL	LENGTH	WARNING LIGHT CAPABILITY	DOMES COLORS	FLOOD LIGHTS	TD/ALLEY LIGHTS	AMBER SIGNALMASTER	INTEGRATED SYNC	MOUNT	ALLEY GROUND LIGHTS
ALGT45JX-P1LC	45-inch	Red/Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Low Hook	
ALGT45JX-P2LC	45-inch	Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Low Hook	
ALGT45JX-P3LC	45-inch	Red/Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Low Hook	<input checked="" type="checkbox"/>
ALGT45JX-P4LC	45-inch	Red/Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	Low Hook	<input checked="" type="checkbox"/>
ALGT53JX-P1LC	53-inch	Red/Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Low Hook	
ALGT53JX-P2LC	53-inch	Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Low Hook	
ALGT53JX-P3LC	53-inch	Red/Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Low Hook	<input checked="" type="checkbox"/>
ALGT53JX-P3LB	53-inch	Red/Blue/White	Black	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Low Hook	<input checked="" type="checkbox"/>
ALGT53JX-P4LC	53-inch	Red/Blue/White	Clear	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	Low Hook	<input checked="" type="checkbox"/>

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com






ALGT45JX-P1LC (low hook mount)




ALGT45JX-P2LC (low hook mount)




ALGT45JX-P3LC (low hook mount)




ALGT45JX-P4LC (low hook mount)




ALGT53JX-P1LC (low hook mount)




ALGT53JX-P2LC (low hook mount)



ALGT53JX-P3LC (low hook mount)



ALGT53JX-P3LB (low hook mount)



ALGT53JX-P4LC (low hook mount)

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Reliant® S2



- Ultra low-profile, linear light bar
- Available in 48" length
- Single-, dual-, and tri-color capability
- Left-flood, right-flood, full-flood, takedowns, alley lights, and S/T/T available
- Low-power mode
- (28) flash patterns
- 12 Vdc
- Built-in SignalMaster™ directional warning












MODEL	LENGTH	WARNING LIGHT CAPABILITY	DOMES COLORS	TD/ALLEY LIGHTS	FLOOD LIGHTS	AMBER SIGNALMASTER	MOUNT
RLNT48J-01BB	48-inch	Red/Blue/White	Blue	•	•	•	Low Hook
RLNT48J-01CC	48-inch	Red/Blue/White	Clear	•	•	•	Low Hook
RLNT48J-01RB	48-inch	Red/Blue/White	Red/Blue	•	•	•	Low Hook
RLNT48J-02BB	48-inch	Red/Blue/White	Blue	•	•		Low Hook
RLNT48J-02CC	48-inch	Red/Blue/White	Clear	•	•		Low Hook
RLNT48J-02RB	48-inch	Red/Blue/White	Red/Blue	•	•		Low Hook




RLNT48J-01CC




RLNT48J-02CC




RLNT48J-01RB



RLNT48J-02RB



RLNT48J-01BB



RLNT48J-02BB

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



For the most up-to-date hook mount information, visit www.fedsig.com/hook-mount-reference-guide.

MAKE/MODEL	YEAR	HOOK KIT MODEL #	ROOF WIDTH	CAB STYLE
Ford				
Bronco Sport	2021-25	HKB-BCS21	N/A	
E-Series Van/Cutaway	1975-2026	HKB-SAV	65.0"	
Edge	2015-24	HKB-UNH4	51.8"	
Escape (No Roof Rack Rails)	2020-26	HKB-ESC20	45.0"	
Expedition (No Roof Rack) light bar lengths 51, 53-in	2018-26	HKB-EXD22	55.5"	
F-150 Responder light bar lengths 44, 45, 46, 48-in	2015-26	HKB-FRD15-44-HP	55.5"	All
F-150 Responder light bar lengths 51, 53-in with standard height foot	2015-26	HKB-FRD15-HP	55.5"	All
F-150 Responder light bar lengths 51, 53-in with low-profile foot	2015-26	HKB-FRD15-44-HP	55.5"	All
F-150 light bar lengths 44, 45, 46, 48-in	2015-26	HKB-UNH6	55.5"	All
F-150 light bar lengths 51, 53-in with standard height foot	2015-26	HKB-UNH5	55.5"	All
F-150 light bar lengths 51, 53-in with low-profile foot	2015-26	HKB-UNH6	55.5"	All
F-250/350/450/550 All light bar lengths	2017-26	HKB-UNH6	55.5"	All
F-650/750 light bar lengths 51, 53, 60-in	2017-26	HKB-FHD7	58.5"	All
Maverick	2022-26	HKB-MAV22	50.5"	
Mustang Mach-E (Without Panoramic roof opt.)	2021-26	HKB-MME21	N/A	
Mustang	2012-26	Permanent Mount	46.0"	
Police Interceptor Utility/Explorer light bar lengths 44, 45, 46-in (No Rack)	2020-26	HKB-FPIU20-HP	52.8"	Valor/Vision w/std foot
	2020-26	HKB-FPIU20-LONG-HP	52.8"	
Police Interceptor Utility/Explorer light bar lengths 48, 51, 53-in (No Rack)	2020-26	HKB-FPIU20-HP	52.8"	
Police Interceptor Utility/Explorer light bar length 44-in	2020-2026	HKB-FPIU20-44-HP	52.8"	Valor with low-profile foot
Ranger	2019-23	HKB-RNG19	48.0"	Super
	2024-26	HKB-RNGR24	46.7"	
Transit (Low Roof) 60-in light bars only	2015-26	HKB-UNH4	N/A	
Transit (Raised Roof)	2015-26	Permanent Mount	67.5"	
Chevrolet/GM				
Blazer EV	2024-25	HKB-BLZR24	53.0"	
Camaro	2011-23	Permanent Mount	50.0"	
Colorado/Canyon	2015-24	HKB-COL15	47.3"	All
Express/Savana Van	2001-26	HKB-SAV	61.0"	
Malibu	2012-23	HKB-UNH1	48.0"	
Silverado/Sierra (1500) light bar lengths 44, 45, 46-in	2019-26	HKB-UNH3	52.0"	All
	2014-18	HKB-UNH4	55.8"	
Silverado PPV light bar lengths 44, 45, 46-in	2022-26	HKB-TAH21-44-HP	52.0"	All
Silverado/Sierra (1500) light bar lengths 51, 53-in	2019-26	HKB-UNH2	52.0"	All
	2014-18	HKB-SIL17	55.8"	
Silverado PPV light bar lengths 51, 53-in	2022-26	HKB-TAH21-HP	52.0"	All
Silverado/Sierra (2500, 3500) light bar lengths 44, 45, 46-in	2019-26	HKB-UNH2	55.0"	All

MAKE/MODEL	YEAR	HOOK KIT MODEL #	ROOF WIDTH	CAB STYLE
Silverado/Sierra (2500, 3500) light bar lengths 51, 53-in	2019-26	HKB-UNH3	55.0"	All
Tahoe/Suburban (No Roof Rails) light bar lengths 44, 45, 46, and 48-in	2021-26	HKB-TAH21-44-HP	55.0"	
	2015-20	HKB-UNH4	55.0"	
Tahoe/Suburban (No Roof Rails) light bar lengths 51, 53-in	2021-26	HKB-TAH21-HP	55.0"	
	2015-20	HKB-LPCHGR11-HP	55.0"	
Traverse (No rack)	2018-23	HKB-TRAV22	53.0"	
Chrysler/Dodge/Jeep				
Challenger	2012-23	Permanent Mount	54.5"	
Charger	2011-23	HKB-LPCHGR11-HP	50.3"	
Durango (No Roof Rack)	2011-26	HKB-DUR11B-HP	54.0"	
Grand Cherokee (No Roof Rack)	2011-20	HKB-DUR11B-HP	54.0"	
RAM 1500	2019-26 (5th Gen)	HKB-RAM19	55.0"	All
RAM 1500 SSV	2025-26	HKB-RAM19	55.0"	All
RAM 1500 Classic/SSV	2019-24 (4th Gen)	HKB-FRD9	57.5"	
RAM 2500, 3500, 4500	2010-26	HKB-FRD9	57.5"	
Wrangler	2012-26	Permanent Mount	N/A	
Toyota				
RAV4 (with Roof Rails)	2025	HKB-RAV25RR	43.0"	
RAV4 (No Roof Rails)	2023-24	HKB-RAV23	43.0"	
RAV4	2018-22	HKB-UNH1	N/A	
4-Runner	2022-24	HKB-DUR11B-HP	53.0"	
	2016-23	HKB-UNH1	N/A	
Tacoma	2024-25	HKB-TAC24	N/A	
	2022-24	HKB-RAM19	N/A	
Nissan				
Frontier	2022-23	HKB-FNTR	53.0"	
Leaf	2015-23	HKB-UNH1	N/A	
Rogue (No Roof Rails)	2021-25	HKB-ROG23	51.0"	
Titan	2023-24	HKB-TTN23	58.0"	
International				
Durastar/4300 cab	2002-18	HKB-FHD7	65.8"	



All Federal Signal light bars may be permanent or hook-on mounted. When using a hook-on mount, a separate hook kit is required for the make, model and year of your vehicle. Use the hook kit reference guide to find your vehicle's appropriate hook kit. Measurements for the roof width are determined by the style of the vehicle. These measurements may help you in choosing the light bar length best suited for your vehicle.

Transfer of Light Bars From One Vehicle to Another

From time to time, departments will remove a light bar from an older vehicle and reinstall it on a newer vehicle. Before performing this kind of transition, be sure to contact our Service Department to ensure that you not only have the proper hook kit, but that you also have the latest design light bar mount foot. Mounting foot designs continuously improve over time, and it is recommended that you utilize the most current mount foot design when reinstalling an older light bar on a newer vehicle.

Note

The hook kit reference guide is updated on an ongoing basis as information becomes available. Please check the hook kit reference guide online at www.fedsig.com/hook-mount-reference-guide for up-to-date vehicle and hook kit listings.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

SpectraLux® ILS Low-Profile



Center-Focused Board

- Slim interior light available as Center-Focused and Advanced Off-Axis
- Single-, dual-, or tri-color capability
- Split-front, passenger front, rear hatch, rear deck, and rear window models
- (26) flash patterns
- 12 Vdc
- Shrouds and mounting kits available for a variety of vehicles









LED COLOR OPTIONS








SIFMJ Split-front Models		
VEHICLE	YEAR	MODEL
Ford Escape	2020-2026	SIFMJS-ESC20-P3
Ford Expedition	2018-2025	SIFMJS-EXPD18-P3
Ford Mustang Mach-E	2021-2025	SIFMJS-MME21-P3
Ford Mustang	2019-2023	SIFMJS-MUST19-P3
Ford Police Interceptor Utility	2020-2026	SIFMJS-FPIU25-P3
Ford F-150	2015-2025	SIFMJS-FD15-P3
Ford Super Duty F-250 thru F-550	2017-2025	SIFMJS-FD15-P3
Ford Lightning	2022-2025	SIFMJS-FD15-P3
Ford Maverick	2024-2025	SIFMJS-MAV24-P3
Chevrolet Blazer EV	2024-2025	SIFMJS-BZEV-P3
Chevrolet Camaro	2016-2023	SIFMJS-CAM16-P3
Chevrolet Express	2018-2025	SIFMJS-EXPR18-P3
Chevrolet Malibu	2017-2024	SIFMJS-MAL16-P3
Chevrolet Silverado 1500	2019-2025	SIFMJS-SIL25-P3
Chevrolet Tahoe	2021-2025	SIFMJS-TAH21-P3
Toyota Camry	2020-2025	SIFMJS-CMRY22-P3
Dodge Charger	2016-2023	SIFMJS-CHGR16-P3
Dodge Durango	2016-2026	SIFMJS-DUR16-P3
Jeep Grand Cherokee	2025-2026	SIFMJS-JGC25-P3
Multi-Vehicle	—	SIFMJS-UNIV-P3

SIFMJ Front Passenger Models		
VEHICLE	YEAR	MODEL
Ford Escape	2020-2026	SIFMJP-ESC20-P3
Ford Mustang Mach-E	2021-2026	SIFMJP-MME21-P3
Chevrolet Camaro	2016-2023	SIFMJP-CAM16-P3
Chevrolet Express	2018-2025	SIFMJP-EXPR18-P3
Toyota Camry	2020-2025	SIFMJP-CMRY22-P3



SIFMJD Front Driver Models		
VEHICLE	YEAR	MODEL
Ford Mustang	2024-2025	SIFMJD-MUST24-P3


Note

- Visit our online configurator to configure your custom SpectraLux ILS Low-Profile.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



SpectraLux® ILS Low-Profile—Continued



SIFMJ Rear Hatch/Rear Deck/Rear/Upper Rear Window Models		
VEHICLE	YEAR	MODEL
Ford Expedition	2025	SIFMJH-EXPD25-P3
Ford Mustang Mach-E	2021-2025	SIFMJH-MME21-P3
Ford Mustang	2019-2023	SIFMJR-MUST19-P3
Ford Mustang	2024-2025	SIFMJUR-MUST24-P3
Ford Police Interceptor Utility	2020-2026	SIFMJH-FPIU20-P3
Ford F-150	2015-2025	SIFMJR-FD15-P3
Ford Super Duty F-250 thru F-550	2017-2025	SIFMJR-FD15-P3
Chevrolet Blazer EV	2024-2025	SIFMJH-BZEV-P3
Chevrolet Camaro	2016-2024	SIFMJR-CAM16-P3
Chevrolet Tahoe	2021-2025	SIFMJH-TAH21-P3
Dodge Charger	2016-2023	SIFMJR-CHGR17-P3
Dodge Durango	2016-2026	SIFMJH-DUR18-P3
Jeep Grand Cherokee	2025-2026	SIFMJH-JGC25-P3



OBD Integrated SIFMJ Rear Deck/Rear Hatch/Rear Window Models			
VEHICLE	YEAR	MODEL	MODEL
Ford Police Interceptor Utility	2020-2026	SIFMJH-FPIU20-PF1	SIFMJH-FPIU20-PF2
Ford F-150	2015-2025	SIFMJR-FD15-PF1	SIFMJR-FD15-PF2
Chevrolet Tahoe	2021-2025	SIFMJH-TAH21-PF1	SIFMJH-TAH21-PF2
Dodge Charger	2017-2023	SIFMJR-CHGR17-PF1	SIFMJR-CHGR17-PF2
Dodge Durango	2018-2026	SIFMJH-DUR18-PF1	SIFMJH-DUR18-PF2

Note

- Visit our online configurator to configure your custom SpectraLux ILS Low-Profile.



SpectraLux® ILS Low Profile SIFMJ installed on a Ford Police interceptor Utility, 2020



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Siren Feature Comparison

	PATHFINDER® PF400	PATHFINDER® PF200	PATHWAY™	PA300-100	MS4000U
Total Output Wattage	400 W	200 W	100 W	100 W	100 W
FS Convergence Network	•	•	•	•	
FSJoin®	•	•	•		
Air Horn	•	•	•	•	•
PA (Public Address)	•	•	•	•	
Siren Tones	•	•	•	•	•
Remote Control Head	•*	•*	•*		
Slide Switch	•*	•*	•*		
Lighting Control	•	•	•	•†	
SignalMaster™ Control	•	•	•		
Microphone	•	•	•	•	
Built-in Timer Feature	•	•	•	•	
Programmable Inputs & Outputs	•	•	•	•**	
Load Management	•	•	•		
FS Vehicle Integration/OBD Integration	•	•			
Integrated Dual-Tone	•	•			
Integrated Rumbler® Traffic-Clearing Capability	•	•			
Rotary Switch	•*	•*	•*		
Warranty (years)	5	5	5	5	3

* Select Models

** Inputs only

† Through Convergence Network ports only

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.




Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Pathfinder® PF400

- 400 W Programmable siren/light controller with remote-mount amplifier
- (4) 100 W independent audio channels
- Integrated multi-tone capability
- Integrated Rumbler® traffic-clearing capability
- Capable of Rumbler and dual-tone in a single amplifier
- PF400Q models feature the traditional trademarked Q-Siren® tone
- FS Vehicle Integration/On-Board Diagnostics Integration (OBDII)
- Library of selectable siren tones
- (4) FS Convergence Network ports
- (7) programmable inputs and (16) programmable solid-state outputs



- Standard voice messages are available in English, Spanish, and French Canadian to broadcast alerts. Custom voice messages available for an additional fee
- Convergence Network Configuration Software allows for easy customization of siren and light controls



MODEL	DESCRIPTION
PF400S17B	Siren/Light Controller with 17-button controller, 400 W
PF400S17BRK	Siren/Light Controller with 17-button and rotary knob controller, 400 W
PF400S21	Siren/Light Controller with 21-button controller, 400 W
PF400H	Siren/Light Controller with Handheld controller/microphone, 400 W
PF400R	Siren/Light Controller with Remote surface mount controller, 400 W
Integrated Q-tone models	
PF400Q	Siren/Light Controller with Remote surface mount controller, 400 W, integrated Q-tone
PF400QS17B	Siren/Light Controller with 17-button controller, 400 W, integrated Q-tone
PF400QS17BRK	Siren/Light Controller with 17-button and rotary knob controller, 400 W, integrated Q-tone
PF400QH	Siren/Light Controller with Handheld controller/microphone, 400 W, integrated Q-tone
PF400QR	Siren/Light Controller with Remote surface mount controller, 400 W, integrated Q-tone
PF400QS13	Siren/Light Controller with 13-button controller, 400 W, integrated Q-tone
PF400QS21	Siren/Light Controller with 21-button controller, 400 W, integrated Q-tone
PF400QAMP	PF400Q Amplifier, no controller, integrated Q-tone

CONTROLLER OPTIONS



PF400Q



PF400QH/PF400H



PF400QS13



PF400QS17B/PF400S17B



PF400QS17BRK/PF400S17BRK



PF400R



PF400QS21/PF400S21


WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

RUMBLER®, MULTI-TONE, AND PERIMETER BREACH WARNING CAPABILITIES FOR MAXIMUM RESPONSE

When responding to a call, safety is the number one priority. Pathfinder® comes through with built-in Rumbler® traffic clearing capability and Multi-tone integration to clear traffic where you need it most.



RUMBLER®

Rumbler® low frequencies deliver up to 10dB more sound pressure inside civilian vehicles near your emergency vehicle—getting attention and clearing traffic more effectively than a standard siren tone.


Sound pressure varies based on vehicle type and distance.

Low frequency tones work simultaneously with primary siren—penetrating nearby vehicles.

Particularly effective for Police and Fire/EMS applications in dense urban environments with heavy vehicle traffic.


MULTI-TONE

Multi-Tone provides a 50% increase in audible warning distance vs. a single-speaker/single-tone system creating the perception of a multi-vehicle, emergency response ideal for highway patrol.



PERIMETER BREACH WARNING






Perimeter Breach Warning provides a minimum 25-foot activation zone for audible and visual alerts, enhancing situational awareness.



Pathfinder® PF200

- 100/200 W siren and light controller with PA and noise-canceling microphone
- Integrated dual-tone capability when used with (2) speakers
- Integrated Rumbler® traffic clearing capability
- Optional FS Vehicle Integration/On-Board Diagnostics Integration (OBDII)
- Library of selectable siren tones includes SmartSiren®, Unitrol™, PA300, and Powercall siren tones
- (7) programmable inputs and (12) programmable solid-state relay outputs
- Convergence Network Configuration Software allows for easy customization of siren and light controls
- (2) FS Convergence Network ports
- Standard digital voice messages are available in English, Spanish and French Canadian to broadcast alerts. Custom digital voice messages are available for an additional fee



MODEL	DESCRIPTION
PF200	Siren/Light Controller with self-contained controls, 100/200 W
PF200R	Siren/Light Controller with Remote surface mount controller, 100/200 W
PF200H	Siren/Light Controller with Handheld controller/microphone, 100/200 W
PF200S17B	Siren/Light Controller with 17-button controller, 100/200 W
PF200S17BRK	Siren/Light Controller with 17-button and rotary knob controller, 100/200 W
PF200S13	Siren/Light Controller with 13-button controller, 100/200 W
PF200S21	Siren/Light Controller with 21-button controller, 100/200 W
PF200S6	Siren/Light Controller with 6-button controller, 100/200 W
PF200S4	Siren/Light Controller with 4-button controller, 100/200 W
PF200AMP	Pathfinder Amplifier, no controller

CONTROLLER OPTIONS



PF200



PF200H



PF200R



PF200S17B



PF200S6



PF200S4



PF200S17BRK



PF200S13

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

PATHFINDER® ACCESSORIES

ACCESSORIES

PFSYNC-1	On Scene Sync Module
RBKIT-SOLO*	Single Rumbler Solo low frequency speaker for use with sirens with integrated Rumbler capability
RBKIT2-COMPACT*	Pair of Rumbler Compact low frequency speakers for use with sirens with integrated Rumbler capability
PBW-SYSTEM	Perimeter Breach Warning System
PBWK-FPIU20	Perimeter Breach Warning System mounting kit, Ford Police Interceptor Utility, 2020-2026
PBWK-TAH21	Perimeter Breach Warning System mounting kit, Chevrolet Tahoe, 2021-2025
PBWK-DUR23	Perimeter Breach Warning System mounting kit, Dodge Durango, 2023-2025
PFDDM-1	Power Distribution Module, 100 A max load
EXPMOD24	24-Channel Expansion Module
EXPMOD32	32-Channel Expansion Module
EXPMOD-2	Rear Expansion Module, (18) solid-state programmable relay outputs, (16) 7.5 A flashing outputs and (2) 20 A control outputs
EXPHARN01	Rear taillight connection wire harness for use with rear expansion module, Dodge Charger Pursuit, 2015-2023
EXPHARN03	Rear taillight connection wire harness for use with rear expansion module, Ford Police Interceptor Utility, 2020-2025
EXPHARN04	Rear taillight and rear lift-gate lighting connection wire harness for use rear expansion module, Dodge Durango, 2018-2025
EXPHARN05	Rear taillight connection wire harness for use with rear expansion module, Chevrolet Tahoe, 2021-2024
EXPHARN06	Rear taillight connection wire harness for use with rear expansion module, Ford Police Interceptor Utility, 2020-2025
EXPHARN07	Rear taillight connection wire harness for use with rear expansion module, Chevrolet Tahoe, 2025+
PFSPTR-4	4-to-1 splitter
RMK-PF400	RJ11 microphone, extension cable

COMMON REPLACEMENT PARTS

Z258B577D-03	RJ11 microphone
MNCT-SDF	1/4-inch jack microphone, PF200 only
Z17501813A	USB Programming Cable
Z862302836A-PF	Replacement Controller, PF200S4/PW100S4
Z862302919A-PF	Replacement Controller, PF200S6/PW100S6
Z862302151A	Replacement Controller, PF200R/PF400R
Z862302765A	Replacement Controller, PF200H/PW100H/PF400H/PF400QH
Z862303172A	Replacement Controller, PF200S17B/PF400S17B/PF400QS17B
Z862304788A	Replacement Controller, PW100S13/PF200S13/PF400QS13
Z8623129A	Swivel Mount, PF200H/PW100H/PF400H/PF400QH
Z862302763A	Mounting bracket, PF200H/PW100H/PF400H/PF400QH
Z1751357A-06	CAT5 Cable — Coupler to Amplifier, 8-ft
Z1751357A-02	CAT5 Cable — Control Head to Coupler, 25-ft
Z17501359A	Relay output pigtail
Z13901850A	RJ45 Coupler
Z17501849A	Wire Assembly — RJ45 Coiled
Z71401783A	Legend stickers

Notes

- *Vehicle-specific Rumbler brackets sold separately
- Rumbler Brackets can be found on page 23

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Pathfinder® OBD Cable Vehicle Reference Chart

VEHICLE	YEARS	OBD CABLE 6-1 (6') / OBD CABLE 25-1 (25')	OBD CABLE 8-6 (8-FT) / OBD CABLE 20-6 (20-FT)	OBD CABLE 6-DGCAN (6') / OBD CABLE 25-DGCAN (25')	OBD CABLE 8-GMCAN (8') / OBD CABLE 20-GMCAN (20')	OBD CABLE 8-4 (8') / OBD CABLE 20-4 (20')	OBD CABLE 4-5 (4') / OBD CABLE 20-5 (20')	OBD CABLE 16-7 (16')
CHEVROLET								
Blazer EV	2024-2026							•
Camero	2021-2023	•						
Equinox	2025-2026							•
Silverado EV	2024-2026							•
Silverado 1500	2023-2026							•
Silverado 2500/3500	2023-2026							•
Tahoe/Suburban	2018-2020	•						
	2021-2025				•			•
Traverse	2025-2026							•
DODGE								
Challenger	2018-2023			•				
Charger	2018-2024			•				
Durango	2016-2026			•				
Ram 1500	2025-2026 ***			•				
Ram 2500	2025-2026 ***			•				
Ram 3500	2025-2026 ***			•				
FORD								
Escape	2023-2026		•					
Expedition	2020-2024		•					
	2025-2026***			•				
F-150	2024-2025		•					
F-150 Lightning	2022-2026		•			•		
F-250	2023-2026***			•				
F-350				•				
F-450				•				
F-550				•				
Mustang	2024-2026		•					
Mustang Mach-E	2021-2026		•			•		
Police Interceptor Utility	2025-2026							•
Ranger	2024-2026		•					
Transit*	2020-2026							•
JEEP								
Cherokee	2019			•				
Wrangler	2020-2026***			•				
Grand Cherokee	2025-2026***			•				
GMC								
Acadia	2025-2026							•
Yukon	2021-2025				•			•
Sierra 1500	2023-2026							•
Sierra 2500/3500	2023-2026							•

Notes

- * Models equipped with 4" or 8" entertainment screen only
- *** Cable must be hard-wired

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Pathway™

- 100 W siren and light controller with PA and noise-canceling microphone
- Library of selectable siren tones includes SmartSiren®, Unitrol™, PA300 and Powercall® siren tones
- (7) programmable inputs and (12) programmable solid-state relay outputs
- Convergence Network Configuration Software allows for easy customization of siren and light controls
- (2) FS Convergence Network ports
- Standard digital voice messages available in English, Spanish, and French Canadian to broadcast alerts; custom digital voice messages available for an additional fee



Siren tones and voice messages available online



MODEL	DESCRIPTION
PW100	Siren/light controller with self-contained controls, 100 W
PW100R	Siren/light controller with remote surface mount controller, 100 W
PW100H	Siren/light controller with handheld controller/microphone, 100 W
PW100S13	Siren/light controller with Thirteen-button controller
PW100S6	Siren/light controller with Six-button controller, 100 W
PW100S4	Siren/light controller with Four-button controller, 100 W
ACCESSORY	
PFSYNC-1	On Scene Sync Module

CONTROLLER OPTIONS



PW100
(9) Buttons, Rotary Knob, and Slide Switch



PW100H
Handheld Controller / Microphone with (14) Buttons



PW100R
(9) Buttons, Rotary Knob, and Slide Switch



PW100S6
Remote Surface-mount Controller with (6) Buttons and Slide Switch



PW100S4
Remote Surface-mount Controller with (4) Buttons



PW100S13
Remote Surface-mount Controller with (13) Buttons

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

PA300-100

- 100 W siren with PA and noise-canceling microphone
- Library of selectable siren tones
- (4) programmable inputs, plus dedicated inputs for park, horn, and ignition
- Convergence Network Configuration Software allows for easy customization of the siren
- (2) FS Convergence Network ports
- Standard voice messages available in English, Spanish, and French Canadian to broadcast alerts; custom voice messages available for an additional fee



--	--	--

MODEL	DESCRIPTION
PA300-100	Siren with self-contained controls, 100 W

MS4000U

- Mini-Siren with intersection-clearing tones
- Faceplate switching
- Ideal for undercover and administrative vehicles
- Tones included – WAIL, YELP, PRIORITY, MANUAL (peak and hold), and AIR HORN
- Federal Signal speaker capability
- Output short circuit protected – replaceable fuse



--	--

MODEL	DESCRIPTION
MS4000U	100 W, Air Horn, Manual, Wail, Yelp, Priority intersection, remote

COMMON REPLACEMENT PART	
Z146903B	Cable assembly, RJ45, 25-ft

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.





Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Rumbler®

- Rumbler low frequencies deliver up to 10 dB more sound pressure inside civilian vehicles near emergency vehicle—getting attention and clearing traffic more effectively than a standard siren tone
- Low-frequency tones work simultaneously with primary siren
- Produces penetrating/vibrating low-frequency sound waves
- Interacts with most 100/200 W emergency vehicle siren amplifiers
- Highly effective in dense urban environments with heavy vehicle traffic
- Rumbler low-frequency speakers work in conjunction with Federal Signal sirens that feature integrated traffic-clearing capability
- Rumbler low frequency speakers are also available with Rumbler amplifier to work with other Federal Signal sirens



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com





MODEL	DESCRIPTION
RBKIT2-COMPACT	Pair of Rumbler Compact low frequency speakers for use with sirens with integrated Rumbler capability
RBKIT1-COMPACT	Single Rumbler Compact low frequency speaker for use with sirens with integrated Rumbler capability
RBKIT-SOLO	Single Rumbler Solo low frequency speaker for use with sirens with integrated Rumbler capability
RUMBLER-C2	Rumbler Amp, Pair of Rumbler Compact low frequency speakers and hardware kit
RUMBLER-SOLO	Rumbler Amp, Single Rumbler Solo low frequency speaker and hardware kit

ACCESSORY	
RB-SW	Rumbler activation switch

Note

- Vehicle-specific Rumbler brackets sold separately and can be found on page 23



RUMBLER 2X LOUDER WHERE IT MATTERS

Rumbler low frequencies deliver up to 10dB more sound pressure inside civilian vehicles near your emergency vehicle—getting attention and clearing traffic more effectively than a standard siren tone.
Sound pressure varies based on vehicle type and distance.

Low frequency tones work simultaneously with primary siren—penetrating nearby vehicles.

Particularly effective for Police and Fire/EMS applications in dense urban environments with heavy vehicle traffic.

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



RUMBLER® BRACKETS



RBS-FPIU20ND

Single Rumbler Solo or Single Compact, no drill, passenger side bracket, Ford Police Interceptor Utility, 2020-2025



RBC-FPIU25ND

(1) Compact, no drill, passenger side bracket. Compatible with DFC Series Push Bumper lower guard, Ford Police Interceptor Utility, 2020-2025



RBC2-FPIU25ND

(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket. Compatible with DFC Series Push Bumper lower guard, Ford Police Interceptor Utility, 2020-2025



RBS-TAH21ND

Single Rumbler Solo or (1) Compact, no drill, passenger side bracket, Chevrolet Tahoe, 2021-2025 and Chevrolet Silverado 1500, 5.3L V8 only, no turbo, 2019-2025



RBC2-TAH21ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Chevrolet Tahoe, 2021-2025 and Chevrolet Silverado 1500, 5.3L V8 only, no turbo, 2019-2025



RBS-DUR23ND

Single Rumbler Solo or Single Compact, no drill, passenger side bracket, Dodge Durango, 2015-2026; Not compatible with 2021 and newer Dodge Durango models equipped with fog lights



RBC2-DUR23ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Dodge Durango, 2015-2026; Not compatible with 2021 and newer Dodge Durango models equipped with fog lights



RBC1PB-DUR21

(1) Compact, no drill, passenger side bracket. Compatible with DFC Push Bumper Series lower guard, Dodge Durango, 2015-2026



RBC2PB-DUR21

(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket. Compatible with DFC Push Bumper Series lower guard, Dodge Durango, 2015-2026



RBC1-EXP25ND

(1) Compact, no drill, passenger side bracket, Ford Expedition, 2022-2025



RBC2-EXP25ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Ford Expedition, 2022-2025



RBS-CHGR15

(1) Rumbler Solo or (1) Compact, no drill, passenger side bracket, Dodge Charger, 2015-2023



RBC2-FRD15ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Ford F-150, 2015-2025



RBC1-RAM19ND-C15

(1) Compact, no drill, driver side bracket, RAM Classic 1500, 2019-2024



RBC2-RAM19ND-C15

(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket, RAM Classic 1500, 2019-2024



RB-UNIV

(2) universal brackets, use for (1) Solo or (1) or (2) Compact

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

DynaMax®/ES100C

- Slim and lightweight compact 100 W speaker
- Neodymium driver delivers superior sound quality
- Weather-resistant, composite plastic housing
- Compatible with all Federal Signal electronic siren amplifiers
- Vehicle-specific mounting brackets available



CCR
TITLE 13

SAE
J1849

WARRANTY
2
YEARS

MODEL	DESCRIPTION
ES100C	Speaker, DynaMax/ES100C, 100 W, high output, compact, Class A
ES100C-DEU	Speaker, DynaMax/ES100C, 100 W, high output, compact, Class A, with Deutsch connector

Note

- Speakers noted as Class A meet CCR Title 13, Class A and SAE J1849 specifications when used with a Class A approved Federal Signal siren amplifier

DYNAMAX/ES100C ACCESSORIES & BRACKETS

VEHICLE	YEARS	TYPE OF BRACKET	MODEL
MULTI-VEHICLE			
	All	Bracket only — (1) ES100C	ESB-U
	All	Bracket only — (1) ES100C, Multiple orientation "L" bracket	ESB-L
	All	Recess mount, stainless steel Electric "F" grille	ESFMT-EF
	All	Bumper/surface mount	ESBMT-SB
	All	Flush mount, Black grille	ESFMT-EFB
FORD			
F-150	2021-2025	No drill, dual-speaker bracket only — (2) ES100C, compatible with models equipped with active air shutters and lower active air dam	ESB2-FRD21ND
F-150 Lightning	2022-2023	No drill, dual-speaker bracket only - (2) ES100C	ESB2-FRDL22ND
F-150 Lightning	2022-2023	No drill, bracket only - (1) ES100C	ESB-FRDL22ND
F-150/Responder	2015-2025	No drill, dual-speaker bracket only — (2) ES100C, EcoBoost models only, not compatible with active lower air dam	ESB2-FRD15ND
F-250/350/450	2020-2025	Multi-vehicle, (1) ES100C	ESB-U
Interceptor Utility	2020-2024	Combination bracket kit — (1) ES100C and (2) MPS lights behind grille, will not work on hybrid models	ESBL-FPIU20
Interceptor Utility	2020-2024	No drill, bracket only — (1) ES100C or (1) AS124, compatible with push bumpers	ESB-FPIU20NDB
Interceptor Utility	2020-2024	No drill, dual-speaker bracket only — (2) ES100C or (2) AS124, compatible with push bumpers	ESB2-FPIU20NDB
Interceptor Utility	2025	Combination bracket kit — (1) ES100C and (2) MPS lights behind grille, will not work on hybrid models	ESBL-FPIU25
Interceptor Utility	2025	No drill, bracket only — (1) ES100C or (1) AS124, compatible with push bumpers	ESB-FPIU25NDB
Interceptor Utility	2025	No drill, dual-speaker bracket only — (2) ES100C or (2) AS124, compatible with push bumpers	ESB2-FPIU25NDB
Mustang	2024-2025	No drill, bracket only - (1) ES100C, EcoBoost and GT models without Performance Package	ESB-MUST24ND
Mustang	2024-2025	No drill, combination bracket kit - (2) ES100C and (4) MPS6U or (4) MPS12U lights behind grille, EcoBoost and GT models with Performance Package option	ESBL2-MUST24ND

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

DYNAMAX®/ES100C ACCESSORIES & BRACKETS — CONTINUED

VEHICLE	YEARS	TYPE OF BRACKET	MODEL
DODGE			
Charger	2015-2023	Combination bracket kit— (1) ES100C and (2) MPS lights behind grille, does not mount with Rumbler®	ESB-CHGR15
Charger	2015-2023	No drill, (1) ES100C, mounts speaker to hood latch assembly	ESB-CHGR15ND
Charger	2015-2023	Single/Dual-Speaker bracket— (2) ES100C, does not work with adaptive cruise control option	ESB2-CHGR15
Durango SSV/Pursuit	2015-2026	Combination bracket kit— (1) ES100C and (2) MPS lights behind grille	ESB-DUR15
Durango Pursuit	2021-2026	No drill, combination dual-bracket kit— (2) ES100C and (2) MPS lights behind grille	ESBL2-DUR21ND
RAM SSV & Classic	2016-2025	Combination bracket kit— (1) ES100C and (2) MPS lights behind grille (Not compatible with active air shutters)	ESBL-RAM16
RAM Classic	2019-2025	Multi-vehicle, (1) ES100C	ESB-U
Sprinter	2019	Driver side bumper mount, (1) ES100C	ESB-SPRNTR19-D
Sprinter	2019	Passenger side bumper mount, (1) ES100C	ESB-SPRNTR19-P
CHEVROLET			
Silverado HD	2019-2021	No drill, bracket only— (1) ES100C on Driver's side	ESB-SILHD20ND
Silverado HD	2019-2021	No drill, dual, brackets only— (1) ES100C on Driver's side and (1) ES100C on Passenger's side	ESB2-SILHD20ND
Silverado 1500	2022-2025	No drill, combination dual bracket kit — (2) ES100C and (2) MPS lights behind grille	ESBL2-SIL22ND
Tahoe/Surburban	2021-2024	No drill, dual bracket kit— (2) ES100C behind grille	ESB2-TAH21ND
Tahoe	2021-2024	No drill, combination dual bracket kit— (2) ES100C and (2) MPS lights behind grille	ESBL2-TAH21ND
Tahoe	2025	No drill, dual bracket kit - (2) ES100C behind grille	ESB2-TAH25ND
Tahoe	2025	No drill, combination dual bracket kit - (2) ES100C and (2) MPS lights behind grille	ESBL2-TAH25ND
VEHICLE-SPECIFIC KITS			
Kenworth, GM Van, Ford F-650, Ford E-250/450	All	Kit, includes (2) ES100C speakers and (2) ESFMT-EF	ES100-ESFMT-EF

Note

- MPS lights that are compatible with ES100C brackets are MPS6U, MPS12U, and MPSW9

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

AS124

- Economical 100 W speaker
- Neodymium driver delivers superior sound quality
- Weather-resistant, composite plastic housing
- Compatible with all Federal Signal electronic siren amplifiers
- Vehicle-specific mounting brackets available



CCR
TITLE 13

SAE
J1849



MODEL	DESCRIPTION
750501	Speaker, 100 W, with multi-vehicle mount bolts and hardware, high output, Class A
750501V	Speaker, 100 W, vertical mounting applications, with multi-vehicle mounting bolts and hardware, high output, Class A
ACCESSORIES AND KITS	
750501-07	Mounting bracket for vertical applications, push bumper
750501-08	Mounting bracket, Dodge Durango, 2015-2026, does not mount with Rumbler®
750501-09	Mounting bracket, Dodge Charger, 2015-2023
750501-13	Mounting bracket, Chevrolet Tahoe, 2021-2025
ESB-FPIU20NDB	No drill, bracket only — (1) ES100C or (1) AS124, Police Interceptor Utility, 2020-2024, compatible with push bumpers
ESB-FPIU25NDB	No drill, bracket only — (1) ES100C or (1) AS124, Police Interceptor Utility, 2025-2026, compatible with push bumpers
ESB2-FPIU20NDB	No drill, dual speaker bracket only — (2) ES100C or (2) AS124, Police Interceptor Utility, 2020-2024, compatible with push bumpers
ESB2-FPIU25NDB	No drill, dual speaker bracket only — (2) ES100C or (2) AS124, Police Interceptor Utility, 2025-2026, compatible with push bumpers
COMMON REPLACEMENT PARTS	
Z8280090A	Driver, AS124
Z8556120B	Kit, BP200/AS124, speaker head
Z8650106A	Housing assembly with labels, AS124




750501-07




750501-08



750501-09



750501-13



ESB-FPIU20NDB



ESB-FPIU25NDB



ESB2-FPIU20NDB



ESB2-FPIU25NDB

WARNING: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Effective January 19, 2026

MicroPulse® Ultra

- Ultra low-profile perimeter warning light available in three sizes
- Single-, dual-, and tri-color models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Wide range of external and internal mounting applications
- Black bezel standard; Chrome or White bezel optional
- Integrated waterproof connector on all models



SINGLE-, DUAL-, AND TRI-COLOR LED OPTIONS

CCR TITLE 13 IP67 WARRANTY 5 YEARS

MODEL	DESCRIPTION
MicroPulse Ultra 12	
MPS121U-R	Single-color, (12) Red LEDs, Clear lens; -A (Amber)
MPS122U-AW	Dual-color, (24) Amber/White LEDs, Clear lens
MPS122U-BA	Dual-color, (24) Blue/Amber LEDs, Clear lens
MPS122U-BW	Dual-color, (24) Blue/White LEDs, Clear lens
MPS122U-RB	Dual-color, (24) Red/Blue LEDs, Clear lens
MPS122U-RW	Dual-color, (24) Red/White LEDs, Clear lens
MPS123U-ABG	Tri-color, (36) Amber/Blue/Green LEDs, Clear lens
MPS123U-AGW	Tri-color, (36) Amber/Green/White LEDs, Clear lens
MPS123U-BAW	Tri-color, (36) Blue/Amber/White LEDs, Clear lens
MPS123U-RAW	Tri-color, (36) Red/Amber/White LEDs, Clear lens
MPS123U-RBA	Tri-color, (36) Red/Blue/Amber LEDs, Clear lens
MPS123U-RBW	Tri-color, (36) Red/Blue/White LEDs, Clear lens
MPS123U-RBW-SMK	Tri-color, (36) Red/Blue/White LEDs, Smoked lens
MicroPulse Ultra 6	
MPS61U-B	Single-color, (6) Blue LEDs, Clear lens; -A (Amber); -R (Red); -W (White)
MPS62U-AG	Dual-color, (12) Amber/Green LEDs, Clear lens
MPS62U-AW	Dual-color, (12) Amber/White LEDs, Clear lens
MPS62U-BA	Dual-color, (12) Blue/Amber LEDs, Clear lens
MPS62U-BW	Dual-color, (12) Blue/White LEDs, Clear lens
MPS62U-RB	Dual-color, (12) Red/Blue LEDs, Clear lens
MPS62U-RW	Dual-color, (12) Red/White LEDs, Clear lens
MPS63U-AGW	Tri-color, (18) Amber/Green/White LEDs, Clear lens
MPS63U-BAW	Tri-color, (18) Blue/Amber/White LEDs, Clear lens
MPS63U-BWG	Tri-color, (18) Blue/White/Green LEDs, Clear lens
MPS63U-RAW	Tri-color, (18) Red/Amber/White LEDs, Clear lens
MPS63U-RBA	Tri-color, (18) Red/Blue/Amber LEDs, Clear lens
MPS63U-RBA-SMK	Tri-color, (18) Red/Blue/Amber LEDs, Smoked lens
MPS63U-RBW	Tri-color, (18) Red/Blue/White LEDs, Clear lens
MPS63U-RBW-SMK	Tri-color, (18) Red/Blue/White LEDs, Smoked lens
MPS63U-RGA	Tri-color, (18) Red/Green/Amber LEDs, Clear lens
MPS63U-RGW	Tri-color, (18) Red/Green/White LEDs, Clear lens

MODEL	DESCRIPTION
MicroPulse Ultra 3	
MPS31U-B	Single-color, (3) Blue LEDs, Clear lens; -A (Amber); -G (Green); -R (Red); -W (White)
MPS32U-AG	Dual-color, (6) Amber/Green LEDs, Clear lens
MPS32U-AW	Dual-color, (6) Amber/White LEDs, Clear lens
MPS32U-BA	Dual-color, (6) Blue/Amber LEDs, Clear lens
MPS32U-BW	Dual-color, (6) Blue/White LEDs, Clear lens
MPS32U-BW-SMK	Dual-color, (6) Blue/White LEDs, Smoked lens
MPS32U-RA	Dual-color, (6) Red/Amber LEDs, Clear lens
MPS32U-RB	Dual-color, (6) Red/Blue LEDs, Clear lens
MPS32U-RB-SMK	Dual-color, (6) Red/Blue LEDs, Smoked lens
MPS32U-RW	Dual-color, (6) Red/White LEDs, Clear lens
MPS32U-RW-SMK	Dual-color, (6) Red/White LEDs, Smoked lens
ACCESSORIES	
MPSUMB3-1	Chrome bezel for (1) MicroPulse Ultra 3
MPSUMB3-2	White bezel for (1) MicroPulse Ultra 3
MPSUMB6-1	Chrome bezel for (1) MicroPulse Ultra 6
MPSUMB6-2	White bezel for (1) MicroPulse Ultra 6
MPSUMB12-1	Chrome bezel for (1) MicroPulse Ultra 12
MPSUMB12-2	White bezel for (1) MicroPulse Ultra 12
WPCABLE-8	Extension cable for (1) MicroPulse with waterproof connector, 8-ft
WPCABLE-15	Extension cable for (1) MicroPulse with waterproof connector, 15-ft
WPCABLE-30	Extension cable for (1) MicroPulse with waterproof connector, 30-ft
WPCABLE2-25	Harness for (2) MicroPulse with waterproof connector, 25-ft
WPCABLE4-25	Harness for (4) MicroPulse with waterproof connector, 25-ft
Z17502542A	Harness for (3) MicroPulse with waterproof connector, 12-ft
WPCONKIT-20	Mating connectors, bulk pack, 20
WPCONKIT-200	Mating connectors, bulk pack, 200
COMMON REPLACEMENT PARTS	
MPSUMB3-3	Black bezel for (1) MicroPulse Ultra 3
MPSUMB6-3	Black bezel for (1) MicroPulse Ultra 6
MPSUMB12-3	Black bezel for (1) MicroPulse Ultra 12

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

MicroPulse® Ultra D-Pillar



- D-Pillar warning light system
- System includes vacuum-formed vehicle-specific shrouds, MicroPulse Ultra (6) light heads, (2) shroud/bracket assemblies, (2) harnesses, and (1) 24-channel expansion module
- Tri-color models
- Full customization of flash patterns and auxiliary signals such as brake, reverse, and turn signals
- Multi-voltage, 12/24 Vdc




TRI-COLOR LED OPTIONS









MODEL	DESCRIPTION
ELSD-FPIU20RBA	Lighting system, D-Pillar, 2020-2025 Ford Police Interceptor Utility, Red/Blue/Amber
ELSD-FPIU20RBW	Lighting system, D-Pillar, 2020-2025 Ford Police Interceptor Utility, Red/Blue/White
ELSD-TAH21RBA	Lighting system, D-Pillar, 2021-2025 Chevrolet Tahoe/Suburban, Red/Blue/Amber
ELSD-TAH21RBW	Lighting system, D-Pillar, 2021-2025 Chevrolet Tahoe/Suburban, Red/Blue/White
ELSD-DUR21RBA	Lighting system, D-Pillar, 2021-2025 Dodge Durango, Red/Blue/Amber
ELSD-DUR21RBW	Lighting system, D-Pillar, 2021-2025 Dodge Durango, Red/Blue/White
ELSD-FRD21RBA	Lighting system, D-Pillar, 2021-2025 Ford F-150, Red/Blue/Amber
ELSD-FRD21RBW	Lighting system, D-Pillar, 2021-2025 Ford F-150, Red/Blue/White

MicroPulse® C Series

- Low-profile perimeter warning light
- Single- and dual-color models
- (27) single-color or (18) dual-color flash patterns
- 12 Vdc
- Black surface mount bezel and stud mount standard



SINGLE- AND DUAL-COLOR LED OPTIONS





MODEL	DESCRIPTION
MPSC-A	Single-color, (6) Amber LEDs, Clear lens
MPSC-B	Single-color, (6) Blue LEDs, Clear lens
MPSC-R	Single-color, (6) Red LEDs, Clear lens
MPSC-W	Single-color, (6) White LEDs, Clear lens
MPSC2-AW	Dual-color, (8), Amber/White LEDs, Clear lens
MPSC2-BW	Dual-color, (8) Blue/White LEDs, Clear lens
MPSC2-RB	Dual-color, (8) Red/Blue LEDs, Clear lens
MPSC2-RW	Dual-color, (8) Red/White LEDs, Clear lens
MPSC2X-RB	Dual-color, (8) Red/Blue LEDs, Clear lens, FSJoin
MPSC2X-BW	Dual-color, (8) Blue/White LEDs, Clear lens, FSJoin
MPSC2X-RW	Dual-color, (8) Red/White LEDs, Clear lens, FSJoin

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Effective January 19, 2026

MicroPulse® Wide Angle Pro



MPSWP-RBW

- 180-degree wide angle perimeter light
- Single- and tri-color models
- Integrated waterproof connector on all models
- Downward projected White light
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Wide range of external mounting applications
- Black bezel standard; Chrome or White bezel optional





TRI-COLOR LED OPTIONS





MODEL	DESCRIPTION
MPSWP-AGW	Tri-color, (18) Amber/Green/White LEDs; (2) downward projected White LEDs, Clear lens
MPSWP-BAW	Tri-color, (18) Blue/Amber/White LEDs; (2) Downward projected White LEDs, Clear lens
MPSWP-RAW	Tri-color, (18) Red/Amber/White LEDs; (2) Downward projected White LEDs, Clear lens
MPSWP-RBA	Tri-color, (18) Red/Blue/Amber LEDs; (2) Downward projected White LEDs, Clear lens
MPSWP-RBW	Tri-color, (18) Red/Blue/White LEDs; (2) Downward projected White LEDs, Clear lens
MPSWP-RGW	Tri-color, (18) Red/Green/White LEDs; (2) Downward projected White LEDs, Clear lens
MPSWP-RBW-SMK	Tri-color, (18) Red/Blue/White LEDs; (2) Downward projected White LEDs, Smoked lens
ACCESSORIES	
MPSUMB6-1	Chrome bezel for (1) MicroPulse Wide Angle Pro
MPSUMB6-2	White bezel for (1) MicroPulse Wide Angle Pro
WPCABLE-8	Extension cable for (1) MicroPulse with waterproof connector, 8-ft
WPCABLE-15	Extension cable for (1) MicroPulse with waterproof connector, 15-ft
WPCABLE-30	Extension cable for (1) MicroPulse with waterproof connector, 30-ft
WPCABLE2-25	Harness for (2) MicroPulse with waterproof connector, 25-ft
WPCABLE4-25	Harness for (4) MicroPulse with waterproof connector, 25-ft
Z17502542A	Harness for (3) MicroPulse with waterproof connector, 12-ft
WPCONKIT-20	Mating connectors, bulk pack, 20
WPCONKIT-200	Mating connectors, bulk pack, 200
COMMON REPLACEMENT PART	
MPSUMB6-3	Black bezel

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

MicroPulse® Wide Angle 9

- 180-degree wide angle perimeter light
- Single- and tri-color models
- (12) single-color or (20) tri-color flash patterns
- Multi-voltage, 12/24 Vdc
- Wide range of external mounting applications
- Black bezel standard; Chrome or White bezel optional



MPSW9-RBW-SMK



SINGLE- AND TRI-COLOR LED OPTIONS



CCR
TITLE 13

IP67



MODEL	DESCRIPTION
MPSW9-A	Single-color, (9) Amber LEDs, Clear lens
MPSW9-B	Single-color, (9) Blue LEDs, Clear lens
MPSW9-R	Single-color, (9) Red LEDs, Clear lens
MPSW9-W	Single-color, (9) White LEDs, Clear lens
MPSW9-AGW	Tri-color, (18) Amber/Green/White LEDs, Clear lens
MPSW9-BAW	Tri-color, (18) Blue/Amber/White LEDs, Clear lens
MPSW9-RAW	Tri-color, (18) Red/Amber/White LEDs, Clear lens
MPSW9-RBA	Tri-color, (18) Red/Blue/Amber LEDs, Clear lens
MPSW9-RBW	Tri-color, (18) Red/Blue/White LEDs, Clear lens
MPSW9-RBW-SMK	Tri-color, (18) Red/Blue/White LEDs, Smoked lens
ACCESSORIES	
MPSMW9-1	Chrome bezel for (1) MPSW9
MPSMW9-2	White bezel for (1) MPSW9
COMMON REPLACEMENT PART	
MPSMW9-3	Black bezel for (1) MPSW9

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



UNIVERSAL MOUNT

MPSM3-DL Generic L-Bracket for (2) MPS3U lights, side-by-side	MPSM6-DL Generic L-bracket for (2) MPS6U lights, side-by-side	MPSM12-DL Generic L-bracket for (2) MPS12U lights, side-by-side	MPSM3-D5 Generic L-Bracket for (2) MPS3U lights, stacked	MPSM6-D5 Generic L-bracket for (2) MPS6U lights, stacked
MPSM12-D5 Generic L-bracket for (2) MPS12U lights, stacked	MPSM3-LB Generic L-Bracket for (1) MPS3U light	MPSM6-LB Generic L-bracket for (1) MPS6U light	MPSM12-LB Generic L-bracket for (1) MPS12U light	MPSM3-SB Swivel Mount Bracket for (1) MPS3U light
MPSM6-SB Swivel mount bracket for (1) MPS6U light	MPSM12-SB Swivel mount bracket for (1) MPS12U light	MPSMC-LBWN L-bracket kit for (1) MPSC light	MPSMC-SBWN Swivel mount bracket for (1) MPSC light	MPSMW9-LB L-Bracket for (1) MPSW9

PYLON MOUNT

MPSM3U-PLN Pylon mount for (1) MPS3U light	MPSM6U-PLN Pylon mount for (1) MPS6U light	MPSM12U-PLN Pylon mount for (1) MPS12U light

WEDGE KIT

MPSM3UC-SPACRKT Kit of four 5-degree rubber mounting wedges for use with MPS3U lights	MPSM6U-SPACRKT Kit of four 5-degree rubber mounting wedges for use with MPS6U lights			
MPSM12U-SPACRKT Kit of four 5-degree rubber mounting wedges for use with MPS12U lights	MPSM6U-FPIU20SMW Kit of two 20-degree rubber mounting wedges, each wedge mounts (1) MPS6U light to each side mirror arm, Ford Police Interceptor Utility, 2020-2025	MPSM6U-FPIU20WW Kit of four rubber mounting wedges, each wedge mounts (1) MPS6U light to each of the four wheel arch moldings, Ford Police Interceptor Utility, 2020-2025	MPSMW9-SPACRKT Kit for (4) 5-degree rubber mounting wedges for use with MPSW9 lights	MPSMW9-SPACRKT2 Pair of 22-degree rubber mounting wedges for MPSW9, Ford F-150 2023-2025, and RAM 2500, 2023-2025



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

GROMMET MOUNT



MPSM3U-RND2

4-inch round mounting plate kit for (2) MPS3U, with rubber grommet



330510*

6-inch oval mounting plate kit for (1) MPS12U, with rubber grommet (light sold separately)



MPSM6U-HOOD

Drill-less hood mount bracket for (1) MPS6U light



MPSM3U-RAM24DTL

Pair of drill-less taillight brackets for horizontal orientation, each bracket holds (1) MPS3U light, RAM, 2024+



MPSM3U-RAM24DTL2

Pair of drill-less taillight brackets for horizontal orientation, each bracket holds (2) MPS3U light, RAM, 2024+



MPSM3U-FRD24DTL

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS3U light, Ford F-250/350/450, 2023+



MPSM3U-FRD24DTL2

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (2) MPS3U lights, Ford F-250/350/450, 2023-2025



MPSM12U-FRD25DTL

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS6U/MPS12U light, Ford F-150, 2023-2025; will not fit Lightning




MPSM12U-FRD25DTL2

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS6U/MPS12U light and (1) MPS3U/MPS6U light, Ford F-150, 2023-2025; will not fit Lightning




MPSM6U-WIN

Adhesive mount for (1) MPS6U light. Kit includes 90°, 67°, 46°, and 30° shrouds




MPSM6U-WIN2

Dual adhesive mount for (2) MPS6U lights. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM6U-WIN46-12

Adhesive mount for (12) MPS6U lights. Kit includes 46° shrouds




MPSM6U-WIN90-12

Adhesive mount for (12) MPS6U lights. Kit includes 90° shrouds



MPSM12U-WIN


Adhesive mount for (1) MPS12U light. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM12U-WIN90-12


Adhesive mount for (12) MPS12U lights. Kit includes 90° shrouds

SPOILER MOUNT



MPSM6-TA21RS

Pair of spoiler brackets, each bracket holds (3) MPS6U lights, Chevrolet Tahoe, 2021-2025



MPSM6-TA21RS1

2-head MPS6U spoiler bracket kit, Chevrolet Tahoe/Suburban, 2021-2025



MPSM6-FPIU20RS1

Pair of spoiler brackets, each bracket holds (1) MPS6U light, Ford Police Interceptor Utility, 2020-2025



MPSM6-FPIU20RS2

Pair of spoiler brackets, each bracket holds (3) MPS6U lights, Ford Police Interceptor Utility, 2020-2025



MPSM6-FPIU20RS3

Pair of spoiler brackets, each bracket holds (2) MPS6U lights, Ford Police Interceptor Utility, 2020-2025




MPSM12-FPIU20RS2

Pair of spoiler brackets, each bracket holds (3) MPS12U lights, Ford Police Interceptor Utility, 2020-2025




MPSM12-DU22RS

Pair of spoiler brackets, each bracket holds (3) MPS12U lights, Dodge Durango, 2022-2026



MPSM6-DU22RS

6-head MPS6U spoiler bracket kit, Dodge Durango, 2015-2026



MPSM6U-EXP22RS6

Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Ford Expedition, 2022-2024




MPS6U-SIL19RS6

Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Chevrolet Silverado 2019-2025

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

SIDE MIRROR



MPSMW9-TAH21MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Chevrolet Tahoe, 2021-2025




MPSMW9-SIL19MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Chevrolet Silverado 1500, 2019-2025




MPSMW9-FPIU20MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford Police Interceptor Utility, 2020-2024



MPSMW9-FPIU25MIRS

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford Police Interceptor Utility, 2025



MPSMW9-FRD21MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford F-150 (non-towing mirrors) / Lightning, 2021-2025



MPSMW9S-UNIVMIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, RAM 1500 (5TH GEN) 2023-2024, RAM 1500 Classic (4TH GEN) 2023-2024, Ford F-250/F-350 (towing mirrors) 2023-2025



MPSMW9-DUR21MIRS

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Dodge Durango, 2015-2026




MPSMW9-SHD

Shroud for (1) MPSW9 or MPSWP light, multi-vehicle applications



MPSMW9-CHGR11MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Dodge Charger, 2011-2023



MPSMW9-EXP19MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford Expedition, 2019-2024

D-PILLAR



MPSM6U-BP1


Pair of B-pillar brackets, each bracket mounts (1) MPS6U light on the rear of B-pillar, Dodge Charger, 2011-2023



MPSM6U-BP2

Pair of B-pillar brackets, each bracket mounts (1) MPS6U light on the rear of B-pillar, Chevrolet Tahoe, 2021-2025 and Ford Police Interceptor Utility, 2020-2025

FOG LIGHT



MPS6U-FPIU20FOG

Pair of fog light brackets, each bracket holds (1) MPS3U/MPS6U light, Ford Police Interceptor Utility, 2020-2025

SURFACE MOUNT ANGLED BEZEL



MPSUMA12-1


40° angled bezel for (1) MPS12U light, Chrome



MPSUMA12-3


40° angled bezel for (1) MPS12U light, Black

RUNNING BOARD MOUNT



MPSM6-FRD15RB


(6) Running board brackets, each bracket holds (1) MPS6U light, Ford F-150 Responder, 2015-2025 (Includes XL and XLT trim levels with OEM running boards)



MPSM6U-FD15UPRB


(6) Upper running board brackets, each bracket holds (1) MPS6U light, Ford F-150 Responder, 2015-2025

LICENSE PLATE



IPX-LPV1

Flat surface license plate bracket, mounts MPS3U lights, various vehicles without recessed plate mounting locations



IPX-LPV2

Adjustable license plate bracket, mounts MPS3U/MPS6U/MPS12U lights to the license plate of popular vehicles



IPX-LPVX1

Extended license plate bracket, mounts MPS3U lights, for vehicles with a recessed license plate mount location




Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

LICENSE PLATE (CONT.)




IPX-LPH1

Generic high side license plate holder with horizontal mount tab on each side, mounts MPS3U lights, fits most vehicles




MPSM6-LPV1

Vertical mount license plate brackets, each bracket holds (2) MPS6U light heads on each side




MPSM-LPH1

Horizontal license plate bracket, mounts (2) MPS3U/MPS6U/MPSC lights, fits most vehicles



MPSM6-LPH1

Horizontal license plate mount, (2) MPS6U, MPS12U, MPSW9 lights



MPSM6-LPV3-DUR


Vertical License plate mount each bracket holds (1) MPS6U on each side, fits most vehicles, will not interfere with 2023-2026 Dodge Durango Keyhole

GRILLE



IPX-GRL8

Pair of grille brackets with hardware, horizontal mount orientation, each bracket holds (1) MPS3U/MPS6U/MPS12U light, Dodge Charger, 2015-2023, without Rumbler® installation




IPX-GRL16

Single grille bracket with hardware, no drill, horizontal mount orientation, bracket holds (2) MPS3U/MPS6U/MPS12U lights, Ford Police Interceptor Utility, 2020-2025



IPX-GRL17

Pair of lower grille brackets with hardware, horizontal mount orientation, each bracket holds (2) MPS3U/MPS6U lights, Ford Police Interceptor Utility, 2020-2025



MPSM6-GRL1

Pair of grille brackets, each bracket holds (1) MPS3U/MPS6U light, fits vehicles with a mesh grille




MPSM6U-FPIU20GCO

Kit of two grille cut-out brackets, adapts (2) MPS6U lights to OEM grille cut outs, Ford Police Interceptor Utility, 2020-2025




MPSM6-GRL2

Pair of grille brackets, each bracket holds (1) MPS6U light behind grille, Chevrolet Tahoe, 2021-2025



MPSM6-GRL3

Pair of grille brackets, each bracket holds (2) MPS6U light outside of grille, each side of bowtie, Chevrolet Tahoe, 2021-2024



MPSM-GRL4

Pair of grille brackets, each bracket holds (2) MPS6U or (2) MPS12U lights, Ford Mustang, 2025




MPSM6-GRL5

Pair of grille brackets with hardware, each bracket holds (1) MPS3U/MPS6U/MPS12U




MPSM6U-EXPD25-6GRL

Single grille bracket with hardware, bracket holds (6) MPS6U lights, Ford Expedition, 2025



MPSM3U-JGC25-5GRL

Single grille bracket with hardware, bracket holds (5) MPS3U lights, Jeep Grand Cherokee, 2025



MPSM6U-TAH25-6GRL

Pair of grille brackets, each bracket holds (3) MPS6U lights outside of the grille, Chevrolet Tahoe, 2025

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Effective January 19, 2026

DynaFlare™

- Low-profile, perimeter light
- Single-, dual-, and tri-color capability
- Lights can be programmed to flash, steady override, dim, and cruise
- Fully sealed with optically clear potting material – IP68 and IP69K certified
- Suitable for exterior and interior mounting locations
- Multi-voltage, 12/24 Vdc








TRI-COLOR LED OPTIONS





MODEL	DESCRIPTION
6-foot Models	
DR6-RBW	(1) Red/Blue/White LEDs, Clear lens
DR6-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR6-RAW	(1) Red/Amber/White LEDs, Clear lens
DR6-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR6-AGW	(1) Amber/Green/White LEDs, Clear lens
DR6-RGW	(1) Red/Green/White LEDs, Clear lens
DR6-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
5-foot Models	
DR5-RBW	(1) Red/Blue/White LEDs, Clear lens
DR5-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR5-RAW	(1) Red/Amber/White LEDs, Clear lens
DR5-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR5-AGW	(1) Amber/Green/White LEDs, Clear lens
DR5-RGW	(1) Red/Green/White LEDs, Clear lens
DR5-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
ACCESSORIES	
DR5BKT-RB-DUR15	(1) 5-foot running board mounting bracket, 2015-2026 Dodge Durango
DR6BKT-RB-EXPD25	(1) 6-foot running board mounting bracket, 2025 Ford Expedition
DRBKT-RB-FPIU20B	(1) Running board mounting bracket, 2020-2025 Ford Police Interceptor Utility
DR6BKT-RB-FRD15B	(1) 6-foot running board mounting bracket, 2015-2025 Ford F-150
DR6BKT-RB-SIL19B	(1) 6-foot running board mounting bracket, 2019-2025 Chevrolet Silverado
DR6BKT-RB-TAH21B	(1) 6-foot running board mounting bracket, 2021-2025 Chevrolet Tahoe
DRBKT-RB-UNIV	(1) Running board mounting bracket, universal

Note

- Vehicle-specific brackets sold separately

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

DynaFlare™—Continued

MODEL	DESCRIPTION
4-foot Models	
DR4-RBW	(1) Red/Blue/White LEDs, Clear lens
DR4-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR4-RAW	(1) Red/Amber/White LEDs, Clear lens
DR4-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR4-AGW	(1) Amber/Green/White LEDs, Clear lens
DR4-RGW	(1) Red/Green/White LEDs, Clear lens
DR4-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
3-foot Models	
DR3-RBW	(1) Red/Blue/White LEDs, Clear lens
DR3-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR3-RAW	(1) Red/Amber/White LEDs, Clear lens
DR3-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR3-AGW	(1) Amber/Green/White LEDs, Clear lens
DR3-RGW	(1) Red/Green/White LEDs, Clear lens
DR3-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
2-foot Models	
DR2-RBW	(1) Red/Blue/White LEDs, Clear lens
DR2-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR2-RAW	(1) Red/Amber/White LEDs, Clear lens
DR2-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR2-AGW	(1) Amber/Green/White LEDs, Clear lens
DR2-RGW	(1) Red/Green/White LEDs, Clear lens
DR2-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
1-foot Models	
DR1-RBW	(1) Red/Blue/White LEDs, Clear lens
DR1-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR1-RAW	(1) Red/Amber/White LEDs, Clear lens
DR1-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR1-AGW	(1) Amber/Green/White LEDs, Clear lens
DR1-RGW	(1) Red/Green/White LEDs, Clear lens
DR1-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens



**AVAILABLE
Q2 2026**

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Effective January 19, 2026

416900 Series

- Low-profile perimeter light
- Single- and tri-color models
- (20) flash patterns
- Multi-voltage, 12/24 Vdc
- Black bezel for surface mounting or installed in a headlamp; Chrome or White bezel optional



SINGLE- AND TRI-COLOR LED OPTIONS



IP67



MODEL	DESCRIPTION
416912-A	Single-color, Amber LEDs, Clear lens
416912-B	Single-color, Blue LEDs, Clear lens
416912-R	Single-color, Red LEDs, Clear lens
416912-W	Single-color, White LEDs, Clear lens
416918-AGW	Tri-color, Amber/Green/White LEDs, Clear lens
416918-BAW	Tri-color, Blue/Amber/White LEDs, Clear lens
416918-RAW	Tri-color, Red/Amber/White LEDs, Clear lens
416918-RBA	Tri-color, Red/Blue/Amber LEDs, Clear lens
416918-RBW	Tri-color, Red/Blue/White LEDs, Clear lens
416918-RBW-SMK	Tri-color, Red/Blue/White LEDs, Smoked lens
ACCESSORIES	
416900BZ-C	Chrome bezel for 416900 Series Corner LED
416900BZ-W	White bezel for 416900 Series Corner LED
416900BZ-B	Black bezel for 416900 Series Corner LED
416900-VHB	3M™ VHB™, no-drill mount for Ford Interceptor Utility, 2020-2025 with standard headlight assembly and taillight when Ford option 86T is ordered, 4-pack

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



416300 Series

- Flush mount perimeter warning light
- Single- and tri-color models
- (19) flash patterns
- Multi-voltage, 12/24 Vdc



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



SINGLE- AND TRI-COLOR LED OPTIONS



CCR
TITLE 13

IP67



MODEL	DESCRIPTION
416303-A	Single-color, (3) Amber LEDs, Clear lens
416303-B	Single-color, (3) Blue LEDs, Clear lens
416303-R	Single-color, (3) Red LEDs, Clear lens
416303-W	Single-color, (3) White LEDs, Clear lens
416309-AGW	Tri-color, (9) Amber/Green/White LEDs, Clear lens
416309-BAW	Tri-color, (9) Blue/Amber/White LEDs, Clear lens
416309-RAW	Tri-color, (9) Red/Amber/White LEDs, Clear lens
416309-RBA	Tri-color, (9) Red/Blue/Amber LEDs, Clear lens
416309-RBW	Tri-color, (9) Red/Blue/White LEDs, Clear lens
416309-RBW-SMK	Tri-color, (9) Red/Blue/White LEDs, Smoked lens
ACCESSORY	
416302	Grommet kit, mounts (2) 416300 series in bottom of liftgate panel for auxiliary rear warning when liftgate is open, Chevrolet Tahoe, 2021-2025



Effective January 19, 2026

XStream®

- Versatile, low-profile interior mount, warning light
- Amber, Blue, Green, Red, and White
- Single-, dual-, or tri-color capability
- Single- or dual-head models
- (25) flash patterns and (10) color modes
- 12 Vdc
- Versatile mounting hardware included for dash/deck, headliner, and window mount applications



				TRI-COLOR LED OPTIONS 		
--	--	--	--	----------------------------------	--	--

MODEL	DESCRIPTION
Single-head with wire leads	
XSM1-BRA-US	Blue/Red/Amber
XSM1-BRW-US	Blue/Red/White
XSM1-BWA-US	Blue/White/Amber
XSM1-RWA-US	Red/White/Amber
XSM1-WAG-US	White/Amber/Green
Dual-head with wire leads	
XSM2-BRA-US	Blue/Red/Amber-Blue/Red/Amber
XSM2-BRW-US	Blue/Red/White-Blue/Red/White
XSM2-BWA-US	Blue/White/Amber-Blue/White/Amber
XSM2-RWA-US	Red/White/Amber-Red/White/Amber
XSM2-WAG-US	White/Amber/Green-White/Amber/Green
ACCESSORIES AND KITS	
XSMBKT01	Slip-on visor mount kit for use with single- or dual-head models
XSMBKT02	Adjustable, swivel mount for single- or dual-head models
XSMBKT03	Multi-vehicle headliner mount bracket for single- or dual-head models
XSMBKT07	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Dodge Charger, 2011-2023
XSMBKT10	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford F-150, 2015-2025, Ford F-250/350/450/550 Super Duty, 2017-2025, Ford Expedition, 2018-2025, Ford Lightning, 2022-2025
XSMBKT11	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford Police Interceptor Utility, 2020-2025
XSMBKT12	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Dodge Durango, 2011-2026
XSMBKT13	Driver and passenger rear window mount kit for use with (1) single- or dual-head XStream, Ford Ranger, 2019-2020
XSMBKT14	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Chevrolet Tahoe, 2021-2025
XSMBKT15	Driver and passenger visor mount kit for use with (1) single- or dual-color head XStream, with mounting holes for front and rear facing cameras, Ford Mustang, 2025
XSMBKT16	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, RAM 1500 SSV, 2024
Z205003	Rubber extrusion



Each model includes light head, (2) suction cups, bail and pivot brackets, mounting hardware, and three different length snap-on flash guards.



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Effective January 19, 2026

CN SignalMaster™



- Directional warning light with flood light capability
- Available in 16" and 31" lengths
- Single-, dual-, and tri-color capability
- 4- and 8-head, and split 8-head models
- Left, right, and center-out directional signals; (27) flash patterns
- 12 Vdc
- Wide range of external and internal mounting applications


					LED COLOR OPTIONS 				
--	--	--	--	--	------------------------------	--	--	--	--

MODEL	DESCRIPTION
4-Head Front Model	
CNSMJ4F-P3C	(4) Red/Blue/White light heads, no interface module
8-Head Rear Models	
CNSMJ8R-P1C	(4) Red/Amber light heads, (4) Blue/Amber light heads, no interface module
CNSMJ8R-P2C	(8) Blue/Amber light heads, no interface module
CNSMJ8R-P3C	(8) Red/Blue/Amber light heads, no interface module
CNSMJ8R-F1C	(8) Red/Amber light heads, no interface module
Split 8-Head Rear Model	
CNSMJ2X4R-P3C	(8) Red/Blue/Amber light heads, no interface module
ACCESSORIES AND KITS	
CNSM-RBK1	Mount kit for installing CN SignalMaster in Ford Police Utility, 2013-2025, internal use only
CNSM-TAH21	Kit to mount 4-head models to grille of Chevrolet Tahoe 2021-2025
CNSM-UM	Multi-vehicle mount for installing CN SignalMaster, internal/external use
SLB-001	Kit, Long L-bracket
SLB-002	Kit, Short L-bracket
SLB-FRD15ND	8-head bracket for CN SignalMaster or Latitude™, no drill, Ford F-150 2015-2025, Lightning 2022-2025, and Super Duty 2017-2025. Not for models with panoramic moon roof
SLB-SIL19ND	8-head bracket for CN SignalMaster or Latitude, no drill, Chevrolet Silverado 2019-2025



Note

- See page 42 for SignalMaster brackets


4-HEAD — FRONT OF VEHICLE



8-HEAD — REAR OF VEHICLE



SPLIT 8-HEAD — REAR OF VEHICLE



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

SIGNALMASTER BRACKETS



320310
Flush mount, vertical surface



320320
Light bar or rear deck mount



320330
System mount



320340
Multi-vehicle mount



320350
Foot adapter mount



CNSM-RBK1
Mount kit for installing 8-head CN SignalMaster in Ford Police Interceptor Utility 2013-2025, internal use only



CNSM-UM
Multi-vehicle mount for installing CN SignalMaster, internal/external use



SLB-001
Long L-bracket, CNSM or Latitude



SLB-002
Short L-bracket, CNSM or Latitude



SLB-FRD15ND
8-head bracket, CNSM or Latitude, no drill, Ford F-150 2015-2025, Lightning 2022-2025, and Super Duty 2017-2025.



SLB-SIL19ND
8-head bracket for CN SignalMaster or Latitude™, no drill, Chevrolet Silverado 2019-2025

MB1 LED Message Board



- Public safety message system with custom messaging capability
- (60) default messages, 1 MB memory for additional (500) custom messages
- PC software to create custom message sets included
- 12 Vdc
- Mount kits for specific vehicles or other Federal Signal brand light bars

SINGLE-COLOR LED OPTIONS



IP67



MODEL	DESCRIPTION
MB1	Blue LED message display and controller, 12 Vdc
MB1-A	Amber LED message display and controller, 12 Vdc
MB1-G	Green LED message display and controller, 12 Vdc
MB1-BNRW	Blue LED message display and controller, narrow mounting applications, 12 Vdc

ACCESSORIES AND KITS

MBK01	Kit for mounting MB1 to rear interior of Ford Police Interceptor Utility, 2013-2025
MBK03H	Kit for mounting MB1 message board to rear of Valor® light bars, hook mount only
MBK04	Kit for mounting MB1 to rear of Integrity® and Navigator® light bars
MBK05	Kit for mounting MB1 to rear of Vision® SLR light bar
MBK06	Kit for mounting MB1-BNRW to rear interior of Dodge Durango, 2011-2026



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Effective January 19, 2026

Opticom®

- Infrared and strobe traffic pre-emption emitters compatible with select Federal Signal light bars
- Transmission range up to 2,500 feet
- Weather-resistant encoded signal device
- Internal-mount and external-mount emitter available
- Models available with mounting brackets



MODEL	DESCRIPTION
Opticom emitters with light bar mounting brackets	
795H-EXTB-D	GTT 795H emitter/bracket for attaching to driver-side of Valor®, Integrity®, Vision® SLR, Navigator®, Allegiant® Max, Reliant® S2 and Split Vision SLR light bars
795H-EXTB-P	GTT 795H emitter/bracket for attaching to passenger side of Valor, Integrity, Vision SLR, Navigator, Allegiant Max, Reliant S2 and Split Vision SLR light bars

MODEL	DESCRIPTION
Opticom emitters	
794-AH	794 infrared LED emitter, suitable for external use

Notes

- Opticom emitters must be mounted behind Clear domes
- 795H-EXTB-D/-P are not intended for use with the low profile mounting foot option

Headlight/Taillight Flashers

- Vehicle-specific flashers for a variety of vehicles
- Multiple flash pattern options
- Plug-and-Play models allow for quick installation
- Vehicle-specific mounts available



MODEL	DESCRIPTION
FHL-CHG	Flasher, Headlight, 2015-2026 Dodge Durango (fog only)
FHL-HL	Flasher, Headlight, positive-side switched systems, 18-inch wire leads, (2) 10 A outputs, multiple flash patterns
FHL-TAIL	Flasher, Taillight, Multi-vehicle applications, 18-inch wire leads

HEADLIGHT/TAILLIGHT FLASHERS VEHICLE CHART

VEHICLE	HEADLIGHT	TAILLIGHT
Ford Expedition (Halogen headlights only), 2018-2024	FHL-CHG	FHL-TAIL
Chevrolet Tahoe, 2021-2025	N/A	FHL-TAIL
Dodge Charger, 2015-2023	N/A	FHL-TAIL
Dodge Durango (Fog lights only), 2015-2026	FHL-CHG	FHL-TAIL
Ford Police Interceptor Utility, 2020-2025	N/A	FHL-TAIL
Ford F-150 (Halogen headlights only), 2015-2025	FHL-CHG	FHL-TAIL



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

Littlite® LED

- Flexible, gooseneck task light
- UV light model is ideal for checking security watermarks on driver's licenses, passports, and currency
- 12" and 18" lengths available
- Available with an on/off switch or rheostat dimmer control
- Includes 24" of automotive wiring for installation



MODEL	DESCRIPTION
Neck extends from top of chassis, horizontal mount	
LF12TSB-LED	12-inch, On/Off switch control, wired base
LF12TS-LED	12-inch, On/Off switch control
LF18TSB-LED	18-inch, On/Off switch control, wired base
LF18TSB-LED-BLUE	18-inch, On/Off switch control, wired base, Blue
LF18TS-LED	18-inch, On/Off switch control
Neck extends from end of chassis, vertical mount	
LF12ES-LED	12-inch, On/Off switch control
LF12ESB-LED	12-inch, On/Off switch control, wired base
LF18ES-LED	18-inch, On/Off switch control
LF18ER-LED-UV	18-inch, Rheostat control, UV/White/Red light modes

Voice Gun

- High-power, lightweight, handheld, electronic megaphone
- Versatile applications
- Excellent sound quality
- Made of high-impact, flame-retardant plastic
- Operates on (8) AA batteries, not included
- Audio range up to 1,320 feet



MODEL	DESCRIPTION
A12SA	16 W, 1320-ft range, requires (8) AA batteries

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



DFC Series Push Bumper

- Push bumper designed to provide the best strength, durability, and protection to the grille and front end of vehicles
- (3) Top Channel options available
- Quick and simple installation
- Center bar pre-drilled for additional accessory mounting
- Optional Lower Guards, Upper Guards, and Wire Covers available
- Manufactured with HRPO steel
- Black textured powder coat for resistance against scratches and scuffs
- Mounting kit and hardware included



MODEL	DESCRIPTION
Push Bumpers	
DFC-PB-FPIU25	Push bumper, 2025 Ford Police Interceptor Utility
DFC-PB-TAH25	Push bumper, 2025 Chevrolet Tahoe SSV/PPV
DFC-PB-FRD25	Push Bumper, 2025 Ford F-150
DFC-PB-DUR25	Push Bumper, 2021-2025 Dodge Durango
Optional Lower Guards (order 1 with each push bumper if desired)	
DFC-LG-FPIU25	Lower guards for use with 2025 Ford Police Interceptor Utility push bumper
DFC-LG-TAH25	Lower guards for use with 2025 Chevrolet Tahoe push bumper
DFC-LG-FRD25	Lower guards for use with 2025 Ford F-150 push bumper
DFC-LG-DUR25	Lower guards for use with 2021-2025 Dodge Durango push bumper
Optional Upper Guards (order 1 with each push bumper if desired)	
DFC-UG-FPIU25	Upper guards for 2025 Ford Police Interceptor Utility push bumper (lower guards required)
DFC-UG-TAH25	Upper guards for 2025 Chevrolet Tahoe push bumper
DFC-UG-FRD25	Upper guards for use with 2025 Ford F-150 push bumper
DFC-UG-DUR25	Upper guards for use with 2021-2025 Dodge Durango push bumper (lower guards required)
Top Channels (Must order 1 with each push bumper)	
DFC-TC-2L	Two-Light top-channel for Ford Police Interceptor Utility push bumper, use with MPS6U lights (lights sold separately)
DFC-TC-2L-1	Two-Light top-channel for Chevrolet Tahoe, Dodge Durango, Ford F-150 push bumper push bumper, use with MPS6U lights (lights sold separately)
DFC-TC-4L	Four-Light top-channel for Ford Police Interceptor Utility push bumper, use with MPS6U lights (lights sold separately)
DFC-TC-4L-1	Four-Light top-channel for Chevrolet Tahoe, Dodge Durango, Ford F-150 push bumper push bumper, use with MPS6U lights (lights sold separately)
DFC-TC-P	Solid top-channel for Ford Police Interceptor Utility push bumper
DFC-TC-P1	Solid top-channel for Chevrolet Tahoe, Dodge Durango, Ford F150 push bumper

MODEL	DESCRIPTION
ACCESSORIES	
DFC-WC-FPIU25	Wire covers for use with 2020-2025 Ford Police Interceptor Utility push bumper
DFC-WC-TAH25	Wire covers for use with 2025 Chevrolet Tahoe push bumper
DFC-WC-FRD25	Wire covers for use with 2021-2025 Ford F-150 push bumper
DFC-WC-DUR25	Wire covers for use with 2021-2025 Dodge Durango push bumper
DFC-SB-750501	(1) Speaker bracket, for mounting (1) AS124 speaker
DFC-SB-ES100C	(1) Speaker bracket, for mounting (1) ES100C speaker
DFC-SRVKIT-1	Rubber Molding Kit, (2) 5-ft strips

- Notes**
- DFC Series products are shipped "prepay & add" FOB University Park, IL
 - Returns for DFC Series products are not accepted



Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com

DFC Series Window Guard



- Rear passenger window guards, designed to provide the best strength, durability, and protection to windows
- Manufactured with HRPO steel
- Black textured powder coat for resistance against scratches and scuffs
- Mounting kit and hardware included
- Integrated housing for (2) MPS6U



MODEL	DESCRIPTION
DFC-WG-FPIU25	Pair of rear passenger compartment window guards, Ford Police Interceptor Utility, 2025
DFC-WG-TAH25	Pair of rear passenger compartment window guards, Chevrolet Tahoe, 2025
DFC-WG-DUR25	Pair of rear passenger compartment window guards, Dodge Durango, 2025

Note

- *MPS6U sold separately



**AVAILABLE
Q2 2026**

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Ford Police Interceptor Utility

MODEL	DESCRIPTION
Light Bar Mounts and other Roof-mounted Kits	
HKB-FPIU20-HP	Hook required with hook-on mount, 44-, 45-, 46-, 48-, 51- and 53-inch light bars, Ford Police Interceptor Utility, 2020-2025+
Z865300717	Spacer kit for use when mounting external Opticom® on, Allegiant® Max, or Integrity® light bars
Pathfinder® OBDII Integration Cables	
OBDCABLE6-2	6-ft OBDII interface cable, for use on Ford Police Interceptor Utility, 2020-2024
OBDCABLE25-2	25-ft OBDII interface cable, for use on Ford Police Interceptor Utility, 2020-2024
OBDCABLE16-7	16-ft OBDII interface cable for use on Ford Police Interceptor Utility, 2025+
Audible Warning Brackets	
ESBL-FPIU20	Combination bracket kit — (1) ES100C and (2) MPS series lights behind grille, will not work on hybrid models, Ford Police Interceptor Utility, 2020-2024
ESBL-FPIU25	Combination bracket kit — (1) ES100C and (2) MPS series lights behind grille, will not work on hybrid models, Ford Police Interceptor Utility, 2025+
ESB-FPIU20NDB	No drill, bracket only — (1) ES100C or (1) AS124, compatible with push bumpers, Ford Police Interceptor Utility, 2020-2024
ESB-FPIU25NDB	No drill, bracket only — (1) ES100C or (1) AS124, compatible with push bumpers, Ford Police Interceptor Utility, 2025+
ESB2-FPIU20NDB	No drill, dual-speaker bracket only — (2) ES100C or (2) AS124, compatible with push bumpers, Ford Police Interceptor Utility, 2020-2024
ESB2-FPIU25NDB	No drill, dual-speaker bracket only — (2) ES100C or (2) AS124, compatible with push bumpers, Ford Police Interceptor Utility, 2025+
ESB-U	Multi-vehicle bail bracket, ES100C
RBS-FPIU20ND	(1) Rumbler® Solo or (1) Compact, no drill, passenger side bracket, Ford Police Interceptor Utility, 2020-2025+
RBC-FPIU25ND	(1) Compact, no drill, passenger side bracket. Compatible with DFC Push Bumper Series lower guard, Ford Police Interceptor Utility, 2020-2025+
RBC2-FPIU25ND	(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket. Compatible with DFC Push Bumper Series lower guard, Ford Police Interceptor Utility, 2020-2025+
Grille Light Brackets	
IPX-GRL16	Single, no drill, grille bracket with hardware, horizontal mount orientation, each bracket holds (2) MPS series lights, Ford Police Interceptor Utility, 2020-2025+
IPX-GRL17	Pair of lower grille brackets with hardware, horizontal mount orientation, each bracket holds (2) MPS3U/MPS6U lights, Ford Police Interceptor Utility, 2020-2025+
MPSM6U-FPIU20GCO	Kit of two grille cutout brackets, adapts (2) MPS6U lights to OEM grille cut-outs, Ford Police Interceptor Utility, 2020-2025+
ESBL-FPIU20	Combination bracket kit — (1) ES100C and (2) MPS series lights behind grille, will not work on hybrid models
SLB-001	Long L-bracket, CN SignalMaster™ in lower portion of grille, Ford Police Interceptor Utility, 2020-2024
MPSC-(color)	MicroPulse® C Series lights will mount into the recessed area of the grille that Ford provides to accommodate grille lights
Fog Light Area	
MicroPulse Ultra	MPS3U, MPS6U, and MPS12U lights will fit surface mounted to plastic filler, non-fog light equipped models
MPS6U-FPIU20FOG	Pair of fog light brackets, each bracket holds (1) MPS3U/MPS6U light, Ford Police Interceptor Utility, 2020-2026
Hood Mount Lights	
MPSM6U-HOOD	Drill-less hood mount bracket for (1) MPS6U/MPSWP light
License Plate Light Brackets	
MPSM-LPH1	Horizontal license plate bracket, mounts (2) MPS3U/MPS6U/MPSC lights, fits most vehicles
IPX-LPV1	Flat surface license plate mount, various vehicles without recessed plate mounting locations, bracket holds (2) MPS3U lights
IPX-LPV2	Adjustable license plate mounting kit to mount 1 MPS3U/MPS6U/MPS12U light vertically to each side of license plate
MPSM6-LPV1	Adjustable license plate mounting kit to mount 2 MPS6U lights vertically to each side of license plate
Interior Front Headliner	
SIFMJS	SpectraLux® ILS Low-Profile, 8-head Split Front, Center-focused style
SIFMJP	SpectraLux ILS Low-Profile, 4-head, Passenger-side only, Center-focused style
XSMBKT01	Multi-vehicle headliner mount bracket for single- or dual-head models XStream® series
XSMBKT03	Slip-on visor mount kit for use with single- or dual-head model XStream series
XSMBKT11	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford Police Interceptor Utility, 2020-2025+
Side Mirror Brackets	
MPSM6U-FPIU20SMW	Kit of two 20-degree rubber mounting wedges, each wedge mounts (1) MPS6U light to each side mirror arm, Ford Police Interceptor Utility, 2020-2025+
MPSMW9-FPIU25MIRS	Pair of side under-mirror brackets, each bracket holds (1) MPSW9 light, Ford Police Interceptor Utility, 2025+



Ford Police Interceptor Utility—Continued

MODEL	DESCRIPTION
Side Wheel Arch	
MPSM6U-FPIU20WWW	Kit of four rubber mounting wedges, each wedge mounts (1) MPS6U light to each of the four wheel arch moldings, Ford Police Interceptor Utility, 2020-2025+
Side Window	
MicroPulse® Ultra	MPS3U, MPS6U, and MPS12U lights will fit in this location using MPSM3-, MPSM6-, or MPSM12- "LB" or "DL" bracket
XStream®	XSM1/XSM2 models will fit with included mounting brackets
Interior Rear Headliner	
CNSM-RBK1	Mount kit for installing 8-head CN SignalMaster™ in Ford Police Interceptor Utility, 2013-2025+
SLB-002	Short L-bracket, CN SignalMaster or Latitude™
MBK01	Bracket for mounting message board in rear headliner of Ford Police Interceptor Utility, 2013-2025+
SIFMH	SpectraLux® ILS Low-Profile, 8-head Rear Hatch, Center-focused style, Ford Police Interceptor Utility, 2020-2025+
XSMBKT03	Multi-vehicle headliner mount bracket for single- or dual-head models XStream series
Bottom of Rear Hatch	
MicroPulse Ultra	MPS3U and MPS6U lights will fit in this location on Ford Police Interceptor Utility
416300 Series	416300 light will fit in this location on Ford Police Interceptor Utility
Lower Rocker Area	
MicroPulse Ultra	MPS3U/MPS6U can be mounted on the lower side door, 1-2 wedges needed
MicroPulse Ultra	MPS3U/MPS6U can be mounted to rocker trim with MPSM3-LB or MPSM6-LB
Running Board	
DRBKT-RB-FPIU20B	(1) Running board mounting bracket, 2020-2025 Ford Police Interceptor Utility
DR6-color/color/color	(1) 6-foot DynaFlare running board light
DR5-color/color/color	(1) 5-foot DynaFlare running board light
Spoiler Brackets	
MPSM6-FPIU20RS1	2020-2025 Ford Interceptor Utility spoiler bracket kit, (2) MPS6U lights
MPSM6-FPIU20RS2	2020-2025 Ford Interceptor Utility spoiler bracket kit, (6) MPS6U lights
MPSM6-FPIU20RS3	2020-2025 Ford Interceptor Utility spoiler bracket kit, (4) MPS6U lights
MPSM12-FPIU20RS2	2020-2025 Ford Interceptor Utility spoiler bracket kit, (6) MPS12U lights
Headlight/Taillight Options	
416900 Series	416900 Series can be mounted in the standard headlight assembly (not compatible with 66A or 67H packages) and can be mounted in the taillight when Ford Option 86T is ordered
FHL-TAIL	Flasher, Taillight, multi-vehicle applications, 18-inch wire leads
416900-VHB	3M™ VHB™ no-drill mount for Ford Interceptor Utility, 2020-2025 with standard headlight assembly and taillight when Ford option 86T is ordered, 4-pack
EXPHARN03	Rear taillight connection wire harness for use with rear expansion module, Ford Police Interceptor Utility, 2020-2024
EXPHARN06	Rear taillight connection wire harness for use with rear expansion module, Ford Police Interceptor Utility, 2025+
Push Bumpers and Accessories	
DFC-PB-FPIU20	Push bumper, Ford Police Interceptor Utility, 2020-2024
DFC-PB-FPIU25	Push bumper, 2025+ Ford Police Interceptor Utility
DFC-LG-FPIU25	Lower guards for use with Ford Police Interceptor Utility, 2025+, push bumper
DFC-UG-FPIU25	Upper guards for Ford Police Interceptor Utility, 2025+, push bumper
DFC-TC-2L	Two-Light top-channel for Ford Police Interceptor Utility, 2025+, push bumper, use with MPS6U lights
DFC-TC-4L	Four-Light top-channel for Ford Police Interceptor Utility, 2025+, push bumper, use with MPS6U lights
DFC-TC-P	Solid top-channel for Ford Police Interceptor Utility, 2025+, push bumper
DFC-WC-FPIU25	Wire covers for use with Ford Police Interceptor Utility, 2025+, push bumper
Window Guards	
DFC-WG-FPIU25	Pair of rear passenger compartment window guards, Ford Police Interceptor Utility, 2025

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Ford F-150 Responder

MODEL	DESCRIPTION
Light Bar Mounts	
HKB-FRD15-44-HP	Hook required with hook-on mount, 44-, 45-, 46-, and 48-inch light bars, 51- and 53-inch light bars with low-profile foot, Ford F-150 Crew Cab, 2015-2025
HKB-UNH5	Hook required with hook-on mount, 44-, 45-, 46-, and 48-inch light bars, 51- and 53-inch light bars with low-profile foot, Ford F-150 Single and Extended Cab, 2015-2025
HKB-FRD15-HP	Hook required with hook-on mount, 51- and 53-inch light bars with standard height foot, Ford F-150 Crew Cab, 2015-2025
HKB-UNH6	Hook required with hook-on mount, 51- and 53-inch light bars with standard height foot, Ford F-150 Single and Crew Cab, 2015-2025
Pathfinder® OBDII Integration Cables	
OBDCABLE8-6	8-ft OBDII interface cable, for use on Ford F-150, 2021-2025
OBDCABLE20-6	20-ft OBDII interface cable, for use on Ford F-150, 2021-2025
Audible Warning Brackets	
ESB2-FRD15ND	No drill bracket kit for mounting (2) ES100C speakers behind the grille utilizing pre-drilled holes of the Ford F-150, 2015-2025, will work with EcoBoost model only, will not fit models with active lower air dam
ESB-U	Multi-vehicle bail bracket, ES100C behind front license plate, non-EcoBoost, Ford F-150, 2015-2025
ESB2-FRD21ND	No drill bracket kit for mounting (2) ES100C speakers behind the grille utilizing pre-drilled holes of the Ford F-150, 2021-2025
RBC2-FRD15ND	Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Ford F-150, 2015-2025
Grille Light Bracket	
IPX-GRL14	Pair of grille brackets with hardware, horizontal mount orientation, each bracket holds (1) MPS3/MPS3U/MPS6/MPS6U lights, Ford F-150, 2018-2025 (Responder, XL, and XLT models)
Interior Front Headliner	
SIFMJS	SpectraLux® ILS Low-Profile, 8-head Split Front, Center-focused style, Ford F-150, 2015-2025
SIFMJS	SpectraLux ILS Low-Profile, 4-head Passenger-side only, Center-focused style, Ford F-150, 2015-2025
XSMBKT01	Slip-on visor mount kit for use with single- or dual-head model XStream® series
XSMBKT03	Multi-vehicle headliner mount bracket for single- or dual-head models XStream series
XSMBKT10	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford F-150, 2015-2025, Ford F-250/350/450/550 Super Duty, 2017-2025
Side Mirror Brackets	
MPSMW9-FRD21MIR	Pair of side mirror brackets, each bracket holds (1) MPSW9 light, Ford F-150, 2021-2025, will not work with tow mirrors
Running Board Bracket	
MPSM6-FRD15RB	(6) Running board brackets, each bracket holds (1) MPS6U light, Ford F-150, 2015-2025 (XL and XLT models)
MPSM6U-FD15UPRB	(6) Upper running board brackets, each bracket holds (1) MPS6U light, Ford F-150 Responder, 2015-2025
DR6BKT-RB-FRD15B	(1) 6-foot running board mounting bracket, for (1) DynaFlare 6-foot light, 2015-2025 Ford F-150
Rear Side Window	
XStream	XSM1/XSM2 models will fit with included mounting brackets
MPS652	MicroPulse® 6, (6) LEDs, dual-color
Interior Rear Headliner	
SLB-FRD15ND	8-head bracket, CN SignalMaster™ or Latitude™, no drill, Ford F-150 2015-2025, Lightning 2022-2025, and Super Duty 2017-2025. Not for models with panoramic moon roof
XSMBKT03	Multi-vehicle headliner mount bracket for single- or dual-head models XStream series
SIFMR	SpectraLux ILS Low-Profile, 8-head Rear Deck, Center-focused style, Ford F-150, 2015-2025
Headlight/Taillight	
FHL-CHG	Flasher, Headlight, Ford F-150, 2015-2025
FHL-TAIL	Flasher, Taillight, multi-vehicle applications, 18-inch wire leads
Under Tailgate	
MicroPulse Ultra	MPS3U and MPS6U will surface mount between tailgate and bumper area
Push Bumper and Accessories	
DFC-PB-FRD25	Push bumper, 2025 Ford F-150
DFC-LG-FRD25	Lower guards for use with 2025 Ford F-150, push bumper
DFC-UG-FRD25	Upper guards for 2025 Ford F-150 push bumper
DFC-TC-2L-1	Two-Light top-channel for 2025 Ford F-150, push bumper, use with MPS6U lights
DFC-TC-4L-1	Four-Light top-channel for 2025 Ford F-150, push bumper, use with MPS6U lights
DFC-TC-P1	Solid top-channel for 2025 Ford F-150, push bumper
DFC-WC-FRD25	Wire covers for use with 2025 Ford F-150, push bumper



Ford Expedition

MODEL	DESCRIPTION
Light Bar Mount	
HKB-EXD22	Expedition (No Roof Rack) light bar lengths 51, 53-in
Pathfinder® OBDII Integration Cables	
OBDCABLE8-6	8-ft OBDII interface cable, for use on Ford Expedition, 2020-2025
OBDCABLE20-6	20-ft OBDII interface cable, for use on Ford Expedition 2020-2025
Audible Warning Brackets	
RBC1-EXP25ND	(1) Compact, no drill, passenger side bracket, Ford Expedition, 2025
RBC2-EXP25ND	Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Ford Expedition, 2022-2025
Grille Light Mounting	
MPSM6U-EXPD25-6GRL	Single grille bracket with hardware, bracket holds (6) MPS6U lights, Ford Expedition, 2025
Hood Mount	
MPSM6U-HOOD	Drill-less hood mount bracket for (1) MPS6U/MPSWP light
License Plate	
IPX-LPV2	Adjustable license plate mounting kit to mount light heads to the license plate of popular vehicles, bracket holds (2) MPS3U/MPS6U/MPS12U lights
Rear Side Window Mount	
MPSM3-DL	Generic L-Bracket for (2) MPS3U lights, side-by-side
MPSM6-DL	Generic L-bracket for (2) MPS6U lights, side-by-side
MPSM12-DL	Generic L-bracket for (2) MPS12U lights, side-by-side
MPSM6U-WIN	Adhesive mount for (1) MPS6U light
MPSM6U-WIN2	Dual adhesive mount for (2) MPS6U lights. Kit includes 90°, 67°, 46°, and 30° shrouds
MPSM12U-WIN	Adhesive mount for (1) MPS12U light. Kit includes 90°, 67°, 46°, and 30° shrouds
MPSM12U-WIN90-12	Adhesive mount for (12) MPS12U lights. Kit includes 90° shrouds
Front Windshield	
SIFMJS-EXPD18-P3	SpectraLux® ILS Low-Profile Split-front stock model Red/Blue/White, Ford Expedition, 2018+
XSMBKT10	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford Expedition, 2018-2025
Interior Rear Headliner	
SIFMJH-EXPD25-P3	SpectraLux® ILS Low-Profile Rear Hatch, stock model Red/Blue/Amber, Ford Expedition, 2025+
XSMBKT01	Visor mount kit for use with XSM1/XSM2 lights
SLB-001	Bracket can be used to mount 8-head CN SignalMaster™ /Latitude™ to the rear headliner
Liftgate Bottom	
416300, w 416302	416300 series lights will fit in this location on Ford Expedition, 2025
Running Board Bracket	
DR6BKT-RB-EXPD25	(1) 6-foot running board mounting bracket, 2025 Ford Expedition
Spoiler	
MPSM6U-EXP25RS6	6-head MPS6U spoiler bracket kit, Ford Expedition, 2025
Side Mirror	
MPSMW9S-UNIVMIR1	Pair of side mirror brackets, each bracket holds (1) MPSWP/MPSW9 light, Ford Expedition, 2025+
Headlight/Taillight	
EXPMOD-2	18-Channel Expansion Module with taillight blackout capability
FHL-TAIL	Flasher, Taillight, multi-vehicle applications, 18-inch wire leads

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Chevrolet Tahoe

MODEL	DESCRIPTION
Light Bar Mount and Other Roof-mounted Kits	
HKB-TAH21-44-HP	Hook required with hook-on mount, 44-, 45-, 46-, and 48-inch light bars, Chevrolet Tahoe, 2021-2025
HKB-TAH21-HP	Hook required with hook-on mount, 51- and 53-inch light bars, Chevrolet Tahoe, 2021-2025
Z865300732	2-inch riser mount kit for Allegiant® Max, Integrity®, used when mounting external Opticom®
Z865300717	Spacer kit for use when mounting external Opticom on Allegiant Max, or Integrity light bars
Pathfinder® OBDII Integration Cables	
OBDCABLE8-GMCAN	8-ft OBDII interface cable, for use on Chevrolet Tahoe, 2021-2024
OBDCABLE20-GMCAN	20-ft OBDII interface cable, for use on Chevrolet Tahoe, 2021-2024
OBDCABLE4-5	4-ft OBDII interface cable, for use on Chevrolet Tahoe, 2025
OBDCABLE20-5	20-ft OBDII interface cable, for use on Chevrolet Tahoe, 2025
Audible Warning Brackets	
ESB2-TAH21ND	No drill bracket kit for mounting (1) or (2) ES100C speakers(s) in the grille of Chevrolet Tahoe, 2021-2024
ESB2-TAH25ND	No drill bracket kit for mounting (1) or (2) ES100C speakers(s) in the grille of Chevrolet Tahoe, 2025
ESBL2-TAH21ND	No drill bracket kit for mounting (1) or (2) ES100C speakers(s) and (2) MPS series lights in the grille of Chevrolet Tahoe, 2021-2024
ESBL2-TAH25ND	No drill bracket kit for mounting (1) or (2) ES100C speakers(s) and (2) MPS series lights in the grille of Chevrolet Tahoe, 2025
ESB-U	Multi-vehicle bail bracket, ES100C
RBS-TAH21ND	(1) Rumbler® Solo or (1) Compact, no drill, passenger side bracket, Chevrolet Tahoe, 2021-2025
RBC2-TAH21ND	(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket, Chevrolet Tahoe, 2021-2025
750501-13	(1) AS124 bracket, Chevrolet Tahoe, 2021-2025
Grille Light Bracket	
MPSM6-GRL5	Pair of grille brackets, each bracket holds (1) MPS6U light outside of grille, Chevrolet Tahoe, 2025
MPSM6-GRL2	Pair of grille brackets, each bracket holds (1) MPS6U light behind grille, Chevrolet Tahoe, 2021-2025
MPSM6-GRL3	Pair of grille brackets, each bracket holds (2) MPS6U light outside of grille, each side of bowtie, Chevrolet Tahoe, 2021-2024
MPSM6-GRL4	Pair of grille brackets, each bracket holds (3) MPS6U light outside of grille, each side of bowtie, Chevrolet Tahoe, 2021-2024
CNSM-TAH21	4-head CNSM grille mounting bracket kit, Chevrolet Tahoe, 2021-2024
Hood Mount Lights	
MPSM6U-HOOD	MPS6U Hood mount bracket, Universal
License Plate Light Bracket	
MPSM-LPH1	Horizontal license plate bracket, mounts (2) MPS3U/MPS6U/MPSC lights, fits most vehicles
MPSM6-LPV1	Vertical mount license plate brackets, each bracket holds (2) MPS6U light heads on each side
MPSM6-LPH1	Horizontal license plate mount, (2) MPS6U, MPS12U, MPSW9 lights
IPX-LPV2	Adjustable license plate mounting kit to mount light heads to the license plate of popular vehicles, bracket holds (2) MPS3U/MPS6U/MPS12U lights
Rear Side Windows	
XStream®	XSM1/XSM2 models will fit with included mounting brackets
Interior Front Headliner	
SIFMJS	SpectraLux® ILS Low-Profile, 8-head Split Front, Center-focused style
SIFMJP	SpectraLux ILS Low-Profile, 4-head Passenger-side only, Center-focused style
XSMBKT01	Visor mount kit for use with XSM1/XSM2 lights
XSMBKT03	Headliner mount bracket for use with XSM1/XSM2 lights
XSMBKT14	Visor mount kit for use with (1) XSM1/XSM2 and (2) cameras (forward and rear facing), Chevrolet Tahoe, 2021-2025
Bottom of Rear Hatch	
416300 w/416302	416300 series lights will fit in this location on Chevrolet Tahoe, 2021-2025
Rear Interior	



Chevrolet Tahoe—Continued

MODEL	DESCRIPTION
SLB-001	Bracket can be used to mount 8-head CN SignalMaster [™] /Latitude [™] to the rear headliner
SLB-002	Bracket can be used to mount 4-head CN SignalMaster/Latitude across the top of rear side cargo windows
XStream [®]	Can be mounted in Rear Side Cargo Windows and interior of Chevrolet Tahoe, 2015-2025
SIFMJH	SpectraLux ILS Low-Profile, 8-head Rear Hatch, Center-focused style
Running Board Bracket	
DR6BKT-RB-TAH21B	(1) 6-foot running board mounting bracket, 2021-2025
Spoiler Bracket	
MPSM6-TA21RS	6-head MPS6U spoiler bracket kit, Chevrolet Tahoe, 2021-2025
MPSM6-TA21RS1	2-head MPS6U spoiler bracket kit, Chevrolet Tahoe, 2021-2025
MPSM12-TA23RS2	(3) MPS12U spoiler bracket, Chevrolet Tahoe, 2023-2025
Side Mirror Bracket	
MPSMW9-TAH21MIR	Pair of side mirror brackets, each bracket holds (1) MPSW9 light, Chevrolet Tahoe 2021-2025
Headlight/Taillight Flashers	
FHL-TAIL	Flasher, Taillight, multi-vehicle applications, 18-inch wire leads
416900 Series	Corner LEDs
EXPHARN05	Rear taillight connection wire harness for use with rear expansion module, Chevrolet Tahoe, 2021-2024
EXPHARN07	Rear taillight connection wire harness for use with rear expansion module, Chevrolet Tahoe, 2025+
EXPMOD-2	18-Channel Expansion Module with taillight blackout capability
Push Bumper and Accessories	
DFC-PB-TAH21	Push bumper, 2021-2024 Chevrolet Tahoe
DFC-PB-TAH25	Push bumper, 2025 Chevrolet Tahoe
DFC-LG-TAH21	Lower guards for use with 2021-2024 Chevrolet Tahoe push bumper
DFC-LG-TAH25	Lower guards for use with 2025 Chevrolet Tahoe push bumper
DFC-UG-TAH21	Upper guards for 2021-2024 Chevrolet Tahoe push bumper
DFC-UG-TAH25	Upper guards for use with 2025 Chevrolet Tahoe push bumper
DFC-TC-2L-1	Two-Light top-channel for Chevrolet Tahoe push bumper, use with MPS6U lights
DFC-TC-4L-1	Four-Light top-channel for Chevrolet Tahoe push bumper, use with MPS6U lights
DFC-TC-P1	Solid top-channel for Chevrolet Tahoe push bumper
DFC-WC-TAH21	Wire covers for use with 2021-2024 Chevrolet Tahoe push bumper
DFC-WC-TAH25	Wire covers for use with 2025 Chevrolet Tahoe Push bumper
Window Guards	
DFC-WG-TAH25	Pair of rear passenger compartment window guards, Chevrolet Tahoe, 2025

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Chevrolet Silverado 1500

MODEL	DESCRIPTION
Light Bar Mounts	
HKB-TAH21-44-HP	Hook required with hook-on mount, 44-, 45-, 46-, and 48-inch light bars, Chevrolet Silverado 1500 Crew Cab, 2019-2025
HKB-UNH4	Hook required with hook-on mount, 44-, 45-, 46-, and 48-inch light bars, Chevrolet Silverado 1500 Single and Extended Cab, 2019-2025
HKB-UNH3	Hook required with hook-on mount, 51-, and 53-inch light bars, Chevrolet Silverado 1500 Single and Extended Cab, 2019-2025
HKB-TAH21-HP	Hook required with hook-on mount, 51-, and 53-inch light bars, Chevrolet Silverado 1500 Crew Cab, 2019-2025
Pathfinder® OBDII Integration Cables	
OBDCABLE4-5	4-ft OBDII interface cable, Chevrolet Silverado 1500, 2023-2026
OBDCABLE20-5	20-ft OBDII interface cable, Chevrolet Silverado 1500, 2023-2026
Audible Warning Brackets	
ESB-U	Multi-vehicle bail bracket, ES100C
ESBL2-SIL22ND	No drill, combination dual bracket kit — (2) ES100C and (2) MPS lights behind grille, Chevrolet Silverado, 2022-2025
RBC2-TAH21ND	Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Chevrolet Silverado 1500, 5.3L V8 only, no turbo, 2019-2025
RBS-TAH21ND	Single Rumbler® Solo or (1) Compact, no drill, passenger side bracket, Chevrolet Silverado 1500, 5.3L V8 only, no turbo, 2019-2025
Hood Mount Lights	
MPSM6U-HOOD	MPS6U Hood mount bracket, Universal
Interior Front Headliner	
SIFMJS	SpectraLux® ILS Low-Profile, 8-head Split Front, Center-focused style, 2019-2025
SIFMJP	SpectraLux ILS Low-Profile, 4-head Passenger-side only, Center-focused style, 2019-2025
XSMBKT01	Visor mount kit for use with XSM1/XSM2 lights
XSMBKT03	Visor mount kit for use with XSM1/XSM2 lights
Interior Rear Headliner	
SLB-SIL19ND	8-head bracket for CNSM or Latitude™, no drill, Silverado 2019-2025
Rear Spoiler	
MPS6U-SIL19RS6	Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Chevrolet Silverado 2019-2025
Side Mirror Bracket	
MPSMW9-SIL19MIR	Pair of side mirror brackets, each bracket holds (1) MPSW9 light, Chevrolet Silverado 1500 2019-2025
Running Board Bracket	
DR6BKT-RB-SIL19B	(1) 6-foot running board mounting bracket, 2019-2025 Chevrolet Silverado



Chevrolet Blazer EV

MODEL	DESCRIPTION
	Light Bar Mount
HKB-BLZR24	Hook Mount, 51-inch and 53-inch light bars, Chevrolet Blazer EV, 2024-2025
	Pathfinder® OBDII Integration Cables
OBDCABLE4-5	4-ft OBDII interface cable
OBDCABLE20-5	20-ft OBDII interface cable
	Interior Front Headliner
SIFMJS	SpectraLux ILS low-profile, 8-head split front, center-focused. Available on the online configurator.
SIFMJS-BZEV-P3	SpectraLux ILS low-profile, 8-head split front, center-focused, Red/Blue/White
	Audible Warning Brackets VEHICLE CAN FIT ONLY (1) ES100C
(1) ES100C + (1) ESB-U	100 W DynaMax® speaker with universal bracket
	Grille Light Bracket
MPS3U/MPS6U/ MPS12U	MicroPulse® Ultras will mount directly on grille
	Running Board
CNSM-UM	Multi-vehicle mount for installing (1) DynaFlare, Chevrolet Blazer EV
DR5-color/color/color	(1) 5-foot DynaFlare running board light
	License Plate
MPSM-LPH1	Bracket kit for MPS6U or MPS3U
IPX-LPV2	Adjustable license plate bracket, mounts (1) MPS3U/MPS6U/MPS12U light to each side of the license plate
	Rear Side Window Mount
MPSM6-SB	Swivel mount bracket for (1) MPS6U light
MPSM6U-WIN	Adhesive mount for (1) MPS6U light
	Rear Interior Section
SIFMJHS	SpectraLux ILS low-profile, Rear Hatch window model, center-focused. Available on the online configurator
SIFMJH-BZEV-P3	SpectraLux ILS low-profile, Rear Hatch window model, center-focused, Red/Blue/Amber
	Taillight Option
FHL-TAIL	Flasher, taillight, universal applications, 18-inch wire leads
EXPMOD-2	Expansion Module, (18) solid-state programmable relay outputs, (16) 7.5 A flashing outputs and (2) 20 A control outputs

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



Dodge Durango

MODEL	DESCRIPTION
	Light Bar Mount
HKB-DUR11B-HP	Hook required with hook-on mount, 44-, 45-, 46-, 48-, 51- and 53-inch light bars, Dodge Durango, 2015-2026
	Pathfinder® OBDII Integration Cables
OBDCABLE6-DGCAN	6-ft OBDII interface cable
OBDCABLE25-DGCAN	25-ft OBDII interface cable
	Audible Warning Brackets
ESB-DUR15	Kit, combination bracket for mounting (1) ES100C and (2) MPS6U/MPS12U/MPSW9 lights, Dodge Durango, 2015-2026
ESBL2-DUR21ND	Kit, no drill, combination dual bracket kit — (2) ES100C and (2) MPS3U/MPS6U/MPS12U/MPSW9 lights behind grille, Dodge Durango, 2021-2026
ESB-U	Multi-vehicle bail bracket, ES100C (2) ES100C only
RBS-DUR23ND	(1) Rumbler® Solo or (1) Compact, no drill, passenger side bracket, Dodge Durango, 2015-2026; Not compatible with 2021 and newer Dodge Durango models equipped with fog lights
RBC2-DUR23ND	(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket, Dodge Durango, 2015-2026; Not compatible with 2021 and newer Dodge Durango models equipped with fog lights
RBC1PB-DUR21	(1) Compact, no drill, passenger side bracket. Compatible with DFC Push Bumper Series lower guard, Dodge Durango, 2015-2026
RBC2PB-DUR21	(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket. Compatible with DFC Push Bumper Series lower guard, Dodge Durango, 2015-2026
750501-08	Kit, AS124 mounting bracket, Dodge Durango, 2015-2026, does not mount with Rumbler
	License Plate Light Bracket
MPSM-LPH1	Horizontal license plate bracket, mounts (2) MPS3U/MPS6U/MPSC lights, fits most vehicles
	Interior Front Headliner
SIFMJS	SpectraLux® ILS Low-Profile, 8-head Split Front, Center-focused style, Dodge Durango, 2016-2026
SIFMJP	SpectraLux ILS Low-Profile, 4-head Passenger-side only, Center-focused style, Dodge Durango, 2016-2026
XSMBKT01	Slip-on visor mount kit for use with single- or dual-head model XStream® series
XSMBKT03	Multi-vehicle headliner mount bracket for single- or dual-head models XStream series
XSMBKT12	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Dodge Durango, 2011-2026
	Rear Side Window Light Brackets
XStream	Single- or dual-head models
MPS652	MicroPulse® 6, (6) LEDs, dual-color
	Interior Rear Headliner
MBK06	Bracket for mounting message board in rear headliner of Dodge Durango, 2011-2026, must be used with MB1-BNRW
SIFMH	SpectraLux ILS Low-Profile, 8-head Rear Hatch, Center-focused style, Dodge Durango, 2018-2026
XStream	Rear Side Cargo Windows
SLB-002	Short L-bracket, Rear hatch window, CN SignalMaster™ or Latitude™
	Bottom of Rear Hatch
MicroPulse Ultra	MPS3U and MPS6U lights will fit in this location on Dodge Durango, 2011-2026
	Spoiler Bracket
MPSM6-DU22RS	Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Dodge Durango, 2015-2026
	Taillight Flashers
FHL-TAIL	Flasher, taillight, multi-vehicle applications, 18-inch wire leads
EXPHARN04	Rear taillight and rear liftgate lighting connection wire harness for use rear expansion module, Dodge Durango, 2018-2026
	Push Bumper Accessories
DFC-PB-DUR25	Push bumper, Dodge Durango, 2021-2025
DFC-LG-DUR25	Lower guards for use with Dodge Durango, 2021-2025, push bumper
DFC-UG-DUR25	Upper guards for Dodge Durango, 2021-2025 push bumper
DFC-TC-2L-1	Two-Light top-channel for Dodge Durango, 2021-2025, push bumper, use with MPS6U lights
DFC-TC-4L-1	Four-Light top-channel for Dodge Durango, 2021-2025, push bumper, use with MPS6U lights
DFC-TC-P1	Solid top-channel for Dodge Durango, 2021-2025, push bumper
DFC-WC-DUR25	Wire covers for use with Dodge Durango, 2021-2025, push bumper



Dodge Charger

MODEL	DESCRIPTION
Light Bar Mount	
HKB-LPCHGR11-HP	Hook required with hook-on mount, 44-, 45-, 46-, 48-inch light bars, Dodge Charger, 2011-2023
Pathfinder® OBDII Integration Cables	
OBDCABLE6-DGCAN	6-ft OBDII interface cable
OBDCABLE25-DGCAN	25-ft OBDII interface cable
Audible Warning Brackets	
ESB-CHGR15	Kit, combination bracket for mounting, (1) ES100C and (2) MPS6U/MPS12U lights behind the grille, Dodge Charger, 2015-2023, does not mount with Rumbler®
ESB2-CHGR15	Bracket kit for mounting (2) ES100C speakers behind the grille, Dodge Charger, 2015-2023
ESB-U	Multi-vehicle bail bracket, ES100C, mounts with or without Rumbler
ESB-CHGR15ND	No drill, (1) ES100C, mounts speaker to hood latch assembly, Dodge Charger, 2015-2023
RBS-CHGR15	(1) Rumbler Solo or (1) Compact, no drill, passenger side bracket, Dodge Charger, 2015-2023
750501-09	AS124 speaker mounting bracket, Dodge Charger, 2015-2023
Grille light Brackets	
IPX-GRL8	Pair of grille brackets, each bracket holds (1) MPS3U/MPS6U/MPS12U, horizontal mount orientation, Dodge Charger, 2015-2023, does not mount with Rumbler
License Plate Light Brackets	
IPX-LPV1	Flat surface license plate mount, various vehicles without recessed plate mounting locations, bracket holds (2) MPS3 lights
IPX-LPV2	Adjustable license plate bracket, mounts (2) MPS3U/MPS6U/MPS12U lights to the license plate of popular vehicles
MPSM6-LPV1	Vertical mount license plate brackets, each bracket holds (2) MPS6U light heads on each side
MPSM-LPH1	Horizontal license plate bracket, mounts (2) MPS3U/MPS6U/MPSC lights, fits most vehicles
Interior Front Headliner	
SIFMJS	SpectraLux® ILS Low-Profile, 8-head Split Front, Center-focused style, Dodge Charger, 2011-2023
SIFMJP	SpectraLux ILS Low-Profile, 4-head Passenger-side only, Center-focused style, Dodge Charger, 2011-2023
XSMBKT01	Slip-on visor mount kit for use with single- or dual-head model XStream® series
XSMBKT03	Multi-vehicle headliner mount bracket for single- or dual-head models XStream series
XSMBKT07	Visor mount kit for use with (1) XSM1/XSM2 and (2) cameras (forward and rear facing), Dodge Charger, 2011-2023
Side Mirror Bracket	
MPSMW9-CHGR11MIR	Pair of side mirror brackets, each bracket holds (1) MPSW9 light, Dodge Charger, 2011-2023
Rear Side Window	
MPSM6U-BP1	Pair of B Pillar brackets, each bracket holds (1) MPS6U light, Dodge Charger, 2011-2023
MPS652	MicroPulse® 6, (6) LEDs, dual-color
Interior Rear Deck	
SIFMJR	SpectraLux ILS Low-Profile, 8-head Rear Deck, Center-focused style, Dodge Charger, 2011-2023
XStream	Single- or dual-head models
Headlight/Taillight Flashers	
FHL-TAIL	Flasher, taillight, multi-vehicle applications, 18-inch wire leads
EXPHARN01	Rear taillight connection wire harness for use with rear expansion module, Dodge Charger, 2015-2023

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



LIMITED WARRANTY POLICY

Effective January 19, 2026

Federal Signal Corporation ("Federal Signal"), subject to the terms, conditions and exceptions contained herein, warrants each NEW product to be free from defects in material and workmanship, under normal and proper use, care, maintenance and required service only. Start of Warranty, Warranty periods and exceptions to the foregoing Limited Warranty are contained on the Schedule of Products included in this document and are subject to change at the sole discretion of Federal Signal.

SPECIFIC EXCLUSIONS AND EXCEPTIONS

This Limited Warranty does NOT apply nor is it extended to products that are not manufactured by Federal Signal. These products may be covered by a separate limited warranty provided by the particular manufacturer, and all claims and questions regarding the same are to be directed to the particular manufacturer. Goods sourced by Seller from a third party for resale to Buyer shall carry only the warranty extended by the original manufacturer.

Domes, lenses, lamps, and batteries installed on Federal Signal products are specifically excluded. Repair or replacement of any product(s) or part(s) under this warranty does NOT extend the term of this warranty, and such product(s) or part(s) shall remain covered by the unexpired portion of the warranty period or for ninety (90) days from the date of return to Federal Signal, whichever is later. This limited warranty applies ONLY to the initial or first installation of the product. This limited warranty shall not apply to products (1) that have been subjected to neglect, abuse, misuse, improper installation, inadequate maintenance, or damage due to improper use of cleaning or cleaning materials or chemicals, or non-compliance with Federal Signal's storage, installation, operation, maintenance or environmental requirements; (2) that have undergone any modification or repair not previously authorized by Federal Signal in writing, or service, repair or modification by or from any facility other than an authorized Federal Signal service center or technician, or that use non-authorized software or spare or replacement parts; or (3) that fail due to reasonable and normal use or wear and tear, or materials made, furnished, or specified by the Buyer or end user.

During the specific warranty periods set forth below, Federal Signal will, at its sole option, repair or replace the product(s) or particular part(s) that are found to be defective in either material or workmanship or, in its sole discretion, refund the purchase price for such product(s) or part(s), which are returned or delivered, transport or shipping prepaid by the Buyer or end user, to either Federal Signal or its designated and authorized warranty service center. This limited warranty does not cover travel expenses, the cost of specialized equipment for gaining access to the product(s) or part(s), or labor charges for removal and re-installation of the product.

No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties, to extend the term or duration of this warranty, or to assume any other liability on behalf of Federal Signal in connection with the sale, servicing, or repair of any product manufactured by the Federal Signal.

Federal Signal reserves the right to make design changes and improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.

The use in the product of any part other than parts approved by Federal Signal may invalidate this warranty. Federal Signal reserves the right to determine, in its sole discretion, if the use of non-approved parts invalidates this warranty.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND REGARDLESS OF ANY FAILURE OF ESSENTIAL PURPOSE. ALL OTHER WARRANTIES OF WHATSOEVER KIND AND NATURE, WHETHER EXISTING IN CONTRACT OR AT LAW, ARE HEREBY AND FOREVER DISCLAIMED.

UNDER NO CIRCUMSTANCES WILL FEDERAL SIGNAL BE LIABLE OR RESPONSIBLE FOR SPECIAL, COMPENSATORY, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, LOST PROFITS, LOST SALES, OR LOSS OF USE OR LOSS OF BUSINESS OPPORTUNITY BY OR THROUGH THE USE OF THE PRODUCT. FEDERAL SIGNAL'S SOLE AND MAXIMUM LIABILITY WITH RESPECT TO THE PRODUCT, OTHER THAN ITS OBLIGATIONS SET FORTH ABOVE, SHALL BE THE TOTAL PURCHASE PRICE PAID FOR THE PRODUCT.



LIMITED WARRANTY— Schedule of Products
Effective January 19, 2026

Federal Signal Corporation – Public Safety Systems Division (Police, Fire/EMS, Work Truck)

	Warranty Period for Parts replacement from the date of manufacture stamped on the product	Warranty period for Factory Labor from the date of delivery to the first user-purchaser
STANDARD WARRANTY COVERAGE		
AUDIBLE		
Speakers	2 years	1 year
Pathway™	5 years	5 years
Pathfinder®	5 years	5 years
LED PRODUCTS		
All LED (Light Emitting Diode) products unless otherwise noted	5 years	5 years
MicroPulse® LED lights (shipped prior to January 1, 2021)	3 years	3 years
MicroPulse® LED lights (shipped on or after January 1, 2021)	5 years	5 years
416300 Series (shipped prior to January 1, 2021)	3 years	3 years
416300 Series (shipped on or after January 1, 2021)	5 years	5 years
MB1 LED Message Board	3 years	3 years
Commander® Series Flex	3 years	3 years
4200S-A Perimeter Light	3 years	3 years
4200S/8200S SignalMaster™	3 years	3 years
SignalTech® Lights	3 years	3 years
ICON® Series	3 years	3 years
Renegade LED	3 years	3 years
Firebolt LED Class 3	3 years	3 years
OTHER PRODUCTS		
Littlite® Map lights	5-year warranty on LED components Limited lifetime warranty on mechanical components	5-year warranty on LED components Limited lifetime warranty on mechanical components
Reverse Camera Systems	2 years	2 years
Stinger Spike Systems	5 years	5 years
DFC Series Push Bumper	3 years	3 years
FSLink® Programmer	1 year	1 year
Atkinson Dynamics® Intercoms	2 years	1 year
Switch Boxes SW200, SW300, SW400SS	3 years	3 years
Mounting Bar	3 years	3 years
Littlite Platform Series	3 years	3 years
Convergence Network Controllers & Relay Modules	3 years	3 years
FSDirect™ Control Module	5 years	5 years
Backup Alarms	3 years	3 years
Mounts, brackets, all other products not specifically listed below	3 years	3 years

NOTE: Domes, lenses, lamps, and batteries are NOT covered under warranty.

Distributed by Gross Automation | +1 (262) 252-1600 | sales@grossautomation.com



FEDERAL SIGNAL STRENGTH™



Every moment of every day, we go beyond the call. Every decision driven by the safety of you and your community. Take comfort in our commitment to engineer the most reliable, durable, and high-performing products for your emergency vehicle.



SAFETY IN THIS MOMENT.

EXCLUSIVE TECHNOLOGIES TO KEEP YOUR COMMUNITY SAFE. THAT'S FEDERAL SIGNAL STRENGTH.™



FS CONVERGENCE NETWORK enables true plug-and-play installation and programming.



FSLINK® is an embedded software technology that utilizes a shared set of flash patterns and a common five-conductor cable to flash the patterns of Federal Signal's mini-light bars, beacons, and warning devices simultaneously or alternately.



FSJOIN® is a programming feature designed to enhance customization across Federal Signal's visual and audible vehicle warning products.



HOTFOOT® lighted mounting feet accommodate LED takedown and alley lights.



SPECTRALUX® multicolor LED technology provides the ability for a single light head to change color while in operation.



ROC (RELIABLE ONBOARD CIRCUITRY™) technology eliminates approximately 85% of connection failure points found in a typical light bar.



RUMBLER® Ideal for dense urban environments, Rumbler® is a low-frequency siren that works simultaneously with a primary siren tone to penetrate solid material, allowing vehicle operators and nearby pedestrians to feel the sound waves.



SLR (SOLARIS® LED ROTATOR) maximizes the LED light source for full light coverage. SLR rotators provide rotating, oscillating, flashing, and flood light functionality.



SOLARIS® LED reflector technology maximizes optical efficiency and provides superior off-axis warning.



V-SHAPE® light bar is mechanically designed to have a non-linear shape (V-Shape), providing an advantage in terms of off-axis warning performance compared to light bars with a traditional linear shape.



Q-SIREN® The sound of the Q-Siren® is a registered trademark of Federal Signal Corporation, and it provides a distinct, recognizable long-distance warning.

2645 Federal Signal Drive
University Park, IL 60484
(708) 534-3400

www.fedsig.com



Customer Support
(800) 264-3578
policefireorders@fedsig.com

Service Department
(800) 433-9132
empserviceinfo@fedsig.com

Chevrolet®, Chrysler®, Dodge®, Ford®, General Motors®, International®, Jeep®, Nissan®, and Toyota® are registered trademarks of their respective owners and are displayed only to show fit and compatibility, not as indicators of source, origin, endorsement, sponsorship, or affiliation.

Littlite, Opticom, and Vortex are trademarks of their respective owners.

All others indicated are trademarks of Federal Signal Corporation.

©2026 Federal Signal Corporation. All rights reserved worldwide.