


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART NUMBER	MATERIAL	"B" HEIGHT +/- .062	IMPRINT AREA "C" +/- .062	VERTICAL REPEAT "D" +/- .062	LABEL S PER ROW	STANDARD PKG. QTY.
S050X075VA1Y	GMV17	0.75 [19.0]	0.25 [6.35]	1.00 [25.4]	8	5000
S050X125VA1Y		1.25 [31.8]	0.38 [9.65]	1.50 [38.1]		
S050X150VA1Y	GMV17 OR GMV19	1.50 [38.1]	0.50 [12.7]	1.80 [45.7]		

A

NOTES:  
1. MILLIMETERS ARE IN [ ].



TITLE		S050X***VA1Y OPTIMUM SELF-LAMINATING THERMAL TRANSFER PRINTABLE LABELS CUSTOMER DRAWING		
ITEM REVISION NAME	100472SP/11			
DATASET FILE NAME	100472SP_DC/11B C10195 CUST DWG			
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [ mm ]		MATERIAL:		
.x ± .12 [ 3.05 ]	.xxx ± .025 [ .635 ]	SEE TABLE		
.xx ± .062 [ 1.57 ]	ANGLES ±	DRAWING NUMBER:		
THIRD ANGLE PROJECTION		C10195		
DRAWN BY	DATE	CHK	SCALE	SIZE
RVU	2/6/04	JHAC	NTS	A

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
11B	8/1/2024	RVU	RYCL	MSAD	C. REMOVED +/- .062 FROM .500, AND 4.25. B. CHANGED FROM .500 TO .50. A. GMV19 WAS GMV18.	GAECN07203
11	8/4/2022	JEFP	DAPE	MSAD	CHANGED MATERIAL TO GMV17 OR GMV18 FOR S050X150VA1Y	GAECN06570
10	7/7/2022	JEFP	DAPE	MSAD	CHANGED MATERIAL TO GMV18 FOR S050X150VA1Y, REMOVED GMV16 FOR S050X075VA1Y & S050X125VA1Y	GAECN06545
9	12/10/15	RVU	SEWH	JHAC	1.80 [45.7] WAS 1.75 [44.5].	GAECN03279
8	8/19/15	RVU	SEWH	JHAC	UPDATE ON NEW BORDER WITH PANDUIT LOGO. 1.75 [44.5] WAS 1.80 [45.7].	GAECN03105

2

1