


FEMALE PLUG M12 90° ANGLED



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK or YELLOW/GREEN	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY or YELLOW/GREEN	5	GREY
						6	PINK
						7	BLUE
						8	RED

CODING REQUIRED TO IEC 61076-2-101				
DOCUMENT STATUS	P1	RELEASE DATE	2021/11/16	07:43:00

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

7	1	LABEL YELLOW	VINYL	---
	-	PRINTING FOR CABLES lxx	---	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING BLACK	TPU	---
4	1	COUPLING NUT FEMALE	BRASS	NICKEL
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5 / 8	CONTACT M12 FEMALE	BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

FUNCTIONAL SYMBOLS

FA=0

FE=0

FF=0

DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

SCALE

mm

2:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0°

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: NEW PN ADDED

EC NO: 685352

DRWN: RSCHIEBER

CHK'D: RSILLER

APPR: RSILLER

INITIAL REVISION:

DRWN: JMARSZALEK

APPR: RSILLER

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

2021/11/15

2021/11/16

2021/11/16

2016/01/11

2016/04/08

2016/01/11

2016/04/08

A3-SIZE

120065

SEE PART LIST

GENERAL MARKET

1 OF 5

moLEX

CSE M12 XP AC FE RA XM SE UNSH

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

1200658471

DOC TYPE

PSD

DOC PART

000

REVISION

A9

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

80X001XXXXXX

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
001=Plug Female
90° Angled

Cable type: See Table

Units:
M=Meter
C=Centimeter

Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

OPTIONS


H= 2 pcs. of I/D Carrier
PVC Transparent
(Cables lxx & P82 always
with 2 pcs. of I/D Carrier
even if no H in
Engineering No.)

Overmold color:
Blank (Standard)=Black TPU
Blank=Yellow TPU for cables A09,S19,S20,S26
Blank=Yellow TPE-E for cables K03,K05
A=Grey / G=Black / Y=Yellow
Blank=Yellow PVC for cable E13
Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
Blank=7 for cables I20, I26, K03, K05, P82, S26
9=Knurled / Hexagonal Brass Ni Plated SW13

COUPLING NUTS

CABLE INFORMATION(for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
A09	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661	I/II A/B 90°C/300V	-	-	-	-
E13	3	18AWG	PVC YELLOW	UL 2661/1731	I/II A/B 80°C/300V	-	-	-	-
E02	3 / 4 / 5 / 8	0.25mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E52	3 / 4 / 8	0.34mm²	PVC GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
H08	3 / 4 / 5 / 8	0.25mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H12	4	0.50mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-50°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000, Temp max 60°C	-
H69	4	0.20mm²	PUR GREY LS0H	-	-	-	-	-	-
I02	3 / 4 / 8	0.25mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I03	3 / 4 / 5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I04	4	0.50mm²	PVC CEI GREY	-	-	-25°C to +70°C	-5°C to +70°C	-	-
I20	3 / 4	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
I26	5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
K03	5	18 AMG	TPE YELLOW	PLTC 105C E470965	I/II A/B 90°C/300V	-	-	-	-
K05	3 / 4 / 5	0.34mm²	TPE YELLOW	UL ITC E195601 or PLC	I/II A/B 90°C/300V	-	-	-	-
P02	3 / 4 / 5 / 8	0.25mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P12	3 / 5	0.50mm²	PUR BLACK	-	-	-30°C to +90°C	-5°C to +90°C	-	-
P19	8	0.25mm²	PUR BLACK	-	-	-40°C to +90°C, 7.5xO.D.	-15°C to +90°C, 12.5xO.D.	2 000 000 cycles, 15xO.D.	YES
P20	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	-	-	-30°C to +80°C	-	-	YES
P82	3 / 4 / 5	0.34mm²	PUR IRR ORANGE	-	-	-50°C to +105°C, 5xO.D.	-40°C to +105°C, 7.5xO.D.	-	-
S19	8	0.25mm²	PVC YELLOW	UL 2661/1569	C22.2 II A 105°C/300V	-30°C to +105°C, 10xO.D.	-15°C to +105°C, 15xO.D.	-	YES
S20	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES
S26	5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES



SCALE 1:1

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length

FUNCTIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

CURRENT REV DESC: NEW PN ADDED

EC NO: 685352

DRWN: RSCHIEBER

CHK'D: RSILLER

APPR: RSILLER

INITIAL REVISION:

DRWN: JMARSZALEK

APPR: RSILLER

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

2021/11/15

2021/11/16

2021/11/16

2016/01/11

2016/04/08

A3-SIZE

120065

SEE PART LIST

GENERAL MARKET

2 OF 5

DIVISIONAL SYMBOLS

mm

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

moLEX

CSE M12 XP AC FE RA XM SE UNSH

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

1200658471

DOC TYPE

PSD

DOC PART

000

REVISION

A9

DOCUMENT STATUS

P1

RELEASE DATE

2021/11/16 07:43:00

10987654321

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																								
	PART LIST																																																																																																																																																																																																																																																																																																	
F	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>281</td><td>1200651570</td><td>804001A09M1208</td><td>12m</td></tr> <tr><td>282</td><td>1200651573</td><td>804001A09M170</td><td>17m</td></tr> <tr><td>283</td><td>1200651574</td><td>804001A09M180</td><td>18m</td></tr> <tr><td>284</td><td>1200651696</td><td>805001A09M005</td><td>0.5m</td></tr> <tr><td>285</td><td>1200651697</td><td>805001A09M020</td><td>2m</td></tr> <tr><td>286</td><td>1200651698</td><td>805001A09M0208</td><td>2m</td></tr> <tr><td>287</td><td>1200651699</td><td>805001A09M0202</td><td>2m</td></tr> <tr><td>288</td><td>1200651700</td><td>805001A09M040</td><td>4m</td></tr> <tr><td>289</td><td>1200651701</td><td>805001A09M050</td><td>5m</td></tr> <tr><td>290</td><td>1200651702</td><td>805001A09M0508</td><td>5m</td></tr> <tr><td>291</td><td>1200651703</td><td>805001A09M060</td><td>6m</td></tr> <tr><td>292</td><td>1200651704</td><td>805001A09M070</td><td>7m</td></tr> <tr><td>293</td><td>1200651705</td><td>805001A09M080</td><td>8m</td></tr> <tr><td>294</td><td>1200651706</td><td>805001A09M100</td><td>10m</td></tr> <tr><td>295</td><td>1200651707</td><td>805001A09M1008</td><td>10m</td></tr> <tr><td>296</td><td>1200651708</td><td>805001A09M1002</td><td>10m</td></tr> <tr><td>297</td><td>1200651868</td><td>805001A09M0708</td><td>7m</td></tr> <tr><td>298</td><td>1200651949</td><td>804001A09M0602</td><td>6m</td></tr> <tr><td>299</td><td>1200651983</td><td>805001A09M030</td><td>3m</td></tr> <tr><td>300</td><td>1200651985</td><td>803001A09M0202</td><td>2m</td></tr> <tr><td>301</td><td>1200652078</td><td>804001A09M0302</td><td>3m</td></tr> <tr><td>302</td><td>1200652079</td><td>805001A09M300</td><td>30m</td></tr> <tr><td>303</td><td>1200652111</td><td>805001A09M150</td><td>15m</td></tr> <tr><td>304</td><td>1200652122</td><td>805001A09M0502</td><td>5m</td></tr> <tr><td>305</td><td>1200652170</td><td>804001A09C2508</td><td>0.25m</td></tr> <tr><td>306</td><td>1200652197</td><td>805001A09M1508</td><td>15m</td></tr> <tr><td>307</td><td>1200652216</td><td>804001A09M0708</td><td>7m</td></tr> <tr><td>308</td><td>1200652419</td><td>804001A09M2008</td><td>20m</td></tr> <tr><td>309</td><td>1200652439</td><td>804001A09M0108</td><td>1m</td></tr> <tr><td>310</td><td>1200659215</td><td>805001A09M010</td><td>1m</td></tr> <tr><td>311</td><td>1200659216</td><td>805001A09M200</td><td>20m</td></tr> <tr><td>312</td><td>1202010010</td><td>804001A09M250</td><td>25m</td></tr> <tr><td>313</td><td>1200060221</td><td>803001S20M020</td><td>2m</td></tr> <tr><td>314</td><td>1200060222</td><td>803001S20M030</td><td>3m</td></tr> <tr><td>315</td><td>1200060224</td><td>803001S20M050</td><td>5m</td></tr> </table>	No.	Part No.	Engineering No.	Cable Length	281	1200651570	804001A09M1208	12m	282	1200651573	804001A09M170	17m	283	1200651574	804001A09M180	18m	284	1200651696	805001A09M005	0.5m	285	1200651697	805001A09M020	2m	286	1200651698	805001A09M0208	2m	287	1200651699	805001A09M0202	2m	288	1200651700	805001A09M040	4m	289	1200651701	805001A09M050	5m	290	1200651702	805001A09M0508	5m	291	1200651703	805001A09M060	6m	292	1200651704	805001A09M070	7m	293	1200651705	805001A09M080	8m	294	1200651706	805001A09M100	10m	295	1200651707	805001A09M1008	10m	296	1200651708	805001A09M1002	10m	297	1200651868	805001A09M0708	7m	298	1200651949	804001A09M0602	6m	299	1200651983	805001A09M030	3m	300	1200651985	803001A09M0202	2m	301	1200652078	804001A09M0302	3m	302	1200652079	805001A09M300	30m	303	1200652111	805001A09M150	15m	304	1200652122	805001A09M0502	5m	305	1200652170	804001A09C2508	0.25m	306	1200652197	805001A09M1508	15m	307	1200652216	804001A09M0708	7m	308	1200652419	804001A09M2008	20m	309	1200652439	804001A09M0108	1m	310	1200659215	805001A09M010	1m	311	1200659216	805001A09M200	20m	312	1202010010	804001A09M250	25m	313	1200060221	803001S20M020	2m	314	1200060222	803001S20M030	3m	315	1200060224	803001S20M050	5m	<table> <tr><th>No.</th><th>Part No.</th><th>Engineering No.</th><th>Cable Length</th></tr> <tr><td>316</td><td>1200659374</td><td>804001S20M350</td><td>35m</td></tr> <tr><td>317</td><td>1200659774</td><td>808001S19M150</td><td>15m</td></tr> <tr><td>318</td><td>1200659810</td><td>805001S26M200</td><td>20m</td></tr> <tr><td>319</td><td>1200060225</td><td>803001S20M100</td><td>10m</td></tr> <tr><td>320</td><td>1200060527</td><td>804001S20M010</td><td>1m</td></tr> <tr><td>321</td><td>1200060528</td><td>804001S20M020</td><td>2m</td></tr> <tr><td>322</td><td>1200060529</td><td>804001S20M030</td><td>3m</td></tr> <tr><td>323</td><td>1200060531</td><td>804001S20M050</td><td>5m</td></tr> <tr><td>324</td><td>1200061612</td><td>804001S20M030H</td><td>3m</td></tr> <tr><td>325</td><td>1200062121</td><td>804001S20M060</td><td>6m</td></tr> <tr><td>326</td><td>1200062148</td><td>804001I20M160</td><td>16m</td></tr> <tr><td>327</td><td>1200062160</td><td>804001S20M100H</td><td>10m</td></tr> <tr><td>328</td><td>1200062374</td><td>804001S20M020H</td><td>2m</td></tr> <tr><td>329</td><td>1200062502</td><td>804001S20M050H</td><td>5m</td></tr> <tr><td>330</td><td>1200062589</td><td>804001S20M010H</td><td>1m</td></tr> <tr><td>331</td><td>1200062919</td><td>804001P20M100</td><td>10m</td></tr> <tr><td>332</td><td>1200062922</td><td>804001P20M050</td><td>5m</td></tr> <tr><td>333</td><td>1200063109</td><td>804001S20M1001</td><td>10m</td></tr> <tr><td>334</td><td>1200063165</td><td>805001P20M050</td><td>5m</td></tr> <tr><td>335</td><td>1200064184</td><td>804001P20M250</td><td>25m</td></tr> <tr><td>336</td><td>1200064268</td><td>808001S19M100</td><td>10m</td></tr> <tr><td>337</td><td>1200064380</td><td>804001S20M0201</td><td>2m</td></tr> <tr><td>338</td><td>1200064381</td><td>804001S20M0501</td><td>5m</td></tr> <tr><td>339</td><td>1200064452</td><td>804001S20M3001</td><td>30m</td></tr> <tr><td>340</td><td>1200064457</td><td>803001S20M0501</td><td>5m</td></tr> <tr><td>341</td><td>1200650910</td><td>804001S20M100</td><td>10m</td></tr> <tr><td>342</td><td>1200655008</td><td>808001P19M050</td><td>5m</td></tr> <tr><td>343</td><td>1200658090</td><td>805001S26M100</td><td>10m</td></tr> <tr><td>344</td><td>1200658187</td><td>804001S20M200</td><td>20m</td></tr> <tr><td>345</td><td>1200658203</td><td>805001S26M1001</td><td>10m</td></tr> <tr><td>346</td><td>1200658276</td><td>804001I20M100</td><td>10m</td></tr> <tr><td>347</td><td>1200658287</td><td>803001I20M100</td><td>10m</td></tr> <tr><td>348</td><td>1200658324</td><td>804001P20M030</td><td>3m</td></tr> <tr><td>349</td><td>1200658328</td><td>808001P19M100</td><td>10m</td></tr> <tr><td>350</td><td>1200658510</td><td>804001S20M2001</td><td>20m</td></tr> </table>	No.	Part No.	Engineering No.	Cable Length	316	1200659374	804001S20M350	35m	317	1200659774	808001S19M150	15m	318	1200659810	805001S26M200	20m	319	1200060225	803001S20M100	10m	320	1200060527	804001S20M010	1m	321	1200060528	804001S20M020	2m	322	1200060529	804001S20M030	3m	323	1200060531	804001S20M050	5m	324	1200061612	804001S20M030H	3m	325	1200062121	804001S20M060	6m	326	1200062148	804001I20M160	16m	327	1200062160	804001S20M100H	10m	328	1200062374	804001S20M020H	2m	329	1200062502	804001S20M050H	5m	330	1200062589	804001S20M010H	1m	331	1200062919	804001P20M100	10m	332	1200062922	804001P20M050	5m	333	1200063109	804001S20M1001	10m	334	1200063165	805001P20M050	5m	335	1200064184	804001P20M250	25m	336	1200064268	808001S19M100	10m	337	1200064380	804001S20M0201	2m	338	1200064381	804001S20M0501	5m	339	1200064452	804001S20M3001	30m	340	1200064457	803001S20M0501	5m	341	1200650910	804001S20M100	10m	342	1200655008	808001P19M050	5m	343	1200658090	805001S26M100	10m	344	1200658187	804001S20M200	20m	345	1200658203	805001S26M1001	10m	346	1200658276	804001I20M100	10m	347	1200658287	803001I20M100	10m	348	1200658324	804001P20M030	3m	349	1200658328	808001P19M100	10m	350	1200658510	804001S20M2001	20m
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																																																																																																																																															
281	1200651570	804001A09M1208	12m																																																																																																																																																																																																																																																																																															
282	1200651573	804001A09M170	17m																																																																																																																																																																																																																																																																																															
283	1200651574	804001A09M180	18m																																																																																																																																																																																																																																																																																															
284	1200651696	805001A09M005	0.5m																																																																																																																																																																																																																																																																																															
285	1200651697	805001A09M020	2m																																																																																																																																																																																																																																																																																															
286	1200651698	805001A09M0208	2m																																																																																																																																																																																																																																																																																															
287	1200651699	805001A09M0202	2m																																																																																																																																																																																																																																																																																															
288	1200651700	805001A09M040	4m																																																																																																																																																																																																																																																																																															
289	1200651701	805001A09M050	5m																																																																																																																																																																																																																																																																																															
290	1200651702	805001A09M0508	5m																																																																																																																																																																																																																																																																																															
291	1200651703	805001A09M060	6m																																																																																																																																																																																																																																																																																															
292	1200651704	805001A09M070	7m																																																																																																																																																																																																																																																																																															
293	1200651705	805001A09M080	8m																																																																																																																																																																																																																																																																																															
294	1200651706	805001A09M100	10m																																																																																																																																																																																																																																																																																															
295	1200651707	805001A09M1008	10m																																																																																																																																																																																																																																																																																															
296	1200651708	805001A09M1002	10m																																																																																																																																																																																																																																																																																															
297	1200651868	805001A09M0708	7m																																																																																																																																																																																																																																																																																															
298	1200651949	804001A09M0602	6m																																																																																																																																																																																																																																																																																															
299	1200651983	805001A09M030	3m																																																																																																																																																																																																																																																																																															
300	1200651985	803001A09M0202	2m																																																																																																																																																																																																																																																																																															
301	1200652078	804001A09M0302	3m																																																																																																																																																																																																																																																																																															
302	1200652079	805001A09M300	30m																																																																																																																																																																																																																																																																																															
303	1200652111	805001A09M150	15m																																																																																																																																																																																																																																																																																															
304	1200652122	805001A09M0502	5m																																																																																																																																																																																																																																																																																															
305	1200652170	804001A09C2508	0.25m																																																																																																																																																																																																																																																																																															
306	1200652197	805001A09M1508	15m																																																																																																																																																																																																																																																																																															
307	1200652216	804001A09M0708	7m																																																																																																																																																																																																																																																																																															
308	1200652419	804001A09M2008	20m																																																																																																																																																																																																																																																																																															
309	1200652439	804001A09M0108	1m																																																																																																																																																																																																																																																																																															
310	1200659215	805001A09M010	1m																																																																																																																																																																																																																																																																																															
311	1200659216	805001A09M200	20m																																																																																																																																																																																																																																																																																															
312	1202010010	804001A09M250	25m																																																																																																																																																																																																																																																																																															
313	1200060221	803001S20M020	2m																																																																																																																																																																																																																																																																																															
314	1200060222	803001S20M030	3m																																																																																																																																																																																																																																																																																															
315	1200060224	803001S20M050	5m																																																																																																																																																																																																																																																																																															
No.	Part No.	Engineering No.	Cable Length																																																																																																																																																																																																																																																																																															
316	1200659374	804001S20M350	35m																																																																																																																																																																																																																																																																																															
317	1200659774	808001S19M150	15m																																																																																																																																																																																																																																																																																															
318	1200659810	805001S26M200	20m																																																																																																																																																																																																																																																																																															
319	1200060225	803001S20M100	10m																																																																																																																																																																																																																																																																																															
320	1200060527	804001S20M010	1m																																																																																																																																																																																																																																																																																															
321	1200060528	804001S20M020	2m																																																																																																																																																																																																																																																																																															
322	1200060529	804001S20M030	3m																																																																																																																																																																																																																																																																																															
323	1200060531	804001S20M050	5m																																																																																																																																																																																																																																																																																															
324	1200061612	804001S20M030H	3m																																																																																																																																																																																																																																																																																															
325	1200062121	804001S20M060	6m																																																																																																																																																																																																																																																																																															
326	1200062148	804001I20M160	16m																																																																																																																																																																																																																																																																																															
327	1200062160	804001S20M100H	10m																																																																																																																																																																																																																																																																																															
328	1200062374	804001S20M020H	2m																																																																																																																																																																																																																																																																																															
329	1200062502	804001S20M050H	5m																																																																																																																																																																																																																																																																																															
330	1200062589	804001S20M010H	1m																																																																																																																																																																																																																																																																																															
331	1200062919	804001P20M100	10m																																																																																																																																																																																																																																																																																															
332	1200062922	804001P20M050	5m																																																																																																																																																																																																																																																																																															
333	1200063109	804001S20M1001	10m																																																																																																																																																																																																																																																																																															
334	1200063165	805001P20M050	5m																																																																																																																																																																																																																																																																																															
335	1200064184	804001P20M250	25m																																																																																																																																																																																																																																																																																															
336	1200064268	808001S19M100	10m																																																																																																																																																																																																																																																																																															
337	1200064380	804001S20M0201	2m																																																																																																																																																																																																																																																																																															
338	1200064381	804001S20M0501	5m																																																																																																																																																																																																																																																																																															
339	1200064452	804001S20M3001	30m																																																																																																																																																																																																																																																																																															
340	1200064457	803001S20M0501	5m																																																																																																																																																																																																																																																																																															
341	1200650910	804001S20M100	10m																																																																																																																																																																																																																																																																																															
342	1200655008	808001P19M050	5m																																																																																																																																																																																																																																																																																															
343	1200658090	805001S26M100	10m																																																																																																																																																																																																																																																																																															
344	1200658187	804001S20M200	20m																																																																																																																																																																																																																																																																																															
345	1200658203	805001S26M1001	10m																																																																																																																																																																																																																																																																																															
346	1200658276	804001I20M100	10m																																																																																																																																																																																																																																																																																															
347	1200658287	803001I20M100	10m																																																																																																																																																																																																																																																																																															
348	1200658324	804001P20M030	3m																																																																																																																																																																																																																																																																																															
349	1200658328	808001P19M100	10m																																																																																																																																																																																																																																																																																															
350	1200658510	804001S20M2001	20m																																																																																																																																																																																																																																																																																															

No.	Part No.	Engineering No.	Cable Length
351	1200658544	808001P19M250	25m
352	1200658547	803001P20M150	15m
353	1200658875	803001S20M0201G	2m
354	1200659029	804001S20M150	15m
355	1200659114	805001S26M050	5m
356	1200659156	805001S26M2001	20m
357	1200659240	803001P20M100HY	10m
358	1200657238	805001E03M250	25m
359			
360			
361			
362			
363			
364			
365			
366			
367			
368			
369			
370			
371			
372			
373			
374			
375			
376			
377			
378			
379			
380			
381			
382			
383			
384			
385			

DOCUMENT STATUS	P1	RELEASE DATE	2021/11/16	07:43:00
-----------------	----	--------------	------------	----------