











CAT. NO. **F34331**

INDUSTRIAL INTERLOCKED RECEPTACLE
30 AMP, 3P4W, 480 VAC
FS/FD INTERFACE
MATING PLUG - F34332

NOTES:

1. MALE PLUG CANNOT BE PLUGGED OR UNPLUGGED UNDER LOAD.
2. DEAD-FRONT FEMALE RECEPTACLE FOR SAFETY.
3. WEATHERTIGHT RECEPTACLE MADE OF CAST ALUMINUM, CORROSION RESISTANT COPPER-FREE ALLOY WITH GRAY ELECTROSTATIC EPOXY POWDER COAT FINISH.
4. COMPACT SIZE FOR LIMITED SPACE APPLICATIONS AND I-BEAM WEB MOUNTING.

GENERAL NOTES		 www.tab.com					
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY. 2. DIMENSIONS IN BRACKETS [] ARE IN METRIC UNITS.							
REVISIONS		DESCRIPTION: TYPE FS/FD INTERFACE INDUSTRIAL INTERLOCKED RECEPTACLE					
1	SEE ERN. 2003726 FOR APPROVAL SIGNATURES & RELEASE DATE. PROJECT NO: 1DD55296	ORIGINAL PROJECT NO / (ERN NO)	SHEET NO:	REV. NO:	DRAWING NO:		
		1DD55296 / (2002826)	1 OF 3	1	WSD-000026		



CAT. NO. **F34331/A**
 INDUSTRIAL INTERLOCKED RECEPTACLE W/LOCK OUT
 30 AMP, 3P4W, 480 VAC
 FS/FD INTERFACE
 MATING PLUG - F34332

NOTES:

- 1A. MALE PLUG CANNOT BE PLUGGED OR UNPLUGGED UNDER LOAD.
- 2A. DEAD-FRONT FEMALE RECEPTACLE FOR SAFETY.
- 3A. METALLIC LOCK OUT (OFF POSITION) FOR SAFETY.
- 4A. WEATHERTIGHT RECEPTACLE MADE OF CAST ALUMINUM, CORROSION RESISTANT COPPER-FREE ALLOY WITH GRAY ELECTROSTATIC EPOXY POWDER COAT FINISH.
- 5A. METALLIC LOCK OUT (OFF POSITION) FOR SAFETY. COLD ROLLED STEEL WITH GRAY ELECTROSTATIC EPOXY POWDER COAT FINISH. .344 [8,74] DIAMETER LOCK OUT HOLE.
- 6A. COMPACT SIZE FOR LIMITED SPACE APPLICATIONS AND I-BEAM WEB MOUNTING.

Thomas & Betts
 www.tnb.com

DESCRIPTION: **TYPE FS/FD INTERFACE**
INDUSTRIAL INTERLOCKED RECEPTACLE

SHEET NO:





2 OF 3

REV. NO:

1

DRAWING NO:

WSD-000026



CAT. NO. **F3433I/B**
LOCK OUT
FOR USE WITH CAT. NO. F3433I

NOTES:

- 1B. MADE OF COLD ROLLED STEEL WITH GRAY ELECTROSTATIC EPOXY POWDER COAT FINISH.
2B. .344 [8,74] DIAMETER LOCK OUT (OFF POSITION) HOLE.

Thomas & Betts
www.tnb.com

DESCRIPTION: **TYPE FS/FD INTERFACE
INDUSTRIAL INTERLOCKED RECEPTACLE**

SHEET NO:
3 OF 3

REV. NO:
1

DRAWING NO:
WSD-000026