






T-PMPI-262-PC r08


	A	B
 Rack Grounding Strip	1	10
 M6 Screw	3	30
 #12-24 Screw	3	30
 Universal Grounding Sticker	1	10
 Cleaning Pad	1	10
 Anti-Oxidant Paste	1	1


A = RGS134-1Y, RGS13451-1
 B = RGS134-10-1Y, RGS13442-10-1,
 RGS13448-10-1, RGS13451-10-1,
 RGS13452-10-1




	A	B
Common Bonding Network Jumper 60" [1.5m]	1	1
M6 Screw	2	2
#12-24 Screw	2	2
M5 Screw	2	2
#10-32 Screw	2	2
HTAP	1	1
Cleaning Pad	1	1
Anti-Oxidant Paste	1	1

A = RGCBNJ660P (#6AWG JUMPER)
B = RGCBNJ460P (#4 AWG JUMPER)







5




6




7




8




9



10



	RGEJ624PHY	RGEJ1024PHY	RGEJ624PFY	RGEJ1024PFY	RGEJ636PFY	RGEJ1036PFY	RGEJ1057PFY
 Equipment Jumper 24" [0.61m]	1	1	---	---	---	---	---
 Equipment Jumper 24" [0.61m]	---	---	1	1	---	---	---
 Equipment Jumper 36" [0.91m]	---	---	---	---	1	1	---
 Equipment Jumper 57" [1.45m]	---	---	---	---	---	---	1
 M6 Screw	2	2	2	2	2	2	2
 #12-24 Screw	2	2	2	2	2	2	2
 M5 Screw	2	2	2	2	2	2	2
 #10-32 Screw	2	2	2	2	2	2	2
 Cleaning Pad	1	1	1	1	1	1	1
 Anti-Oxidant Paste	1	1	1	1	1	1	1



For Instructions in Local Languages
and Technical Support:
www.panduit.com

PANDUIT
www.panduit.com

E-mail:
techsupport@panduit.com
Phone:
866-405-6654