




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:


1. SEE CURRENT CATALOG FOR PART NUMBER SUFFIXES TO INDICATE COLOR AND/OR PACKAGE QUANTITIES.
2. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
3. FIBER ROUTING: SEE SHEET 2.
PART NUMBERS: SEE SHEET 3 & 4.
4. MATERIALS:
A. BOX AND LID: PLASTIC
B. ADAPTER: COMPOSITE PLASTIC
5. CASSETTE WEIGHT: 1.98oz [56g]
6. DIMENSIONS IN BRACKETS ARE METRIC.



TITLE					
HD FLEX 4-PORT LC BREAKOUT CASSETTE					
CUSTOMER DRAWING					
ITEM REVISION NAME			PANDUIT		
15F308AA/00					
DATASET FILE NAME					
15F308AA_DC/00D			MATERIAL: SEE NOTES		
ALL DIMENSIONS ARE FOR REFERENCE					
			DRAWING NUMBER: 15F308AA-DC		
THIRD ANGLE PROJECTION					
DRAWN BY	DATE	CHK	SCALE	SIZE	
SAT	01-04-17	JESA	NONE	A	
SHT 1 OF 4					

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
OOD	10-02-23	SAT	WJM	EJH	C. ADDED METHOD U AND U2 P/N's.	15F308AA-DC
OOC	8/10/21	JSP	JGD	EJH	B. ADDED OM5 CASSETTES	15F308AA-DC
OOB	11/25/19	JSP	DWW	EJH	A. ADDED FHC39N-08H-LAA TO SHEET 2.	15F308AA-DC
00	01-05-17	SAT	JESA	EJH	RELEASED TO PRODUCTION	15F308AA-DC

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



4-1 BREAKOUT CASSETTE FIBER ROUTING								
METHOD A 8 FIBER CASSETTE (A)								
LC PORT NUMBER	1		2		3		4	
	B	A	B	A	B	A	B	A
MPO* FIBER POSITION	12	1	11	2	10	3	9	4
METHOD B 8 FIBER CASSETTE (B)								
LC PORT NUMBER	1		2		3		4	
	B	A	B	A	B	A	B	A
MPO** FIBER POSITION	12	1	11	2	10	3	9	4
METHOD U 8 FIBER CASSETTE (U)								
LC PORT NUMBER	1		2		3		4	
	B	A	B	A	B	A	B	A
MPO* FIBER POSITION	1	12	2	11	3	10	4	9
METHOD U2 8 FIBER CASSETTE (U2)								
LC PORT NUMBER	1		2		3		4	
	B	A	B	A	B	A	B	A
MPO* FIBER POSITION	12	1	11	2	10	3	9	4

(*) KEY UP/ KEY DOWN ADAPTER (BLACK COLOR).

(**) KEY UP/ KEY UP ADAPTER (GRAY COLOR).


TITLE			
HD FLEX 4-PORT LC BREAKOUT CASSETTE			
CUSTOMER DRAWING			
ITEM REVISION NAME		PANDUIT	
15F308AA/00			
DATASET FILE NAME		MATERIAL:	
15F308AA_DC/00D			
ALL DIMENSIONS ARE FOR REFERENCE		SEE NOTES SHEET 1	
		DRAWING NUMBER:	
		15F308AA-DC	
DRAWN BY	DATE	CHK	SCALE
SAT	01-04-17	JESA	NONE
SHT 2 OF 4		SIZE	
		A	

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
					SEE SHEET 1 FOR REVISION HISTORY	

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

CASSETTE PART NUMBER	HD FLEX 4-PORT LC CONVERSION CASSETTE - METHOD A
FHC39N-08H-10A	OS2 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD A
FHC39N-08H-LAA	OS2 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC/APC GREEN, STANDARD, METHOD A
FHC3X0-08H-10A	OM3 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD A
FHC3Z0-08H-10A	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD A
FHC3ZA-08H-10A	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD A
FHC3W0-08H-10A	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD A
FHC3WA-08H-10A	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD A

CASSETTE PART NUMBER	HD FLEX 4-PORT LC CONVERSION CASSETTE - METHOD B
FHC3X0-08H-10B	OM3 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD B
FHC3Z0-08H-10B	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD B
FHC3ZA-08H-10B	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD B
FHC3W0-08H-10B	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD B
FHC3WA-08H-10B	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD B

TITLE					
HD FLEX 4-PORT LC BREAKOUT CASSETTE					
CUSTOMER DRAWING					
ITEM REVISION NAME					
15F308AA/00					
DATASET FILE NAME				MATERIAL: SEE NOTES SHEET 1	
15F308AA_DC/00D					
ALL DIMENSIONS ARE FOR REFERENCE				DRAWING NUMBER: 15F308AA-DC	
 THIRD ANGLE PROJECTION					
DRAWN BY	DATE	CHK	SCALE	SIZE	
SAT	01-04-17	JESA	NONE	A	

					SEE SHEET 1 FOR REVISION HISTORY	
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN


2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

CASSETTE PART NUMBER	HD FLEX 4-PORT LC CONVERSION CASSETTE - METHOD U
FHC39N-08H-10U	OS2 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, STANDARD, METHOD U
FHC390-08H-10U	OS2 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD U
FHC3Z0-08H-10U	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD U
FHC3ZA-08H-10U	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD U
FHC3SA-08H-10U	OM4+ HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD U
FHC3W0-08H-10U	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD U
FHC3WA-08H-10U	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD U

CASSETTE PART NUMBER	HD FLEX 4-PORT LC CONVERSION CASSETTE - METHOD U2
FHC39N-08H-10U2	OS2 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, STANDARD, METHOD U2
FHC390-08H-10U2	OS2 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD U2
FHC3Z0-08H-10U2	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD U2
FHC3ZA-08H-10U2	OM4 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD U2
FHC3SA-08H-10U2	OM4+ HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD U2
FHC3W0-08H-10U2	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, OPTIMIZED LOSS, METHOD U2
FHC3WA-08H-10U2	OM5 HD FLEX 4 TO 1 CONVERSION CASSETTE, 8-FIBER MPO TO (4) DUPLEX LC, ULTRA LOSS, METHOD U2

TITLE				
HD FLEX 4-PORT LC BREAKOUT CASSETTE				
CUSTOMER DRAWING				
ITEM REVISION NAME 15F308AA/00			PANDUIT	
DATASET FILE NAME 15F308AA_DC/00D				
ALL DIMENSIONS ARE FOR REFERENCE			MATERIAL: SEE NOTES SHEET 1	
			DRAWING NUMBER: 15F308AA-DC	
DRAWN BY SAT	DATE 01-04-17	CHK JESA	SCALE NONE	SHT 4 OF 4
				SIZE A

					SEE SHEET 1 FOR REVISION HISTORY	
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN

2

1