



PANDUIT WIRE BASKET BOTTOM WATERFALLS


Part Numbers: PWBFW5R2**, PWBWFNR2**

©Panduit Corp. 2025

INSTALLATION INSTRUCTIONS


V00029YR

WIDE



PWBFW5R2**
Max load: 20 lbs

NARROW





PWBWFNR2**
Max load: 5 lbs

Best practices: Use hook and loop or cable ties to secure cables to waterfalls.



WIRE BASKET AND BOTTOM WATERFALL COMPATIBILITY CHART

WIRE BASKET WIDTH	INSTALLTION DIRECTION (SEE FIGURE BELOW)	PWBFW5R2**	PWBWFNR2**
4"	PARALLEL		X
	PERPENDICULAR		X
6"	PARALLEL		X
	PERPENDICULAR	X	X
8"	PARALLEL	X	X
	PERPENDICULAR	X	
12"	PARALLEL	X	X
	PERPENDICULAR	X	
18"	PARALLEL	X	X
	PERPENDICULAR	X	
24"	PARALLEL	X	X
	PERPENDICULAR	X	
30"	PARALLEL	X	X
	PERPENDICULAR	X	
36"	PARALLEL	X	X
	PERPENDICULAR	X	


PARALLEL INSTALLATION:




PERPENDICULAR INSTALLATION



MULTIPLE INSTALLATION



REMOVAL:



For Instructions in Local Languages
and Technical Support:

http://www.panduit.com/resources/install_maintain.asp

PANDUIT
www.panduit.com

E-mail:
techsupport@panduit.com

Phone:
866-405-6654