

- [Home](#)
- [News & Events](#)
- [Products](#)
 - [Mild Steel Enclosures \(Type 12, 4\)](#)
 - [Stainless Steel Enclosures \(Type 4X\)](#)
 - [Aluminum Enclosures \(Type 4X\)](#)
 - [Non-Metallic Enclosures \(Type 4X\)](#)
 - [Disconnect Enclosures](#)
 - [Modular Freestanding Enclosures](#)
 - [Operator Interface Enclosures](#)
 - [Wireway & Trough](#)
 - [Commercial Enclosures](#)
 - [Climate Control](#)
 - [Data Communication Infrastructure](#)
 - [General Accessories](#)
- [Distributors](#)
- [Resources](#)
 - [New Products](#)
 - [Product Guide](#)
 - [HammondConnect \(Partner Portal\)](#)
 - [Climate Control Sizing Software](#)
 - [Technical Information](#)
 - [Compliance Information](#)
 - [Warranty Information](#)
 - [Enclosure Overview](#)
 - [Videos](#)
- [Literature](#)
- [Corporate](#)
 - [About Hammond](#)
 - [Logo Downloads](#)
 - [Career Opportunities](#)
 - [Investor Information](#)
 - [Press Releases](#)
- [Contact Us](#)

Type 1 Mild Steel Wallmount Enclosure *1420 Series*

Hinge Door with Quarter Turn and w/ Mounting Flange

English | [Français](#)

[Home](#) / [Electrical](#) / [Commercial](#) / [Archive](#) /

Note: This product line has been discontinued as a stocked series on February 01, 2026.

Information is for reference only. It has been replaced with [N1A Series](#).

For alternative solution assistance, [contact Hammond here](#) or call: USA (716) 630-7030, Canada and International (519) 822-2960.

-  [Profile Image](#)

 Panel Included

 CSA

 UL

 Restriction of Hazardous Substances Compliant

Product Resources

- [Specification Sheet](#)
- [Print Page](#)
- [Contact Us](#)

Links

- [Part Details \(2D/3D CAD\)](#)
- [Similar Products](#)
- [Alternate Materials](#)

Share this Product

 [Share via email](#)  [Share on Facebook](#)  [Share on X](#)  [Share on LinkedIn](#)

Application

- Designed for indoor use to house controls, instruments and components which do not require oil-tight or dust-tight protection.

Standards

- UL 508A Type 1
- CSA Type 1
- Complies with
 - NEMA Type 1
 - IEC 60529, IP20

Construction

- Enclosure is formed and spot welded from 12 or 14 gauge steel.
- Removable 12 gauge inner panel is mounted to the rear of the enclosure on collar studs.
- Removable door is attached with slip hinges.
- To remove door, a tool is required to remove the #8 screw which captivates hinge.
- Door is fastened with a slotted 1/4 turn latch; doors 30" and higher are provided with two latches.
- A bonding stud is provided on the door and a grounding stud is provided in the box.
- Piano hinge on 12 gauge units.

Finish

- Enclosure and door are finished in ANSI 61 gray powder coating.
- Inner panel is finished in white powder coating.

Accessories

-  [Additional Inner Panels](#)
-  [Type 1 Lock Kit](#)
-  [Ventilation](#)
-  [Window Kits](#)
-  [Padlock Adaptor](#)

 Gallery Image

Part Details

Click **Part No.**, below, for details (e.g., Product drawings, assembly instructions, ship weight)

Units shown: **inch.** Switch units to: [mm](#)

Part No.	Enclosure			Inner Panel	
	H	W	D	H	W
1420B7	16.00	12.00	7.00	14.00	10.00
1420C7	20.00	16.00	7.00	18.00	14.00
1420D7	20.00	20.00	7.00	18.00	18.00
1420E7	24.00	20.00	7.00	22.00	18.00
1420F7	30.00	20.00	7.00	28.00	18.00
1420G7	30.00	24.00	7.00	28.00	22.00
1420H7	36.00	24.00	7.00	34.00	22.00
1420E9	24.00	20.00	9.00	22.00	18.00
1420EM9	24.00	24.00	9.00	22.00	22.00
1420G9	30.00	24.00	9.00	28.00	22.00
1420H9	36.00	24.00	9.00	34.00	22.00
1420P9¹	36.00	30.00	9.00	34.00	28.00
1420Q9	42.00	24.00	9.00	40.00	22.00
1420G12	30.00	24.00	12.00	28.00	22.00
1420P12¹	36.00	30.00	12.00	34.00	28.00
1420R12¹	42.00	30.00	12.00	40.00	28.00
1420S12¹	42.00	36.00	12.00	40.00	34.00
1420T12¹	48.00	36.00	12.00	46.00	34.00
1420G16	30.00	24.00	16.00	28.00	22.00
1420P16¹	36.00	30.00	16.00	34.00	28.00

¹ 12 gauge construction

Similar Products

-  [Type 1 Mild Steel Wallmount Enclosure](#)

[Type 1 Mild Steel Wallmount Enclosure](#)

Hinge Door with Quarter Turn

N1A Series

Alternate Materials

-  [Type 3R Painted Galvanized Steel Wallmount Enclosure](#)
[Type 3R Painted Galvanized Steel Wallmount Enclosure](#)

Continuous Hinge Door with Screws

C3R HCRMD Series

[Need Assistance? Contact Us.](#)

Data subject to change without notice.

Tags: [1420](#), [steel](#), [NEMA 1](#), [Type 1](#), [wallmount](#), [indoor](#), [flange](#), [hinge door](#), [quarter turn](#), [slip hinge](#)

- [Home](#)
- [Back to Top](#)
- [Contact Us](#)
- [Distributors](#)
- [HammondConnect \(Partner Portal\)](#)
- [Login](#)
- [Facebook](#)
- [Instagram](#)
- [LinkedIn](#)
- [YouTube](#)

© 2026. Hammond Manufacturing Ltd. All rights reserved.