

- [Home](#)
- [News & Events](#)
- [Products](#)
 - [Mild Steel Enclosures \(Type 12, 4\)](#)
 - [Stainless Steel Enclosures \(Type 4X\)](#)
 - [Aluminum Enclosures \(Type 4X\)](#)
 - [Non-Metallic Enclosures \(Type 4X\)](#)
 - [Disconnect Enclosures](#)
 - [Modular Freestanding Enclosures](#)
 - [Operator Interface Enclosures](#)
 - [Wireway & Trough](#)
 - [Commercial Enclosures](#)
 - [Climate Control](#)
 - [Data Communication Infrastructure](#)
 - [General Accessories](#)
- [Distributors](#)
- [Resources](#)
 - [New Products](#)
 - [Product Guide](#)
 - [HammondConnect \(Partner Portal\)](#)
 - [Climate Control Sizing Software](#)
 - [Technical Information](#)
 - [Compliance Information](#)
 - [Warranty Information](#)
 - [Enclosure Overview](#)
 - [Videos](#)
- [Literature](#)
- [Corporate](#)
 - [About Hammond](#)
 - [Logo Downloads](#)
 - [Career Opportunities](#)
 - [Investor Information](#)
 - [Press Releases](#)
- [Contact Us](#)

Exhaust Filters *PFA4 Series*

Type 12

English | [Français](#)

[Home](#) / [Electrical](#) / [Climate Control](#) / [Filtered Fans](#)

-  [PFA30000LG](#)

 CSA

 cULus



Restriction of Hazardous Substances Compliant

Product Resources

- [Specification Sheet](#)
- [Print Page](#)
- [Contact Us](#)

Links

- [Similar Products](#)

Certifications

- UL File # E175229
- CSA Cert. # 246217

Share this Product

 [Share via email](#)  [Share on Facebook](#)  [Share on X](#)  [Share on LinkedIn](#)

- Maintains a UL-tested NEMA Type 12 seal, ensuring reliable protection against dust, dirt, and non-corrosive liquids.
- UL Recognized (UL 508, NITW2/8) and CSA Certified for trusted compliance.
- Patented “Click & Fit” design enables fast, tool-free installation with no hardware required.
- Constructed from high-strength, heat-resistant ABS-FR, rated UL 94 V-0 for superior flame resistance.
- Fluted, heavy-duty filter delivers extended service life, lasting up to 3× longer than standard filter materials.
- Available in RAL7035 Light Gray or RAL9011 Black to suit a variety of enclosure styles.

Gallery

-  [PFA10000BK](#)
-  [PFA10000LG](#)
-  [PFA20000BK](#)
-  [PFA20000LG](#)
-  [PFA30000BK](#)
-  [PFA40000BK](#)
-  [PFA40000LG](#)
-  [PFA60000BK](#)
-  [PFA60000LG](#)

Accessories

-  [Replacement Filters](#) [Replacement Filters](#)

Part Details

Click [Part No.](#), below, for details (e.g., Product drawings, assembly instructions, ship weight)

Part Number Light Gray (RAL7035) Part Number Black (RAL9011) Filtration Efficiency %

<u>PFA10000LG</u>	<u>PFA10000BK</u>	88
<u>PFA20000LG</u>	<u>PFA20000BK</u>	91
<u>PFA30000LG</u>	<u>PFA30000BK</u>	91
<u>PFA40000LG</u>	<u>PFA40000BK</u>	91
<u>PFA60000LG</u>	<u>PFA60000BK</u>	91

Similar Products

-  [Filter Fan Grills](#)

[Filter Fan Grills](#)

XPFA Series

-  [Exhaust Filters](#)

[Exhaust Filters](#)

Type 3R

PFA3R Series

[Need Assistance? Contact Us.](#)

Data subject to change without notice.

Tags: [filter](#), [exhaust](#), [Type 12](#), [filtration](#), [climate](#)

- [Home](#)
- [Back to Top](#)
- [Contact Us](#)
- [Distributors](#)
- [HammondConnect \(Partner Portal\)](#)
- [Login](#)
- [Facebook](#)
- [Instagram](#)
- [LinkedIn](#)
- [YouTube](#)

© 2026. Hammond Manufacturing Ltd. All rights reserved.