

- [Home](#)
- [News & Events](#)
- [Products](#)
 - [Mild Steel Enclosures \(Type 12, 4\)](#)
 - [Stainless Steel Enclosures \(Type 4X\)](#)
 - [Aluminum Enclosures \(Type 4X\)](#)
 - [Non-Metallic Enclosures \(Type 4X\)](#)
 - [Disconnect Enclosures](#)
 - [Modular Freestanding Enclosures](#)
 - [Operator Interface Enclosures](#)
 - [Wireway & Trough](#)
 - [Commercial Enclosures](#)
 - [Climate Control](#)
 - [Data Communication Infrastructure](#)
 - [General Accessories](#)
- [Distributors](#)
- [Resources](#)
 - [New Products](#)
 - [Product Guide](#)
 - [HammondConnect \(Partner Portal\)](#)
 - [Climate Control Sizing Software](#)
 - [Technical Information](#)
 - [Compliance Information](#)
 - [Warranty Information](#)
 - [Enclosure Overview](#)
 - [Videos](#)
- [Literature](#)
- [Corporate](#)
 - [About Hammond](#)
 - [Logo Downloads](#)
 - [Career Opportunities](#)
 - [Investor Information](#)
 - [Press Releases](#)
- [Contact Us](#)

Type 4 Mild Steel Freestanding Enclosure *HN4 FS Series*

Continuous Hinge Door with Handle

English | [Français](#)

[Home](#) / [Electrical](#) / [Mild Steel](#) / [Freestanding Enclosures](#)

-  [HN4FS722518](#)
-  [HN4FS723124](#)
-  [HN4FS723724](#)



 Panel Available (sold separately)

 CSA

 UL

 CE

 Restriction of Hazardous Substances Compliant

Product Resources

- [Specification Sheet](#)
- [Print Page](#)
- [Contact Us](#)

Links

- [Part Details \(2D/3D CAD\)](#)
- [Similar Products](#)
- [Alternate Materials](#)

Certifications

- UL File # E65324
- CSA Cert. # LR21001
- [CE Declaration](#)

Share this Product

 [Share via email](#)  [Share on Facebook](#)  [Share on X](#)  [Share on LinkedIn](#)

Application

- Designed to house electrical, electronic, hydraulic or pneumatic controls with provision for panel mounting or rack mounting of equipment.
- Provides protection where equipment may be hosed down or otherwise be very wet or in specific applications where corrosion is a critical problem.
- Various inner panels, rack mounting rails and swing-out frames are available to provide flexibility in mounting arrangements.

Construction

- Formed 12 gauge steel.
- Smooth, continuously welded seams without knockouts, cutouts or holes.
- Lifting eyes provide for easy enclosure handling.
- Doors are supported with heavy gauge continuous hinges.
- New 3-pt padlocking door handle.
- Seamless poured-in-place gasket.
- Provision for light kit mounting.
- A grounding stud is provided in the enclosure, and a bonding stud is provided on the door.

- Mounting channels are welded inside the enclosure for mounting optional inner panels or rack equipment rails.

Standards

- UL 508A Type 3R, 4 and 12
- CSA Type 3R, 4 and 12
- Complies with:
 - NEMA Type 3R, 4, 12 and 13
 - IEC 60529, IP66

Finish

- The cover and enclosure are finished in recoatable smooth ANSI 61 gray powder coating.
- Optional inner panels are available in white powder coating or unpainted galvanized steel.

We are looking at adding a rack mounting solution similar to this enclosure.
[Click here to provide your input.](#)

Accessories

-  [Inner Panels](#) [Inner Panels](#)
-  [Panel Rails](#) [Panel Rails](#)
-  [Swing Out Frames](#) [Swing Out Frames](#)
-  [Door Stop Kit](#) [Door Stop Kit](#)
-  [Drip Shield Kit](#) [Drip Shield Kit](#)
-  [Floor Stand Kit](#) [Floor Stand Kit](#)
-  [Window Kits](#) [Window Kits](#)
-  [Climate Control](#) [Climate Control](#)
-  [Lighting](#) [Lighting](#)
-  [General Accessories](#) [General Accessories](#)

 Gallery Image

Part Details

Click **Part No.**, below, for details (e.g., Product drawings, assembly instructions, ship weight)

Units shown: **inch**. Switch units to: [mm](#)

Part No.	Enclosure			Optional
	H	W	D	Inner Panel
HN4FS722518	72.06	25.06	18.06	72WFW
HN4FS723124	72.06	31.06	24.06	72XFW
HN4FS723724	72.06	37.06	24.06	72YFW

¹ Refers to optional full height/full width panels. [Depth panels/half height width panels are also available](#)

Similar Products

-  [Type 4 Mild Steel Two Door Floormount Enclosure](#)

[Type 4 Mild Steel Two Door Floormount Enclosure](#)

Continuous Hinge Door with Handle

HN4 FM Series

-  [Type 4 Mild Steel Freestanding Enclosure](#)

[Type 4 Mild Steel Freestanding Enclosure](#)

Continuous Hinge Door with Clamps

1418 N4 FS Series

Alternate Materials

-  [Type 4X Stainless Steel Freestanding Enclosure](#)

[Type 4X Stainless Steel Freestanding Enclosure](#)

Continuous Hinge Door with Handle

HN4 FS SS Series

[Need Assistance? Contact Us.](#)

Data subject to change without notice.

Tags: [HN4FS](#), [freestanding](#), [steel](#), [type 4](#), [NEMA 4](#), [rack](#), [panel mount](#), [mounting channel](#), [outdoor](#), [continuous hinge](#), [handle](#)

- [Home](#)
- [Back to Top](#)
- [Contact Us](#)
- [Distributors](#)
- [HammondConnect \(Partner Portal\)](#)
- [Login](#)
- [Facebook](#)
- [Instagram](#)
- [LinkedIn](#)
- [YouTube](#)

© 2026. Hammond Manufacturing Ltd. All rights reserved.