




**Part Number :** [1300130393](#)  
**Product Description :** Mini-Change A-Size  
Receptacle, 4 Poles, PG 13.5 Threads, Female (Straight)  
to 18 AWG Leads, 2.0m (6.56') Length  
**Series Number :** 130013  
**Status :** Active  
**Product Category :** Industrial Connectors  
**Engineering Part Number :** 1R4D04A16M020



## Documents and Resources

**Drawings**  
[1300130393 sd.pdf](#)

## Product Environment Compliance

### Compliance

|                    |                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                                                                            |
| China RoHS         |  per SJ/T 11365-2006 |
| EU ELV             | Not Relevant                                                                                            |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21                                                                         |
| REACH SVHC         | Not Reviewed per D(2024)7663-DC (21 Jan 2025)                                                           |
| EU RoHS            | Compliant with Exemption 6(c) per EU 2015/863                                                           |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

**Part Details**

**General**

|              |                                                                                                                 |
|--------------|-----------------------------------------------------------------------------------------------------------------|
| Status       | Active                                                                                                          |
| Category     | Industrial Connectors                                                                                           |
| Series       | 130013                                                                                                          |
| Description  | Mini-Change A-Size Receptacle, 4 Poles, PG 13.5 Threads, Female (Straight) to 18 AWG Leads, 2.0m (6.56') Length |
| IP Rating    | IP67                                                                                                            |
| NEMA Rating  | NEMA 6                                                                                                          |
| Product Name | Mini-Change                                                                                                     |
| Type         | Single Ended (pigtail)                                                                                          |
| UPC          | 78678846007                                                                                                     |

**Agency**

|     |        |
|-----|--------|
| CSA | LR6837 |
|-----|--------|

**Electrical**

|                               |            |
|-------------------------------|------------|
| Current - Maximum per Contact | 5.6A       |
| Voltage - Maximum             | 300V AC/DC |

**Physical**

|                      |                 |
|----------------------|-----------------|
| Coupling Type        | External Thread |
| Gender               | Female          |
| Keyway               | Single          |
| Length               | 2.0m            |
| Material - Component | PVC             |
| Mounting Thread Size | PG13.5          |
| Net Weight           | 1.000/g         |
| Orientation          | Straight        |

|                               |                |
|-------------------------------|----------------|
| Panel Mount                   | Front          |
| Poles                         | 4              |
| Temperature Range - Operating | -20° to +105°C |
| Wire/Cable Type               | UL 1061        |
| Wire Size (AWG)               | 18             |