



Part Number : [1300390318](#)

Product Description : DeviceNet Mini-Change Receptacle, 5 Poles, Male (Straight) with DeviceNet Mid Trunk Cable, 1/2 - 14 NPT Threads, 1.0m (3.28') Length

Series Number : 130039

Status : Active

Product Category : Industrial Connectors

Engineering Part Number : DNB5100-M010

Documents and Resources

Drawings

[1300390318 sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2022)9120-DC (17 Jan 2023)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- [chemSHERPA \(xml\)](#)

Substances of Interest

- [PFAS](#)

EU RoHS Certificate of Compliance

Additional Product Compliance Information

CE - Declaration of Conformity

UKCA - Declaration of Conformity

Part Details

General

Status	Active
Category	Industrial Connectors
Series	130039
Description	DeviceNet Mini-Change Receptacle, 5 Poles, Male (Straight) with DeviceNet Mid Trunk Cable, 1/2 - 14 NPT Threads, 1.0m (3.28') Length
IP Rating	IP67
NEMA Rating	NEMA 6
Product Name	DeviceNet Trunk,Mini-Change
Type	Single Ended (pigtail)
UPC	78678832661

Agency

CSA	LR6837
UL	E152210

Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	300V AC/DC

Physical

Coupling Type	External Thread
Gender	Male
Keyway	Single

Length	1.0m
Material - Component	Gray Annodized Aluminum
Mounting Thread Size	1/2" - 14 NPT
Net Weight	244.000/g
Orientation	Straight
Panel Mount	Front
Poles	5
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	Mid Cable
Wire Size (AWG)	16, 20

This document was generated on Sep 18, 2026