



**Part Number :** [1300610135](#)

**Product Description :** BradPower A-Size (7/8"-M22)

Single-Ended Cordset, 4 Poles, Male (Straight) to

Pigtail, 16 AWG, PVC Cable, 2.0m (6.56') Length

**Series Number :** 130061

**Status :** Obsolete

**Product Category :** Industrial Cable Assemblies

**Engineering Part Number :** 104006A45M020

---

## Documents and Resources

### Drawings

[1300610135 sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |                    |
|--------------------|--------------------|
| GADSL/IMDS         | Product not active |
| China RoHS         | Product not active |
| EU ELV             | Product not active |
| Low-Halogen Status | Product not active |
| REACH SVHC         | Product not active |
| EU RoHS            | Product not active |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### Substances of Interest

- PFAS

Part Details

General

|              |                                                                                                                               |
|--------------|-------------------------------------------------------------------------------------------------------------------------------|
| Status       | Obsolete                                                                                                                      |
| Category     | Industrial Cable Assemblies                                                                                                   |
| Series       | 130061                                                                                                                        |
| Description  | BradPower A-Size (7/8"–M22) Single-Ended Cordset, 4 Poles, Male (Straight) to Pigtail, 16 AWG, PVC Cable, 2.0m (6.56') Length |
| IP Rating    | IP67                                                                                                                          |
| Product Name | BradPower A-Size                                                                                                              |
| Protocol     | FF                                                                                                                            |
| Type         | Single Ended                                                                                                                  |
| UPC          | 78678882177                                                                                                                   |

Agency

|    |         |
|----|---------|
| UL | E258922 |
|----|---------|

Electrical

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 10.0A |
| Voltage - Maximum             | 600V  |

Physical

|                         |                             |
|-------------------------|-----------------------------|
| Cable Diameter          | 11.43mm (.450")             |
| Cable Length            | 2.0m (6.56')                |
| Color - Cable Jacket    | Gray                        |
| Connector End A         | BradPower A-Size (7/8"–M22) |
| Connector End B         | Pigtail                     |
| Coupling Style          | Threaded                    |
| Gender                  | Male-Pigtail                |
| Keyway                  | Single                      |
| LED Indicator           | None                        |
| Material - Cable Jacket | PVC                         |

|                               |                         |
|-------------------------------|-------------------------|
| Material - Connector Body     | PVC                     |
| Material - Contact            | Copper Alloy            |
| Material - Coupling Nut       | Black Epoxy Coated Zinc |
| Material - Plating Mating     | Gold                    |
| Net Weight                    | 420.060/g               |
| Orientation                   | Straight to Pigtail     |
| Poles                         | 4                       |
| Temperature Range - Operating | -20° to +90°C           |
| Wire/Cable Type               | Unshielded-Stranded     |
| Wire Size (AWG)               | 16                      |

---

This document was generated on Sep 18, 2026