




**Part Number :** [1300390351](#)  
**Product Description :** Mini-Change Gender  
Changer, Straight Female/Male, 5 Poles  
**Series Number :** 130039  
**Status :** Active  
**Product Category :** Industrial Connectors  
**Engineering Part Number :** 115010A



## Documents and Resources

### Drawings

[1300390351\\_sd.pdf](#)

## Product Environment Compliance

### Compliance

|                    |                                                |
|--------------------|------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                   |
| China RoHS         | Not Relevant                                   |
| EU ELV             | Compliant with Exemption 3 per 2000/53/EC      |
| Low-Halogen Status | Not Relevant                                   |
| REACH SVHC         | Contains Lead per D(2024)6225-DC (07 Nov 2024) |
| EU RoHS            | Compliant with Exemption 6(c) per EU 2015/863  |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Substances of Interest

- PFAS

## EU RoHS Certificate of Compliance

## Additional Product Compliance Information

---

### Part Details

#### General

|              |                                                              |
|--------------|--------------------------------------------------------------|
| Status       | Active                                                       |
| Category     | Industrial Connectors                                        |
| Series       | 130039                                                       |
| Description  | Mini-Change Gender Changer,<br>Straight Female/Male, 5 Poles |
| IP Rating    | IP67                                                         |
| Product Name | Mini-Change                                                  |
| Type         | Gender Changer                                               |
| UPC          | 78678848004                                                  |

#### Agency

|    |         |
|----|---------|
| UL | E152210 |
|----|---------|

#### Electrical

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 8.0A |
| Voltage - Maximum             | 50V  |

#### Physical

|                           |               |
|---------------------------|---------------|
| Cable Diameter            | N/A           |
| Coupling Type             | N/A           |
| Diagnostics / LEDs        | No            |
| Diagnostics Port          | No            |
| Gender                    | Female        |
| Keyway                    | None          |
| Material - Connector Body | TPE           |
| Material - Contact        | Copper Alloy  |
| Material - Coupling Nut   | Zinc Die-Cast |
| Material - Plating Mating | Gold          |

|                               |               |
|-------------------------------|---------------|
| Net Weight                    | 245.000/g     |
| Orientation                   | Straight      |
| Poles                         | 5             |
| Temperature Range - Operating | -20° to +80°C |
| Wire Size (AWG)               | N/A           |