



Part Number : [1300390097](#)

Product Description : Mini-Change Cord and Receptacle, DeviceNet Trunk Cable, 7/8" - 16 UN-2A Threads, Male-Female Straight, 5 Poles, 2.0m (6.56') Length

Series Number : 130039

Status : Active

Product Category : Industrial Connectors

Engineering Part Number : DN5210A-M020



Documents and Resources

Drawings

[1300390097_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Not Reviewed per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Industrial Connectors
Series	130039
Description	Mini-Change Cord and Receptacle, DeviceNet Trunk Cable, 7/8" - 16 UN-2A Threads, Male-Female Straight, 5 Poles, 2.0m (6.56') Length
IP Rating	IP67
Product Name	DeviceNet Trunk,Mini-Change
Type	Double Ended
UPC	78678882935

Agency

CSA	LR6837
UL	E152210

Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	300V AC/DC

Physical

Coupling Type	Internal Thread
Gender	Male-Female
Keyway	Single
Length	2.0m
Material - Component	Stainless Steel Type 303
Mounting Thread Size	7/8" - 16 UN-2A
Orientation	Straight

Panel Mount	N/A
Poles	5
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	N/A
Wire Size (AWG)	16, 18