



**Part Number :** [1300630135](#)


**Product Description :** BradPower D-Size (1 3/8"–M35) Single-Ended Cordset, 4 Poles, Female (90°) to Pigtail, 10 AWG, PVC Cable, 2.0m (6.56') Length

**Series Number :** 130063

**Status :** Obsolete

**Product Category :** Industrial Cable Assemblies

**Engineering Part Number :** C04001A48M020



---

## Documents and Resources

### Drawings

[1300630135 sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |                    |
|--------------------|--------------------|
| GADSL/IMDS         | Product not active |
| China RoHS         | Product not active |
| EU ELV             | Product not active |
| Low-Halogen Status | Product not active |
| REACH SVHC         | Product not active |
| EU RoHS            | Product not active |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### Substances of Interest

- PFAS

## Part Details

### General

|              |                                                                                                                              |
|--------------|------------------------------------------------------------------------------------------------------------------------------|
| Status       | Obsolete                                                                                                                     |
| Category     | Industrial Cable Assemblies                                                                                                  |
| Series       | 130063                                                                                                                       |
| Description  | BradPower D-Size (1 3/8"-M35) Single-Ended Cordset, 4 Poles, Female (90°) to Pigtail, 10 AWG, PVC Cable, 2.0m (6.56') Length |
| IP Rating    | IP67                                                                                                                         |
| Product Name | BradPower D-Size                                                                                                             |
| Protocol     | EtherNet                                                                                                                     |
| Type         | Single Ended                                                                                                                 |
| UPC          | 78678857873                                                                                                                  |

### Agency

|    |         |
|----|---------|
| UL | E258922 |
|----|---------|

### Electrical

|                               |            |
|-------------------------------|------------|
| Current - Maximum per Contact | 25.0A      |
| Voltage - Maximum             | 600V AC/DC |

### Physical

|                         |                               |
|-------------------------|-------------------------------|
| Cable Diameter          | 19.81mm (.780")               |
| Cable Length            | 2.0m (6.56')                  |
| Color - Cable Jacket    | Gray                          |
| Connector End A         | BradPower D-Size (1 3/8"-M35) |
| Connector End B         | Pigtail                       |
| Coupling Style          | Threaded                      |
| Gender                  | Female-Pigtail                |
| Keyway                  | Single                        |
| LED Indicator           | None                          |
| Material - Cable Jacket | PVC                           |

|                               |                            |
|-------------------------------|----------------------------|
| Material - Connector Body     | PVC                        |
| Material - Contact            | Copper Alloy               |
| Material - Coupling Nut       | Anodized Aluminum          |
| Material - Plating Mating     | Gold                       |
| Net Weight                    | 1526.260/g                 |
| Orientation                   | 90° to Pigtail             |
| Poles                         | 4                          |
| Temperature Range - Operating | -20° to +90°C              |
| Wire/Cable Type               | STOOW, TC-ER Direct Burial |
| Wire Size (AWG)               | 10                         |

---

This document was generated on Sep 18, 2026