



**Part Number :** [1300060820](#)

**Product Description :** Mini-Change A-Size Single-Ended Cordset, 4 Poles, Female (Straight) to Pigtail, 18 AWG, PVC Cable, 4.60m (15.09') Length

**Series Number :** 130006

**Status :** Obsolete

**Product Category :** Industrial Cable Assemblies

**Engineering Part Number :** 104000A03F150

---

## Documents and Resources

### Drawings

[1300060820\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |                    |
|--------------------|--------------------|
| GADSL/IMDS         | Product not active |
| China RoHS         | Product not active |
| EU ELV             | Product not active |
| Low-Halogen Status | Product not active |
| REACH SVHC         | Product not active |
| EU RoHS            | Product not active |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### Substances of Interest

- PFAS

Part Details

General

|              |                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------|
| Status       | Obsolete                                                                                                                 |
| Category     | Industrial Cable Assemblies                                                                                              |
| Series       | 130006                                                                                                                   |
| Description  | Mini-Change A-Size Single-Ended Cordset, 4 Poles, Female (Straight) to Pigtail, 18 AWG, PVC Cable, 4.60m (15.09') Length |
| IP Rating    | IP67                                                                                                                     |
| Product Name | Mini-Change                                                                                                              |
| Protocol     | N/A                                                                                                                      |
| Type         | Single Ended                                                                                                             |
| UPC          | 78678840836                                                                                                              |

Agency

|     |         |
|-----|---------|
| CSA | LR6837  |
| UL  | E152210 |

Electrical

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 7.0A |
| Voltage - Maximum             | 300V |

Physical

|                      |                |
|----------------------|----------------|
| Cable Diameter       | 7.14mm (.281") |
| Cable Length         | 4.60m (15.09') |
| Color - Cable Jacket | Yellow         |
| Connector End A      | Mini-Change    |
| Connector End B      | Pigtail        |
| Coupling Style       | Threaded       |
| Gender               | Female-Pigtail |
| Keyway               | Single         |
| LED Indicator        | None           |

|                               |                         |
|-------------------------------|-------------------------|
| Material - Cable Jacket       | PVC                     |
| Material - Connector Body     | PVC                     |
| Material - Contact            | Copper Alloy            |
| Material - Coupling Nut       | Black Epoxy Coated Zinc |
| Material - Plating Mating     | Gold                    |
| Orientation                   | Straight to Pigtail     |
| Poles                         | 4                       |
| Temperature Range - Operating | -20° to +105°C          |
| Wire/Cable Type               | UL 2661                 |
| Wire Size (AWG)               | 18                      |

---

This document was generated on Sep 18, 2026